

Variable names for the questionnaire of the National Cancer Walk, 1997
Raw data labels/description

December 1, 2011
 August 31, 2017

S. variable name	E variable name	Variable description	Value description
AB		(q1)	
AB1		(q2)	
BATCHNO		(q3)	
UENR		(q4)	
P_ÅR	birth_year	(q5) year of birth	
P_MÅN	birth_month	(q6) month of birth	
P_DAG	birth_day	(q7) day of birth	
PNR4	pnr_4	(q8) four last digits in Swedish pnr	
ÅR	walk91	(q9) national cancer walk 1991	1=Yes
ÅR1	walk93	(q10) national cancer walk 1993	2=Yes
ÅR2	walk95	(q11) national cancer walk 1995	3=Yes
ÅR3	walk97	(q12) national cancer walk 1997	4=Yes
KONDNU	fitness_now	(q13) current fitness compared to others of same age	1=much worse 2=little worse 3=just as good 4=a bit better 5=much better
KOND1016	fitness_1016	(q14) fitness at age 10-16 compared to others of same age	1=much worse 2=little worse 3=just as good 4=a bit better

RÖRNU	exer_now	(q15) current exercise compared to others of same age	5=much better 1=much less 2=little less 3=just as much 4=a bit more 5=much more
RÖR1016	exer_1016	(q16) exercise at age 10-16 compared to others of same age	1=much less 2=little less 3=just as much 4=a bit more 5=much more
VARDMOT	exer_daily	(q17) house hold exercise per week last 12 months	1= less than 1 h 2=1-2 h 3=3-4 h 4=5-6 h 5= >6 h
LMOTSOM	lexer_sum	(q18) light sport exercise per week last 12 months summer	1= 0 h 2=0- 1 h 3=2 h 4=3 h 5= 4 h 6= 5 or more h
LMOTVIN	lexer_win	(q19) light sport exercise per week last 12 months winter	1= 0 h 2=0-1 h 3=2 h 4=3 h 5= 4 h 6= 5 or more h
AMOTSOM	mexer_sum	(q20) moderate sport exercise per week last 12 months summer	1= 0 h 2=0-1 h 3=2 h 4=3 h 5= 4 h

AMOTVIN	mexer_win	(q21) moderate sport exercise per week last 12 months winter	6= 5 or more h 1= 0 h 2=0-1 h 3=2 h 4=3 h 5= 4 h 6= 5 or more h
TRÄTÄVSO	vexer_sum	(q22) vigorous competitive sport exercise per week last 12 months summer	1= 0 h 2=0- 1 h 3=2 h 4=3 h 5= 4 h 6= ≥5 h
TRÄTÄVVI	vexer_win	(q23) vigorous competitive sport exercise per week last 12 months winter	1= 0 h 2=0-1 h 3=2 h 4=3 h 5= 4 h 6= ≥5 h
TRÄTON	exer_teen	(q24) exercise during teenage years (times per week)	1= never 2=less than once/week 3=once/week 4=2-3 times/week 5= > 3 times/week
TRÄ2029	exer_2029	(q25) exercise at age 20-29 (times per week)	1= never 2=less than once/week 3=once/week 4=2-3 times/week 5= > 3 times/week
TRÄ3049	exer_3049	(q26) exercise at age 30-49 (times per week)	1= never 2=less than once/week 3=once/week

TRÄ50MER	exer_50	(q27) exercise at age 50+ (times per week)	4=2-3 times/week 5= > 3 times/week
FYSANS	workstrain	(q28) physical strain daily work last 12 months	1= never 2=less than once/week 3=once/week 4=2-3 times/week 5= > 3 times/week
IF YOU CHOSE ONE OF THE ALTERNATIVES 3 OR 4, IN WHICH WAY?			
SÄTT	w_movement	(q29) workstrain movement (walking running cycling) if 3 or 4 on previous question (workstrain)	1=Yes
SÄTT1	w_muscle	(q30) workstrain muscle work (lifting bending) if 3 or 4 on previous question (workstrain)	1=Yes
SÄTT2	w_other	(q31) workstrain other type of physical strain if 3 or 4 on previous question (workstrain)	1=Yes
MYARBFRI	exer_10yago	(q32) exercise movement work leisure 10 years ago	1=much less than now 2=little less than now 3=just as much than now 4=a bit more than now 5=much more than now
FYSIKA	paa	(q33) physical activity 0.9 MET	5= 40 min - 1h 29 min 6= 1h 30 min - 2h 59 min 7= 3h - 5h 59 min 8= 6 h - 12 h

FYSIKB	pab	(q34) physical activity 1 MET	<p>1= 0 min - 4 min 2= 5 min - 9 min 3= 10 min - 19 min 4= 20 min - 39 min 5= 40 min - 1h 29 min 6= 1h 30 min – 2h 59 min 7= 3h – 5h 59 min 8= 6 h – 12 h</p>
FYSIKC	pac	(q35) physical activity 1.5 MET	<p>1= 0 min - 4 min 2= 5 min - 9 min 3= 10 min - 19 min 4= 20 min - 39 min 5= 40 min - 1h 29 min 6= 1h 30 min – 2h 59 min 7= 3h – 5h 59 min 8= 6 h – 12 h</p>
FYSIKD	pad	(q36) physical activity 2 MET	<p>1= 0 min - 4 min 2= 5 min - 9 min 3= 10 min - 19 min 4= 20 min - 39 min 5= 40 min - 1h 29 min 6= 1h 30 min – 2h 59 min 7= 3h – 5h 59 min 8= 6 h – 12 h</p>
FYSIKE	pae	(q37) physical activity 3 MET	<p>1= 0 min - 4 min 2= 5 min - 9 min 3= 10 min - 19 min 4= 20 min - 39 min 5= 40 min - 1h 29 min 6= 1h 30 min – 2h 59 min 7= 3h – 5h 59 min 8= 6 h – 12 h</p>
FYSIKF	paf	(q38) physical activity 4 MET	<p>1= 0 min - 4 min 2= 5 min - 9 min 3= 10 min - 19 min</p>

			4= 20 min - 39 min 5= 40 min -1h 29 min 6= 1h 30 min – 2h 59 min 7= 3h – 5h 59 min 8= 6 h – 12 h
FYSIKG	pag	(q39) physical activity 5 MET	1= 0 min - 4 min 2= 5 min - 9 min 3= 10 min - 19 min 4= 20 min - 39 min 5= 40 min -1h 29 min 6= 1h 30 min – 2h 59 min 7= 3h – 5h 59 min 8= 6 h – 12 h
FYSIKH	pah	(q40) physical activity 6 MET	1= 0 min - 4 min 2= 5 min - 9 min 3= 10 min - 19 min 4= 20 min - 39 min 5= 40 min -1h 29 min 6= 1h 30 min – 2h 59 min 7= 3h – 5h 59 min 8= 6 h – 12 h
FYSIKI	pai	(q41) physical activity 8 MET	1= 0 min - 4 min 2= 5 min - 9 min 3= 10 min - 19 min 4= 20 min - 39 min 5= 40 min -1h 29 min 6= 1h 30 min – 2h 59 min 7= 3h – 5h 59 min 8= 6 h – 12 h
VIKTNUKL VIKT20KL VIKT50KL LÄNGDKL HÖFTKL HÖFTEJ	weight_now weight_20 weight_50 lenght_now hip hip_ unknown	(q42) weight now (kg) (q43) weight age 20 (kg) (q44) weight age 50 (kg) (q45) length now (cm) (q46) hip-circumference (cm) (q47) hip-circumference unknown	

MIDJAKL MIDJAEJ FÖDVIKT	waist waist_unknown birthweight_gr	(q48) waist circumference (cm) (q49) waist--circumference unknown (q50) Birth weight (g)	1=Less than 1500g 2=1500-2499 3=2500-4000 4=Over 4000 5=Do not Know
NER5KG	weight_loss	(q51) Ever lost 5kg or more	1=No 2=Yes
NERJA	weight_loss_mod	(q52) Ever lost between 5kg and 10 kg	1=Yes
NERGGR	weight_loss_mod_times	(q53) How many times did you lose weight between 5kg and 10 kg	1=1 2=2 3=3 4=4 5=5 times or more
NERMER	weight_loss_high	(q54) Ever lost more than 10 kg	1=Yes
NERGGR2	weight_loss_high_times	(q55) How many times did you lose weight more than 10 kg	1=1 2=2 3=3 4=4 5=5 times or more
JAG	my_country	(q56) My place of origin	1=Sweden 2 =Baltic country 3 =Denmark 4 =Finland 5 =Greece 6 =Iraq 7 =Iran 8 =Former Yugoslavia

			<ul style="list-style-type: none"> 9 =Lebanon 10 =Norway 11 =Poland 12 =Turkey 13 =Germany 14=Hungary 15=North America 16 =South America 17 =Africa 18 =Other 19 =Do not know”
MOR	mother_country	(q57) My mother place of origin	<ul style="list-style-type: none"> 1=Sweden 2 =Baltic country 3 =Denmark 4 =Finland 5 =Greece 6 =Iraq 7 =Iran 8 =Former Yugoslavia 9 =Lebanon 10 =Norway 11 =Poland 12 =Turkey 13 =Germany 14=Hungary 15=North America 16 =South America 17 =Africa 18 =Other 19 =Do not know”
FAR	father_country	(q58) My father place of origin	<ul style="list-style-type: none"> 1=Sweden 2=Baltic country 3=Denmark 4=Finland 5=Greece 6=Iraq 7=Iran

			8=Former Yugoslavia 9=Lebanon 10=Norway 11=Poland 12=Turkey 13=Germany 14=Hungary 15=North America 16=South America 17=Africa 18=Other 19=Do not know
BOUTSVE	boutsve_before5	(q59) Lives in Sweden from before 5 years old	1=Yes
BOUTSVE1	boutsve_5_14	(q60) Lives Sweden from between 5 and 14 years old	2=Yes
BOUTSVE2	boutsve_15_19	(q61) Lives in Sweden from between 15 and 19 years old	3=Yes
BOUTSVE3	boutsve_20_29	(q62) Lives in Sweden from between 20 and 29 years old	4=Yes
BOUTSVE4	boutsve_30_50	(q63) Lives in Sweden from between 30 and 50 years old	5=Yes
BOUTSVE5	boutsve_after50	(q64) Lives in Sweden from between 30 and 50 years old	6=Yes
ANTSYS	n_of_broth_and_syst	(q65) Number of brothers and sisters	1 =None 2 =1 3 =2 4 =3 5 =4 6 =5 7=6 8=7 9=8 10=9 11=more than 9
ANTFSYS	n_of_old_broth_and_syst	(q66) Number of older brothers and sisters	1=None 2 =1

			3 =2 4 =3 5 =4 6 =5 7=6 8=7 9=8 10=9 11=more than 9
VUXITUPP	bro_up_big_ci	(q67) Brought up in a big city	1=Yes
VUXITUP1	bro_up_med_size_ci	(q68) Brought up in a medium-sized city	2=Yes
VUXITUP2	bro_up_smal_town	(q69) Brought up in a small town	3=Yes
VUXITUP3	bro_up_countryside	(q70) Brought up in the countryside	4=Yes
DAGIS	day_nurs	(q71) Gone to day nursery	1=Yes
DAGIS1	nurs_school	(q72) Gone to nursery school	1=Yes
DAGIS2	no_nurs_school	(q73) Gone to none nursery school	1=Yes
DAGISÅLD	day_nurs_age	(q74) Age when started day nursery	1=Younger than 1 year 2=1-2 years 3=3-4 years 4=Older than 4 years
SYSSELSÄ	occ_full	(q75) fulltime employed	1=Yes
SYSSELS1	occ_part	(q76) part time employed	1=Yes
SYSSELS2	occ_own	(q77) own business	1=Yes
SYSSELS3	occ_home	(q78) non paid house work	1=Yes

SYSSSELS4	occ_unemp	(q79) unemployed	1=Yes
SYSSSELS5	occ_retir	(q80) retired	1=Yes
SYSSSELS6	occ_sick	(q81) sick leave long time	1=Yes
SYSSSELS7	occ_stud	(q82) student	1=Yes
SYSSSELS8	occ_other	(q83) other	1=Yes
ARBTIDER	day_ti_wk	(q84) Day time work	1=Yes
ARBTIDE1	day_ti_and_call_wk	(q85) Day time + on call work	2=Yes
ARBTIDE2	eveni_night_wk	(q86) Evening/nights work	3=Yes
ARBTIDE3	two_shift_wk	(q87) Two shift work	4=Yes
ARBTIDE4	three_five_shift_wk	(q88) Three-Five shift work	5=Yes
ARBTIDE5	other_hours_wk	(q89) Other unspecified working hours	6=Yes
ARBTIDE6	no_hours_wk	(q90) No working hours	7=Yes
ARBFORT	wk_very_fast	(q91) Have to work very fast	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always
ARBHÅRT	wk_very_hard	(q92) Have to work very hard	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always
ARBSTOR	wk_too_much	(q93) Have to work too much	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always

ARBTID	wk_enough_time_catchup	(q94) Have enough of time to catch up	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always
ARBNYA	wk_learn_new_things	(q95) Can learn new things	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always
ARBMOT	wk_contradictory	(q96) There are contradictory demands	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always
ARBSKICK	wk_demand_skilfulness	(q97) There are skilfulness demands	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always
ARBPHTT	wk_demand_ingenuity	(q98) There are ingenuity demands	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always
ARBFRI	wk_freedom_what	(q99) Have freedom to decide what is to be done	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always
ARBHUR	wk_freedom_how	(q100) Have freedom to decide how it is to be done	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always
ARBSAM	wk_same	(q101) Have to do the same thing over the time	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always

SKOLOR	ed_comp	(q102) education 9 years	1=Yes
SKOLOR1	ed_real	(q103) education 9 years	1=Yes
SKOLOR2	ed_work	(q104) education 11 years	1=Yes
SKOLOR3	ed_girl	(q105) education 13 years	1=Yes
SKOLOR4	ed_2y	(q106) education 11 years	1=Yes
SKOLOR5	ed_34y	(q107) education 12-13 years	1=Yes
SKOLOR6	ed_univ	(q108) education 15 years	1=Yes
SKOLOR7	ed_other	(q109) other education	1=Yes
CIGARETT		(q110) Ever smoked cigarettes more than 6 months	1=No 2=Yes
SNUS		(q111) Ever taken snuff regularly	1=No 2=Yes
PIPA		(q112) Ever smoked pipe regularly	1=No 2=Yes
CIGNU	cignow	(q113) Smoke now	1=0 2=1-5 3=6-10 4=11-15 5=16-20 6=21-30 7=more than 30
CIG1014		(q114) Smoke between 10 and 14 years old	1=0 2=1-5 3=6-10 4=11-15 5=16-20

CIG1519	(q115) Smoke between 15 and 19 years old	6=21-30 7=more than 30 1=0 2=1-5 3=6-10 4=11-15 5=16-20 6=21-30 7=more than 30
CIG2029	(q116) Smoke between 20 and 29 years old	1=0 2=1-5 3=6-10 4=11-15 5=16-20 6=21-30 7=more than 30
CIG3039	(q117) Smoke between 30 and 39 years old	1=0 2=1-5 3=6-10 4=11-15 5=16-20 6=21-30 7=more than 30
CIG4049	(q118) Smoke between 40 and 49 years old	1=0 2=1-5 3=6-10 4=11-15 5=16-20 6=21-30 7=more than 30
CIG5059	(q119) Smoke between 50 and 59 years old	1=0 2=1-5 3=6-10 4=11-15

CIG60ÄLD	cig_60	(q120) Smoke after 60 years old	5=16-20 6=21-30 7=more than 30 1=0 2=1-5 3=6-10 4=11-15 5=16-20 6=21-30 7=more than 30
PIPNU	pipnow	(q121) Pipe now	1=No 2=Yes
PIP1014		(q123) Pipe between 10 and 14 years old	1=No 2=Yes
PIP1519		(q125) Pipe between 15 and 19 years old	1=No 2=Yes
PIP2029		(q127) Pipe between 20 and 29 years old	1=No 2=Yes
PIP3039		(q129) Pipe between 30 and 39 years old	1=No 2=Yes
PIP4049		(q131) Pipe between 40 and 49 years old	1=No 2=Yes
PIP5059		(q133) Pipe between 50 and 59 years old	1=No 2=Yes
PIP60ÄLD	pip_60_older	(q135) Pipe after 60 years old	1=No 2=Yes
SNUSNU	snusnow	(q122) Snus now	3=0 4=Less than 1 5=1-2

		6=3-7 7=More than 7
SNUS1014	(q124) Snus between 10 and 14 years old	3=0 4=Less than 1 5=1-2 6=3-7 7=More than 7
SNUS1519	(q126) Snus between 15 and 19 years old	3=0 4=Less than 1 5=1-2 6=3-7 7=More than 7
SNUS2029	(q128) Snus between 20 and 29 years old	3=0 4=Less than 1 5=1-2 6=3-7 7=More than 7
SNUS3039	(q130) Snus between 30 and 39 years old	3=0 4=Less than 1 5=1-2 6=3-7 7=More than 7
SNUS4049	(q132) Snus between 40 and 49 years old	3=0 4=Less than 1 5=1-2 6=3-7 7=More than 7
SNUS5059	(q134) Snus between 50 and 59 years old	3=0 4=Less than 1 5=1-2 6=3-7 7=More than 7

SNUS60ÄL	snus_60_older	(q136) Snus after 60 years old	3=0 4=Less than 1 5=1-2 6=3-7 7=More than 7
UTSNUARB	exp_tob_now_wrk	(q137) Exposed to tobacco now at work	1=Not at all 2=A little 3=Average 4=A lot
UTSNUFRI	exp_tob_now_leis	(q138) Exposed to tobacco now during leisure time	1=Not at all 2=A little 3=Average 4=A lot
UTS10ARB	exp_tob_10yago_wrk	(q139) Exposed to tobacco 10 years ago at work	1=Not at all 2=A little 3=Average 4=A lot
UTS10FRI	exp_tob_10yago_leis	(q140) Exposed to tobacco 10 years ago during leisure time	1=Not at all 2=A little 3=Average 4=A lot
HÄLSA	health	(q141) Own perception of health	1=very good 2=good 3=neither good nor bad 4=bad 5=very bad
BRÖSTSM	chest_pain	(q142)	1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always
HJÄRTKL	palpitation	(q143)	1=Never/seldom

ANDFET	breathlessness	(q144)	<p>2=Sometimes 3=Often 4=Always/almost always</p> <p>1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always</p>
HUVUDV	headache	(q145)	<p>1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always</p> <p>1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always</p>
MAGONT	stomachache	(q146)	<p>1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always</p> <p>1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always</p>
MUSKELV	musclepain	(q147)	<p>1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always</p> <p>1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always</p>
LEDV	jointpain	(q148)	<p>1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always</p> <p>1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always</p>
RYGGV	backache	(q149)	<p>1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always</p> <p>1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always</p>
YRSEL	dizziness	(q150)	<p>1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always</p> <p>1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always</p>

SVIMNING	faint	(q151)	1=Never/seldom 2=Sometimes 3=Often 4=Always/almost always
ALLHUD	allergic_skin_problems	(q152)	1=No 2=Yes 3=Do not know
ALLSNUV	allergic_nasal_catarrh	(q153)	1=No 2=Yes 3=Do not know
ACNE		(q154)	1=No 2=Yes 3=Do not know
KEKSEM	contact_eczema	(q155)	1=No 2=Yes 3=Do not know
PSORIA	psoriasis	(q156)	1=No 2=Yes 3=Do not know
ASTMA	asthma	(q157)	1=No 2=Yes 3=Do not know
HJÄRTINF	heart_attach	(q158)	1=No 2=Yes 3=Do not know
HBLODTR	high_blood_pressure	(q159)	1=No 2=Yes 3=Do not know
KKRAMP	angina_pectoris	(q160)	1=No 2=Yes

BLODFRU	lipid_disturbance	(q161)	3=Do not know 1=No 2=Yes 3=Do not know
KKRAMPB	angina_pectoris_legs	(q162)	1=No 2=Yes 3=Do not know
SLAGANF	stroke	(q163)	1=No 2=Yes 3=Do not know
LEDGÅNG	rheumatoid_arthritis	(q164)	1=No 2=Yes 3=Do not know
TBC		(q165)	1=No 2=Yes 3=Do not know
HANDLBRO	wrist_fracure	(q166)	1=No 2=Yes 3=Do not know
CANCER		(q167)	1=No 2=Yes 3=Do not know
DIABF30	diabetes_before_30y	(q168)	1=No 2=Yes 3=Do not know
DIABE30	diabetes_after_30y	(q169)	1=No 2=Yes 3=Do not know
MS	multiple_sclerosis	(q170)	1=No

			2=Yes 3=Do not know
CROHNS	chron_disease	(q171)	1=No 2=Yes 3=Do not know
ULCKOLI	ulcerative_colitis	(q172)	1=No 2=Yes 3=Do not know
ASIENJA	Visit_Asia	(q173) Ever visited Asia	1=Yes MIS=No
ASIENTID	How_long_visit_Asia	(q174) How long visited Asia	1=Max.4 weeks 2=5 weeks to 1 year 3=More than 1 year
AFRIKAJA	Visit_Africa	(q175) Ever visited Africa	1=Yes
AFRIKATI	How_long_visit_Africa	(q176) How long visited Africa	1=Max.4 weeks 2=5 weeks to 1 year 3=More than 1 year
SYDAMJA	Visit_South_America	(q177) Ever visited South America	1=Yes
SYDAMTID	How_long_visit_South_America	(q178) How long visited South America	1=Max.4 weeks 2=5 weeks to 1 year 3=More than 1 year
VACGULF	vac_y_fever	(q179) vaccinated against yellow fever	1=No 2=Yes 3=Do not know
VACJAPB	vac_jap_b_encephalitis	(q180) vaccinated against japanese b encephalitis	1=No 2=Yes 3=Do not know

VACRABIE	vac_rabies	(q181) vaccinated against rabies	1=No 2=Yes 3=Do not know
VACTBE	vac_tbe	(q182) vaccinated against tbe	1=No 2=Yes 3=Do not know
VACGULS	vac_b_hepatitis	(q183) vaccinated against hepatitis B	1=No 2=Yes 3=Do not know
GAMSPR	gamma_inj	(q184) gamma globuline injections	1=Never 2=1-5 times 3=6-10 times 4=More than 10 times 5=Do not know
PENIGGR	treat_penic_antib	(q185) treated with penicillin or antibiotics	1=Never 2=1-2 times 3=3-10 times 4=More than 10 times 5=Do not know
PENITID	how_long_treat_penic_antib	(q186) How long was the longest treatment with penicillin or antibiotics	1=Less than 2 weeks 2=2-4 weeks 3=5 weeks up to half a year 4=More than half a year 5=Do not know
SOLUT	sunbath	(q187) How often take a sunbath	1=Never 2=Less than 5 hours per year 3=5-14 hours per year 4=15-29 hours per year 5=30-60 hours per year 6=More than 60 hours per year

SOLSEM	sun_vacation	(q188) Usually sun vacation in southern countries	1=Never 2=Occasionally 3=Every or every second year 4=Several times per year
SOLFÖRR	former_times_sunbath	(q189) took a sunbath in former times	1=Less 2=Just as much 3=More
LÄTTBRU	tan	(q190) easily get a tan	1=No, I seldom get a tan 2=No, I get a tan slowly 3=Yes, relatively easy 4=Yes, definitively
SOLSKYDD	sun_solution	(q191) Use sun solution	1=Never 2=Sometimes 3=Almost always
SOLBRÄND	sun_burnt	(q192) Get red/burnt by the sun	1=Never 2=Seldom 3=Often
BRDFLER	burnt_sev_tim_in_ayear	(q193) Burnt several times during one year	1=Never/almost never 2=Some years 3=Almost every year
BRDENST	burnt_occas_in_ayear	(q194) Burnt occasional times during one year	1=Never/almost never 2=Some years 3=Almost every year
RÖDFLER	red_notburnt_sev_tim_in_ayear	(q195) Red but not burnt several times during one year	1=Never/almost never 2=Some years 3=Almost every year
RÖDENST	red_notburnt_occas_in_ayear	(q196) Red but not burnt occasional times during one year	1=Never/almost never 2=Some years 3=Almost every year
BRDBARN	sun_burnt_child	(q197) Get red/burnt by the sun as a child	1=Never

HÅRFÄRG	hair_colour	(q198) Natural hair colour	<p>2=Sometimes 3=Often 4=Do not know</p> <p>1=Dark brown/black 2=Light brown 3=Blonde/Yellow 4=Red</p>
SOLARIUM		(q199) Ever taken a solarium	<p>1=No 2=Yes</p>
SOLUPP15	solarium_up_to_15y	(q200) Taken solarium up to 15 years old(time per years)	<p>1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=31-50 7=over 50</p>
SOL1519	solarium_15_to_19y	(q201) Taken solarium between 15 and 19 years old(time per years)	<p>1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=31-50 7=over 50</p>
SOL2029	solarium_20_to_29y	(q202) Taken solarium between 20 and 29 years old(time per years)	<p>1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=31-50 7=over 50</p>

SOL3039	solarium_30_to_39y	(q203) Taken solarium between 30 and 39 years old(time per years)	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=31-50 7=over 50
SOL4049	solarium_40_to_49y	(q204) Taken solarium between 40 and 49 years old(time per years)	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=31-50 7=over 50
SOL50ÄLD	solarium_50y_and_older	(q205) Taken solarium after 50 years old years old(time per years)	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=31-50 7=over 50
SORGSEN	feel_sad	(q206) How often do you feel sad	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always
ENSAM	feel_lonely	(q207) How often do you feel lonely	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always
OROLIG	feel_worried	(q208) How often do you feel worried	1=Seldom/never 2=Sometimes

			3=Often 4=Always/almost always
NÖJD	feel_satisfied	(q209) How often do you feel satisfied	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always
FRISK	feel_healthy	(q210) How often do you feel healthy	1=Seldom/never 2=Sometimes 3=Often 4=Always/almost always
SJUKDOM	sick_last_12_months	(q211) Experienced sickness/emergency /relative death during the past 12 months	1=No 2=Yes
SJUKDP	sickness_influence	(q212) Sickness influence	1=Not so much 2=Considerably 3=Strongly negative
SKILSMÄS	divorced_last_12_months	(q213) Divorced/separated during the past 12 months	1=No 2=Yes
SKILSMP	divorce_influence	(q214) Divorce_influence	1=Not so much 2=Considerably 3=Strongly negative
ARBLÖS	unemployed_last_12_months	(q215) Got unemployed during the past 12 months	1=No 2=Yes
ARBLÖSP	unemploy_influence	(q216) Unemploy_influence	1=Not so much 2=Considerably 3=Strongly negative
INTRESSE	share_interests	(q217) Have someone that shares interests with you	1=No 2=Doubtful 3=Yes

BEKYMMER	share_daily_problems	(q218) Have someone that shares daily problems with you	1=No 2=Doubtful 3=Yes
FÖRTROL	be_familiar	(q219) Have someone familiar with you	1=No 2=Doubtful 3=Yes
PERBOR	how_many_persons_house	(q220) How many persons live in your household	1=Nobody 2=1 3=2 4=3 5=4-5 6=6-7 7=More than 7
HARDJUR	pets	(q221) Pets at home	1=No 2=Yes
DJUR	Dog	(q222) Dogs at home	1=Yes
DJUR1	Cat	(q223) Cats at home	1=Yes
DJUR2	Bird	(q224) Birds at home	1=Yes
DJUR3	Rodent	(q225) Rodents at home	1=Yes
DJUR4	Other_animal	(q226) Other animals at home	1=Yes
HURSOVA	sleep_quality	(q227) How is your sleep	1=Good 2=Rather good 3=Neither good or bad 4=Rather bad 5=Bad
ANSSOVA	hours_need_sleep	(q228) How many hours do you need to sleep	1=Less than 5 2=5 3=6

			4=7 5=8 6=9 or more
BRUKSOVA	hours_sleep_weekday	(q229) How many hours do you sleep during a weekday	1=Less than 5 2=5 3=6 4=7 5=8 6=9 or more
LEDSOVA	hours_sleep_off_duty	(q230) How many hours do you sleep when you are off duty	1=Less than 5 2=5 3=6 4=7 5=8 6=9 or more
SOVSVÅRT	fall_asleep_problems	(q231) Had problems to fall asleep	1=Never 2=Seldom 3=Sometimes 4=Mostly 5=Always 6=Do not know
SOVVAK	fall_asleep_again_problems	(q232) Had problems to fall asleep again after waken up	1=Never 2=Seldom 3=Sometimes 4=Mostly 5=Always 6=Do not know
SOVSNARK	snored_severely	(q233) Snored severely	1=Never 2=Seldom 3=Sometimes 4=Mostly 5=Always 6=Do not know

SOVORO	restless_sleep	(q234) Had a restless_sleep	1=Never 2=Seldom 3=Sometimes 4=Mostly 5=Always 6=Do not know
SOVMAR	nightmares	(q235) Had nightmares	1=Never 2=Seldom 3=Sometimes 4=Mostly 5=Always 6=Do not know
SOVSVAK	problems_waking_up	(q236) Had problems waking u	1=Never 2=Seldom 3=Sometimes 4=Mostly 5=Always 6=Do not know
SOVUTSÖ	not_rested_awakening	(q237) Not been rested at awakening	1=Never 2=Seldom 3=Sometimes 4=Mostly 5=Always 6=Do not know
SOVUTMAT	woke_up_fatigued	(q238) Woke up fatigued	1=Never 2=Seldom 3=Sometimes 4=Mostly 5=Always 6=Do not know
SOVTID	woke_up_too_early	(q239) Woke up too early	1=Never 2=Seldom 3=Sometimes 4=Mostly

			5=Always 6=Do not know
SOVSOMN	sleeping_during_day	(q240) Been sleepy during the day	1=Never 2=Seldom 3=Sometimes 4=Mostly 5=Always 6=Do not know
SOVNICK	fell_asleep_during_day	(q241) Feel asleep during the day	1=Never 2=Seldom 3=Sometimes 4=Mostly 5=Always 6=Do not know
SOVTUPP	taken_nap_during_day	(q242) Taken a nap during the day	1=Never 2=Seldom 3=Sometimes 4=Mostly 5=Always 6=Do not know
SOVMEDEL	sleeping_pills	(q243) Used sleeping pills	1=Never 2=Seldom 3=Sometimes 4=Mostly 5=Always 6=Do not know
MBANV	mobile_phone_use	(q244) Regularly spoken in a mobile phone	1=Yes 2=No
FÖRE85	no_mob_bef_85	(q245) No mobile used before 1985	1=Yes
FÖRE86	nmt900_bef_85	(q246) Used NMT900 before 1985	1=Yes

FÖRE87	nmt450_bef_85	(q247) Used NMT450 before 1985	1=Yes
FÖRE88	do_not_know_bef_85	(q248) Do not know before 1985	1=Yes
MBAN8592	no_mob_bet_8592	(q249) No mobile used between 1985 and 1992	1=Yes
MBAN8593	gsm_bet_8592	(q250) Used NMT900 between 1985 and 1992	1=Yes
MBAN8594	nmt450_bet_8592	(q251) Used NMT450 between 1985 and 1992	1=Yes
MBAN8595	do_not_know_bet_8592	(q252) Do not know between 1985 and 1992	1=Yes
EFTER92	no_mob_aft_92	(q253) No mobile used after 1992	1=Yes
EFTER93	gsm_aft_92	(q254) Used GSM after 1992	1=Yes
EFTER94	nmt900_aft_92	(q255) Used NMT900 after 1992	1=Yes
EFTER95	nmt450_aft_92	(q256) Used NMT450 after 1992	1=Yes
EFTER96	gsm&nmt_aft_92	(q257) Used both GSM and NMT after 1992	1=Yes
EFTER97	do_not_know_aft_92	(q258) Do not know after 1992	1=Yes
MBSAM	years_mobile	(q259) How many years used mobile	1=Less than 1 year 2=1-5 years 3=6-10 years 4=More than 10 years
MBOFTA	often_mobile	(q260) How often use mobile	1=Less than once a week 2=A few calls per week 3=Less than 10 minutes/day 4=10-29 minutes/day 5=30 minutes/1 hour/day 6=More than 1 hour/day
VILKÖRA	ear_mobile	(q261) Towards which ear use mobile	1=Right 2=Left

3=Alternatively left and right

Diet Part of questionnaire

LÄTTMINI	lightmilk	(q262) How many glasses of light milk per day	0,1,...,7+
MELLAN	mediummilk	(q263) How many glasses of medium milk per day	0,1,...,7+
STAND	standmilk	(q264) How many glasses of standard milk per day	0,1,...,7+
LÄTTFY	lightyoug	(q265) How many glasses of light yoghurt per day	0,1,...,7+
FILYOG	yougurt	(q266) How many glasses of yoghurt per day	0,1,...,7+
SAFTLÄSK	juice	(q267) How many glasses of juice per day	0,1,...,7+
LÄTTÖL	lightbeer	(q268) How many glasses of standard milk per day	0,1,...,7+
TE	tea	(q269) How many cups of tea per day	0,1,...,7+
KAFFE	coffee	(q270) How many cups of coffee per day	0,1,...,7+
SOCKHON	honey	(q271) How many spoons of honey per day	0,1,...,7+
KESOKVAR	cottcheese	(q272) How many tablespoones of cottage cheese per day	0,1,...,7+
OST	cheese	(q273) How many slices of cheese per day	0,1,...,7+
LÄTTOST	lightcheese	(q274) How many slices of light cheese per day	0,1,...,7+
BRDHÄRT	crispbread	(q275) How many slices of crispbread per day	0,1,...,7+
BRDVITT	whitebread	(q276) How many slices of white bread per day	0,1,...,7+
BRDGROVT	ryebread	(q277) How many slices of rye bread per day	0,1,...,7+
BRDMED	buttbread	(q278) How many slices of bread with butter per day	0,1,...,7+
HURBRE	hobread	(q279) How do you butter bread	1=Rather thick 2=Thin 3=Very thin 4=Nofat
SMÖRGÅS	butter_s	(q280) butter in sandwich	1=yes
SMÖRGÅS1	bregott_s	(q281) bregott in sandwich	1=yes
SMÖRGÅS2	margarine_s	(q282) margarine in sandwich	1=yes
SMÖRGÅS3	lightmarg_s	(q283) light margarine in sandwich	1=yes
SMÖRGÅS4	cookmarg_s	(q284) cooking margarine in sandwich	1=yes
SMÖRGÅS5	oliveoil_s	(q285) olive oil in sandwich	1=yes
SMÖRGÅS6	nocookfat_s	(q286) nocooking fat	1=yes
MATLAGN	butter_c	(q287) butter in cooking	1=yes
MATLAGN1	bregott_c	(q288) bregott in cooking	1=yes
MATLAGN2	margarin_c	(q289) margarine in cooking	1=yes
MATLAGN3	lightmarg_c	(q290) light margarine in cooking	1=yes
MATLAGN4	cookmar_c	(q291) cooking margarine in cooking	1=yes
MATLAGN5	oliveoil_c	(q292) olive oil in cooking	1=yes
MATLAGN6	rapeoil	(q293) rape oil in cooking	1=yes

MATLAGN7	cookoil	(q294) cookoil in cooking	1=yes
MATLAGN8	liquimarg	(q295) liquid margarin in cooking	1=yes
MATLAGN9	nocookfat_c	(q296) no cooking fat in cooking	1=yes

NOTICE: CODING IS THE SAME till Q359

CODING IS: 0=0 times/month

1=1-3 times/month

2=1-2 times/week

3=3-4 times/week

4=5-6 times/week

5=1 time/day

6=2 times/day

7=3+ times/day

Comment [AG1]: updated

HGRÖT	oatmeal	(q297) How often (average) do you eat oatmeal
RÖTVÄLL	gruel	(q298) How often (average) do you eat gruel
FLINGOR	muesli	(q299) How often (average) do you eat muesli
PASTA	pasta	(q300) How often (average) do you eat pasta
PKAK	pancakes	(q301) How often (average) do you eat pancakes
PIZZA	pizza	(q302) How often (average) do you eat pizza
RIS	rice	(q303) How often (average) do you eat rice
KLI	bran	(q304) How often (average) do you eat bran
KÖTTFÄRS	meat	(q305) How often (average) do you eat meat
FLÄSK	pork	(q306) How often (average) do you eat pork
NÖT	beef	(q307) How often (average) do you eat beef
KORV	sausage	(q308) How often (average) do you eat sausage
BLOD	pudding	(q309) How often (average) do you eat pudding
LEVER	liver	(q310) How often (average) do you eat liver
PASTEJ	liverpaste	(q311) How often (average) do you eat liverpaste
PÅLÄGG	meat_sand	(q312) How often (average) do you eat meat on sandwich
FÄGEL	chicken	(q313) How often (average) do you eat chicken
SILL	herring	(q314) How often (average) do you eat herring
LAX	salmon	(q315) How often (average) do you eat salmon
TORSK	cod	(q316) How often (average) do you eat cod
KAVIAR	caviar	(q317) How often (average) do you eat caviar
SKALDJUR	shellfish	(q318) How often (average) do you eat shellfish

ÄGG	egg	(q319) How often (average) do you eat egg
KPOT	potato_b	(q320) How often (average) do you eat Boiled potato
SPOT	potato_f	(q321) How often (average) do you eat fried potato
POMM	french	(q322) How often (average) do you eat French fried potatoes
MOROT	carrot	(q323) How often (average) do you eat carrots
SALLAD	lettuce	(q324) How often (average) do you eat lettuce
VKOL	cabbage	(q325) How often (average) do you eat cabbage
BKOL	cauli	(q326) How often (average) do you eat cauliflower
BROC	broccoli	(q327) How often (average) do you eat broccoli
TOMAT	tomato	(q328) How often (average) do you eat tomato
PAPRIKA	paprika	(q329) How often (average) do you eat paprika
SPENAT	spinach	(q330) How often (average) do you eat spinach
ÄRTOR	peas	(q331) How often (average) do you eat peas
LÖK	onion	(q332) How often (average) do you eat onion
VITLÖK	garlic	(q333) How often (average) do you eat garlic
BLGRÖN	mixveggy	(q334) How often (average) do you eat mixed vegetables
SOPPA	vegsoup	(q335) How often (average) do you eat pea soup
APELSIN	orange	(q336) How often (average) do you eat orange
ÄPPLE	ap_pear	(q337) How often (average) do you eat apple/pear
BANAN	banana	(q338) How often (average) do you eat banana
BÄR	berries	(q339) How often (average) do you eat berries
AFRUKT	otherfruit	(q340) How often (average) do you eat other fruit
SYLT	marmalade	(q341) How often (average) do you eat marmalade
KRÄM	fruitsoup	(q342) How often (average) do you eat fruit soup
BULLAR	coffebread	(q343) How often (average) do you eat coffee bread
KEX	biscuits	(q344) How often (average) do you eat biscuits
TÅRTA	pastries	(q345) How often (average) do you eat pastries
CHOKLAD	chocolate	(q346) How often (average) do you eat chocolate
GODIS	sweets	(q347) How often (average) do you eat sweets
GLASS	icecream	(q348) How often (average) do you eat icecream
CHIPS	chips	(q349) How often (average) do you eat chips
NÖTTER	nuts	(q350) How often (average) do you eat nuts
DRESS	dressing	(q351) How often (average) do you eat dressing
MAJONNÄS	mayo	(q352) How often (average) do you eat mayonnaise
GRÄDDE	cream	(q353) How often (average) do you eat cream
KETCHUP	ketchup	(q354) How often (average) do you eat ketchup
SKORV	meat_f	(q355) How often (average) do you eat fried_meat
SFISK	fish_f	(q356) How often (average) do you eat fried_fish
SKYCK	chicken_f	(q357) How often (average) do you eat fried_chicken

GRKYCK STEKSKY	chicken_r gravy	(q358) How often (average) do you eat fried_roasted_chicken (q359) How often (average) do you eat gravy	
FOLKÖL	medbeer	(q360) How often do you drink medium strong beer	0=Never 1=0-1 times/month 2=1-3 times/month 3=1-2 times/week 4=3-4 times/week 5=5-6 times/week 6=1 times/day 7=2 times/day 8=3+ times/day
STARKÖL	strongbeer	(q361) How often do you drink strong beer	0=Never 1=0-1 times/month 2=1-3 times/month 3=1-2 times/week 4=3-4 times/week 5=5-6 times/week 6=1 times/day 7=2 times/day 8=3+ times/day
VITTVIN	whitewine	(q362) How often do you drink white wine	0=Never 1=0-1 times/month 2=1-3 times/month 3=1-2 times/week 4=3-4 times/week 5=5-6 times/week 6=1 times/day 7=2 times/day 8=3+ times/day
RÖTTVIN	redwine	(q363) How often do you drink white wine	0=Never 1=0-1 times/month 2=1-3 times/month 3=1-2 times/week 4=3-4 times/week 5=5-6 times/week

			6=1 times/day 7=2 times/day 8=3+ times/day
STARKVIN	desswine	(q364) How often do you drink dessert wine	0=Never 1=0-1 times/month 2=1-3 times/month 3=1-2 times/week 4=3-4 times/week 5=5-6 times/week 6=1 times/day 7=2 times/day 8=3+ times/day
SPRIT	liquor	(q365) How often do you drink liquor	0=Never 1=0-1 times/month 2=1-3 times/month 3=1-2 times/week 4=3-4 times/week 5=5-6 times/week 6=1 times/day 7=2 times/day 8=3+ times/day
MCKÖL	beer_q	(q366) How much do you drink?	1= < 33 cl 2=33-50 cl 3=50-200 cl 4=200-400cl 5=>400cl
MCKVIN	wine_q	(q367) How much do you drink?	1=1 glass 2=2-3 glasses 3=1/2-1bottle 4=> 1 bottle
MCKSPRIT	liquor_q	(q368) How much do you drink?	1= <= 6cl 2= 7-12 cl 3= 13-18cl 4= 19-37cl

Comment [AG2]: updated

SAMBAND	alc_meal	(q369) If you drink alcohol, is it with meal?	5=>37cl 1=never 2=seldom 3=sometimes 4=often 5=always
ATERVIT	vitamin	(q370) Do you take vitamins/other supplements?	0=no 1=yes 2=sometimes
VITUTAN	vit_nomin	(q371) Vitamins without minerals consumption	0=Never 1=Less than 1 year 2=1-5 years 3=More than 5 years
VITMED	vit_min	(q372) Vitamins with minerals consumption	0=Never 1=Less than 1 year 2=1-5 years 3=More than 5 years
CALCIUM	calcium	(q373) Calcium consumption	0=Never 1=Less than 1 year 2=1-5 years 3=More than 5 years
CVIT	c-vit	(q374) C Vitamin consumption	0=Never 1=Less than 1 year 2=1-5 years 3=More than 5 years
BVIT	b-vit	(q375) B Vitamin consumption	0=Never 1=Less than 1 year 2=1-5 years 3=More than 5 years
EVIT	e-vit	(q376) E Vitamin consumption	0=Never 1=Less than 1 year

			2=1-5 years 3=More than 5 years
Q10	q10	(q377) Q 10 consumption	0=Never 1=Less than 1 year 2=1-5 years 3=More than 5 years
OXIGARD	oxigard	(q378) Oxigard consumption	0=Never 1=Less than 1 year 2=1-5 years 3=More than 5 years
BETKARO	betacaro	(q379) Beta-carotene consumption	0=Never 1=Less than 1 year 2=1-5 years 3=More than 5 years
FISKOLJ	fishoil	(q380) Fish oil products consumption	0=Never 1=Less than 1 year 2=1-5 years 3=More than 5 years
KONTAKT	contact	(q381) Do you want to be contacted in the future	1=Yes 2=Maybe 3=No
ACYSENÅR	acety_last_y	(q382) Amount of tables of acetylsalicylic consumption per month during the last year	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=More than 30
ACYFEMÅR	acety_5y_ago	(q383) Amount of tables of acetylsalicylic consumption per month five years ago	1=0

Comment [AG3]: updated

			2=1-5 3=6-10 4=11-20 5=21-30 6=More than 30
ACYTIOÅR	acety_10y_ago	(q384) Amount of tables of acetylsalicylic consumption per month ten years ago	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=More than 30
PARSENÅR	parac_last_y	(q385) Amount of tables of paracetamol consumption per month during the last year	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=More than 30
PARFEMÅR	parac_5y_ago	(q386) Amount of tables of paracetamol consumption per month five years ago	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=More than 30
PARTIOÅR	parac_10y_ago	(q387) Amount of tables of paracetamol consumption per month ten years ago	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=More than 30

INDSENÅR	indomet_last_y	(q388) Amount of tables of indomethacin consumption per month during the last year	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=More than 30
INDFEMÅR	Indomet_5y_ago	(q389) Amount of tables of indomethacin consumption per month five years ago	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=More than 30
INDTIOÅR	indomet_10y_ago	(q390) Amount of tables of indomethacin consumption per month ten years ago	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=More than 30
MEDICIN	Alganex_consumption	(q391)	1=yes
MEDICIN1	Alponex_consumption	(q392)	1=yes
MEDICIN2	Ardinex_consumption	(q393)	1=yes
MEDICIN3	Brexidol_consumption	(q394)	1=yes
MEDICIN4	Brufen_consumption	(q395)	1=yes
MEDICIN5	Diklofenak_consumption	(q396)	1=yes
MEDICIN6	Felden_consumption	(q397)	1=yes
MEDICIN7	Ibumetin_consumption	(q398)	1=yes
MEDICIN8	Ipren_consumption	(q399)	1=yes
MEDICIN9	Ketoprefen_consumption	(q400)	1=yes
MEDICIN10	Miranax_consumption	(q401)	1=yes
MEDICIN11	Mobic_consumption	(q402)	1=yes
MEDICIN12	Naprosyn_consumption	(q403)	1=yes

MEDICI13	Naproxen_consumption	(q404)	1=yes
MEDICI14	Nurofen_consumption	(q405)	1=yes
MEDICI15	Orudis_consumption	(q406)	1=yes
MEDICI16	Prolixana_consumption	(q407)	1=yes
MEDICI17	Pronaxen_consumption	(q408)	1=yes
MEDICI18	Relifex_consumption	(q409)	1=yes
MEDICI19	Voltaren_consumption	(q410)	1=yes
ANTSENÅR	drug_last_y	(q411) Any drug consumption during last year	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=More than 30
ANTFEMÅR	drug_5y_ago	(q412) Any drug consumption five years ago	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=More than 30
ANTTIOÅR	drug_10y_ago	(q413) Any drug consumption ten years ago	1=0 2=1-5 3=6-10 4=11-20 5=21-30 6=More than 30
KORTTABL	cortisone_tablets_use	(q414) Ever used cortisone tablets	1=No 2=Yes, but I have stopped 3=Yes, taking now 4=Do not know
KORTINAN	cortisone_inhalator_use	(q415) Ever used cortisone inhalator	1=No 2=Yes, but I have stopped 3=Yes, taking now 4=Do not know

MENSÅLD	age_menstruation	(q416) Age at first menstruation	1=<11 years 2=11-12 3=13-14 4=15-16 5=>=17 6=Do not know
MENSFORT	menstrual_flow	(q417) Menstrual flow	1=Yes 2=No
UPPHÅLD	age_stop_menst_flow	(q418) Age at stopping of menstrual flow	1=Under 40 years 2=40-44 3=45-49 4=50-54 5=55-59 6=Younger of 11 years
FÖTTBARN	children	(q419)	1=None 2=1 3=2 4=3 5=4 6=5 7=6 8=7 9=8 10=9 11=more than 9
FÖTTÅLD	age_first_child	(q420)	1=<20 years 2=20-24 3=25-29 4=30-34 5=35-39 6=40 years or older
BLÖSBEH	childlessness	(q421) Treated for childlessness	1=No 2=Yes

VILKBEH	childnessless_operation	(q422) Treated for childnessless with operation	1=Yes
VILKBEH1	childnessless_horm_stim	(q423) Treated for childnessless with hormone stimulation	1=Yes
VILKBEH2	childnessless_other_treat	(q424) Treated for childnessless with other treatment	1=Yes
PPILANV	pill_use	(q425)	1=No 2=Yes
PPILTID	period_pill_use	(q426)	1=Less than 1 year 2=1-4 3=5-9 4=10 years or more
HORMBE	horm_therapy	(q427) Have you had hormone treatment	1=No 2=Yes
ÖSTUGUL	oestrogen_no_gestagen	(q428) Have you had oestrogen without gestagen treatment	1=Yes
ÖSTUGULT	oestr_no_gest_period	(q429) Period of treatment with oestrogen together with gestagen	1=Less than 1 year 2=1-4 3=5-9 4=10 years or more
ÖSTMGUL	oestrogen_with_gestagen	(q430) Have you had oestrogen with gestagen treatment	1=Yes
ÖSTMGULT	oestr_with_gest_period	(q431) Period of treatment with oestrogen together with gestagen	1=Less than 1 year 2=1-4 3=5-9 4=10 years or more
ÖSTSLUT	oestr_stop_horm_treat	(q432) Have you stopped hormone treatment during oestrogen treatment	1=No 2=Yes
ÖSTNÄR	oestr_stop_time	(q433) When have you stopped hormone treatment	1=During the past year 2=1-5 years ago

3=More than 5 years ago