

Year 2017				
Number of articles: 42	Title of study. Journal.	Authors (alphabetic order)	CPE authors	Research area
1	Association between treatment for erectile dysfunction and death of cardiovascular outcomes after myocardial infarction. <i>Heart</i> .	Andersson DP, Trolle Lagerros Y, Grotta A, Bellocchio R, Lehtihet M, Holzmann MJ	Trolle Lagerros Y	Cardiovascular diseases and drugs
2	Use of moist snuff (snus) and pancreatic cancer: Pooled analysis of nine prospective observational studies.	Araghi M, Rosaria Galanti M, Lundberg M, Lager A, Engström G, Alfredsson L, Knutsson A, Norberg M, Sund M, Wennberg P, Trolle Lagerros Y, Bellocchio R, Pedersen NL, Östergren PO, Magnusson C.	Trolle Lagerros Y,	*
3	International trends in clozapine use: a study in 17 countries. <i>Acta Psychiatr Scand.</i>	Bachmann CJ, Aagaard L, Bernardo M, Brandt L, Cartabia M, Clavenna A, Coma Fusté A, Furu K, Garuoliené K, Hoffmann F, Hollingworth S, Huybrechts KF, Kalverdijk LJ, Kawakami K, Kieler H, Kinoshita T, López SC, Machado-Alba JE, Machado-Duque ME, Mahesri M, Nishtala PS, Piovani D, Reutfors J, Saastamoinen LK, Sato I, Schuiling-Veninga CCM, Shyu YC, Siskind D, Skurtveit S, Verdoux H, Wang LJ, Zara Yahni C, Zoëga H, Taylor D.	Brandt L, Kieler H, Reutfors J	CNS and drugs
4	Mortality trends for multiple sclerosis patients in Sweden from 1968 to 2012. <i>Neurology</i> .	Burkhill S, Montgomery S, Hajiebrahimi M, Hillert J, Olsson T, Bahmanyar S	Burkhill S, Hajiebrahimi M, Bahmanyar S	Chronic diseases and biologics.

5	Perceptions and knowledge of antipsychotics among mental health professionals and patients. <i>BJPsych Bull</i>	Cahling L, Berntsson A, Bröms G, Öhrmalm L.	Bröms G	CNS and drugs
6	Smokeless tobacco (snus) is associated with an increased risk of type 2 diabetes: results from five pooled cohorts. <i>J Intern Med</i>	Carlsson S, Andersson T, Araghi M, Galanti R, Lager A, Lundberg M, Nilsson P, Norberg M, Pedersen NL, Trolle-Lagerros Y, Magnusson C.	Trolle-Lagerros Y,	*
7	Preterm birth and risk of heart failure up to early adulthood. <i>J Am Coll Cardiol</i> .	Carr H, Cnattingius S, Granath F, Ludvigsson JF, Edstedt Bonamy AK.	Granath F	*
8	Characterization of new users of cilostazol in the UK, Spain, Sweden, and Germany. <i>Pharmacoepidemiol Drug Saf</i> .	Castellsague J, Perez-Gutthann S, Calingaert B, Bui C, Varas-Lorenzo C, Arana A, Prados-Torres A, Poblador-Plou B, Gonzalez-Rubio F, Giner-Soriano M, Roso-Llorach A, Linder M, Citarella A, Scholle O, Blenk T, Garbe E.	Linder M, Citarella A,	*
9	Apgar score components at 5 minutes: Risks and prediction of neonatal mortality. <i>Paeditr Perinat Epidemiol</i> .	Cnattingius S, Norman M, Granath F, Petersson G, Stephansson O, Frisell T.	Granath F	Reproductive pharmacoepidemiology
10	Dietary antioxidant capacity and risk for stroke in a prospective cohort study of Swedish men and women. <i>Nutrition</i> .	Colarusso L, Serafini M, Lagerros YT, Nyren O, La Vecchia C, Rossi M, Ye W, Tavani A, Adami HO, Grotta A, Bellocchio R.	Lagerros YT,	*
11	Utilization of stimulants and atomoxetine for attention-deficit/hyperactivity disorder among 5.4 million children using population-based	Furu K, Karlstad Ø, Zoega H, Martikainen JE, Bahmanyar S, Kieler H, Pottegård A.	Bahmanyar S, Kieler H	CNS and drugs  Chronic diseases and biologics

	longitudinal data. <i>Basic Clin Pharmacol Toxicol</i>			
12	Neuraminidase inhibitors during pregnancy and risk of adverse neonatal outcomes and congenital malformations: population based European register study. <i>BMJ</i> .	Graner S, Svensson T, Beau AB, Damase-Michel C, Engeland A, Furu K, Hviid A, Håberg SE, Mølgaard-Nielsen D, Pasternak B, Kieler H.	Graner S, Svensson T, Pasternak B, Kieler H	Reproductive pharmacoepidemiology
13	Childhood obesity, obesity treatment outcome, and achieved education: A prospective cohort study. <i>J Adolesc Health</i>	Hagman E, Danielsson P, Brandt L, Svensson V, Ekbom A, Marcus C.	Brandt L	*
14	Palivizumab exposure and the risk of atopic dermatitis, asthma and allergic rhinoconjunctivitis: A cross-national, population-based cohort study. <i>Paediatr Drugs</i> .	Haerskjold A, Stokholm L, Linder M, Thomsen SF, Bergman G, Berglind IA, Kieler H, Ravn H, Stensballe LG	Linder M, Berglind IA, Kieler H	Chronic diseases and biologics
15	International trends in antipsychotic use: A study in 16 countries, 2005-2014. <i>Eur Neuropsychopharmacol</i> .	Hálfdar Ó, Zoëga H, Aagaard L, Bernardo M, Brandt L, Fusté AC, Furu K, Garuoliené K, Hoffmann F, Huybrechts KF, Kalverdijk LJ, Kawakami K, Kieler H, Kinoshita T, Litchfield M, López SC, Machado-Alba JE, Machado-Duque ME, Mahesri M, Nishtala PS, Pearson SA, Reutfors J, Saastamoinen LK, Sato I, Schuiling-Veninga CCM, Shyu YC, Skurtveit S, Verdoux H, Wang LJ, Yahni CZ, Bachmann CJ	Brandt L, Kieler H, Reutfors J	CNS and drugs

16	Severity of psoriasis differs between men and women: A study of the clinical outcome measure Psoriasis Area and Severity Index (PASI) in 5438 Swedish register patients. <i>Am J Clin Dermatol</i>	Hägg D, Sundström A, Eriksson M, Schmitt-Egenolf M.	Hägg D, Sundström A	Chronic diseases and biologics *
17	In Reply. <i>Menopause</i>	Kočoska-Maraš L, Hirschberg AL, Bergendal A, Kieler H, Sundström A.	Kieler H, Sundström A.	Reproductive pharmacoepidemiology
18	Suicide, self-harm, and depression after gastric bypass surgery: A nationwide cohort study. <i>Ann Surg</i> . 2017	Lagerros YT, Brandt L, Hedberg J, Sundbom M, Bodén R.	Lagerros YT, Brandt L, Bodén R.	*
19	Consumption and direct costs of dental care for patients with head and neck cancer: A 16-year cohort study. <i>PLoS One</i> .	Lexomboon D, Karlsson P, Adolfsson J, Ekbom A, Naimi-Akbar A, Bahmanyar S, Montgomery S, Sandborgh-Englund G.	Karlsson P, Bahmanyar S,	Cancer and drugs.
20	Long-term quality of life and postthrombotic syndrome in women after an episode of venous thromboembolism. <i>Phlebology</i> .	Ljungqvist M, Holmström M, Kieler H, Lärfars G.	Kieler H	Cardiovascular diseases and drugs *
21	Pharmacological agents preceding a diagnosis of immune thrombocytopenia in adult patients developing the chronic form: A Swedish national register study. <i>Thromb Res</i> .	Löfeling L, Linder M, Ekstrand C, Cherif H, Kieler H, Bahmanyar S.	Löfeling L, Linder M, Ekstrand C, Kieler H, Bahmanyar S.	Chronic diseases and biologics
22	Opium use during pregnancy and risk of preterm delivery: A population-based cohort study. <i>PLoS One</i> .	Maghsoudlou S, Cnattingius S, Montgomery S, Aarabi M, Semnani S, Wikström AK, Bahmanyar S	Maghsoudlou S, Bahmanyar S	Reproductive pharmacoepidemiology

23	Season of treatment initiation with antidepressants and suicidal behavior: A population-based cohort study in Sweden. <i>J Affect Disord.</i>	Makris GD, Reutfors J, Andersen M, White RA, Ekselius L, Papadopoulos FC.	Reutfors J, Andersen M	CNS and drugs
24	Risk of second primary cancer in patients treated with radiotherapy for rectal cancer. <i>Br J Surg.</i>	Martling A, Smedby KE, Birgisson H, Olsson H, Granath F, Ekbom A, Glimelius B.	Granath F	* Cancer and drugs
25	Concussion in adolescence and risk of multiple sclerosis. <i>Ann Neurol.</i>	Montgomery S, Hiyoshi A, Burkhill S, Alfredsson L, Bahmanyar S, Olsson T	Burkhill S, Bahmanyar S	Chronic diseases and biologics
26	Positive predictive values of ICD-10 codes to identify incident acute pancreatitis and incident primary malignancy in the Scandinavian national patient registries among women with postmenopausal osteoporosis. <i>Clin Epidemiol.</i>	Munch T, Christensen LB, Adelborg K, Tell GS, Apalset EM, Westerlund A, Lagerros YT, Kahlert J, Xue F, Ehrenstein V.	Westerlund A, Lagerros YT	*
27	The effect of socioeconomic status on the choice of treatment for patients with cruciate ligament injuries in the knee: a population-based cohort study. <i>Am J Sports Med.</i>	Nordenvall R, Marcano Al, Adami J, Palme M, Mattila VM, Bahmanyar S, Felländer-Tsai L.	Bahmanyar S	*
28	Marginal structural model to evaluate the joint effect of socioeconomic exposures on the risk of developing end-stage renal disease in patients with type 1 diabetes: a longitudinal study based on data from the Swedish Childhood Diabetes Study Group. <i>Ann Epidemiol.</i>	Pazzaglia L, Möllsten A, Waernbaum I.	Pazzaglia L	*

29	35-year trends in first-time hospitalization for hip fracture, one year mortality, and the prognostic impact of comorbidity: a Danish nationwide cohort study 1980-2014. <i>Epidemiology</i> .	Pedersen AB, Ehrenstein V, Szépligeti S, Lunde A, Lagerros YT, Westerlund A, Tell GS, Sørensen HT	Lagerros YT, Westerlund A	*
30	Erratum for: Risks of neurological and immune-related diseases, including narcolepsy, after vaccination with Pandemrix: a population- and registry-based cohort with over 2 years of follow-up. <i>J Intern Med</i> .	Persson I, Granath F, Askling J, Ludvigsson JF, Olsson T, Feltelius N.	Granath F	Chronic diseases and biologics
31	Suicide and all-cause mortality in Swedish deployed military veterans: a population-based matched cohort study. <i>BMJ Open</i> .	Pethrus CM, Johansson K, Neovius K, Reutfors J, Sundström J, Neovius M	Reutfors J	CNS and drugs
32	Narrow-spectrum b-lactam monotherapy in hospital treatment of community-acquired pneumonia: a register-based cohort study. <i>Clin Microbiol Infect</i> .	Rhedin S, Galanis I, Granath F, Ternhad A, Hedlund J, Spindler C, Nauckler P.	Granath F,	*
33	Risk of breast cancer in risperidone users: A nationwide cohort study. <i>Schizophr Res</i> .	Reutfors J, Wingård L, Brandt L, Wang Y, Qiu H, Kieler H, Bahmanyar S	Reutfors J, Wingård L, Brandt L, Kieler H, Bahmanyar S	CNS and drugs Cancer and drugs
34	Pioglitazone and risk of mortality in patients with type 2 diabetes: results from a European multidatabase cohort study. <i>BMJ Open Diabetes Res Care</i>	Strongman H, Korhonen P, Williams R, Bahmanyar S, Hoti F, Christopher S, Majak M, Kool-Houweling L, Linder M, Dolin P, Heintjes EM.	Bahmanyar S, Linder M	*

35	Improving identification of idiopathic intracranial hypertension patients in Swedish patient register. <i>Acta Neurol Scand</i>	Sundholm A, Burkhill S, Bahmanyar S, Nilsson Remahl AIM.	Sundholm A, Burkhill S, Bahmanyar S	*
36	Population-based incidence and clinical characteristics of idiopathic intracranial hypertension. <i>Acta Neurol Scand.</i>	Sundholm A, Burkhill S, Sveinsson O, Piehl F, Bahmanyar S, Nilsson Remahl AI.	Burkhill S, Bahmanyar S	*
37	Editor's Choice – Dual antiplatelet therapy improves outcome in diabetic patients undergoing endovascular femoropopliteal stenting for critical limb ischaemia. <i>Eur J Vasc Endovasc Surg.</i>	Thott O, Granath F, Malmstedt J, Wahlgren CM	Granath F	Cardiovascular diseases and drugs
38	The Swedish National March Cohort. <i>Int J Epidemiol.</i>	Trolle Lagerros Y, Hantikainen E, Mariosa D, Ye W, Adami HO, Grotta A, Ghilotti F, Bellocchio R.	Trolle Lagerros Y	*
39	Risk factors for intrapartum acidemia – a cohort study. <i>J Matern Fetal Neonatal Med.</i>	Wretler S, Nordström L, Graner S, Holzmann M.	Graner S	Reproductive pharmacoepidemiology
40	Reducing the rehospitalization risk after a manic episode: A population based cohort study of lithium, valproate, olanzapine, quetiapine and aripiprazole in monotherapy and combinations. <i>J Affect Disord.</i>	Wingård L, Bodén R, Brandt L, Tiihonen J, Tanskanen A, Kieler H, Andersen M, Reutfors J.	Wingård L, Bodén R, Brandt L, Kieler H, Andersen M, Reutfors J	CNS and drugs
41	Moist smokeless tobacco (Snus) use and risk of Parkinson's disease. <i>Int J Epidemiol</i>	Yang F, Pedersen NL, Ye W, Liu Z, Norberg M, Forsgren L, Trolle Lagerros Y, Bellocchio R, Alfredsson L, Knutsson A, Jansson JH, Wennberg P, Galanti MR, Lager AC,	Trolle Lagerros Y,	*

		Araghi M, Lundberg M, Magnusson C, Wirdefeldt K.		
42	Sleep duration, mortality and the influence of age. <i>Eur J Epidemiol.</i>	Åkerstedt T, Ghilotti F, Grotta A, Bellavia A, Lagerros YT, Bellocchio R.	Lagerros YT	*