Life After Stroke-I publications

Unfulfilled rehabilitation needs and dissatisfaction with care 12 months after a stroke: an explorative observational study.
Tistad M, Tham K, von Koch L, Ytterberg C. *BMC Neurol.* 2012 Jun 18;12:40. doi: 10.1186/1471-2377-12-40

Shorter length of stay in the stroke unit: comparison between the 1990s and 2000s.
Tistad M, Ytterberg C, Sjöstrand C, Holmqvist LW, von Koch L. *Top Stroke Rehabil.* 2012 Mar-Apr;19(2):172-81. doi: 10.1310/tsr1902-17

Poor concurrence between disabilities as described by patients and established assessment tools three months after stroke: a mixed methods approach.
Tistad M, Ytterberg C, Tham K, von Koch L. *J Neurol Sci.* 2012 Feb 15;313(1-2):160-6. doi: 10.1016/j.jns.2011.08.038.

Differences between younger and older individuals in their use of care and rehabilitation but not in self-perceived global recovery 1year after stroke.
Palmcrantz S, Holmqvist LW, Sommerfeld DK, Tistad M, Ytterberg C, von Koch L. *J Neurol Sci.* 2012 Oct 15;321(1-2):29-34. doi: 10.1016/j.jns.2012.07.024.

Perceived occupational gaps one year after stroke: an explorative study.
Bergström AL, Guidetti S, Tistad M, Tham K, von Koch L, Eriksson G. *J Rehabil Med.* 2012 Jan;44(1):36-42. doi: 10.2340/16501977-0892

What aspects of rehabilitation provision contribute to self-reported met needs for rehabilitation one year after stroke--amount, place, operator or timing?
Tistad M, von Koch L, Sjöstrand C, Tham K, Ytterberg C. *Health Expect.* 2013 Sep;16(3):e24-35. doi: 10.1111/hex.12095.

Changes in the impact of stroke between 3 and 12 months post-stroke, assessed with the Stroke Impact Scale.
Guidetti S, Ytterberg C, Ekstam L, Johansson U, Eriksson G. *J Rehabil Med.* 2014 Nov;46(10):963-8. doi: 10.2340/16501977-1865.

Occurrence and Predictors of Falls in People With Stroke: Six-Year Prospective Study.
Minet LR, Peterson E, von Koch L, Ytterberg C. *Stroke.* 2015 Sep;46(9):2688-90. doi: 10.1161/STROKEAHA.115.010496.

Participation in everyday life and life satisfaction in persons with stroke and their caregivers 3-6 months after onset.

Bergström AL, von Koch L, Andersson M, Tham K, Eriksson G. *J Rehabil Med*. 2015 Jun;47(6):508-15. doi: 10.2340/16501977-1964

Participation in Complex and Social Everyday Activities Six Years after Stroke: Predictors for Return to Pre-Stroke Level.
Singam A, Ytterberg C, Tham K, von Koch L. *PLoS One*. 2015 Dec 10;10(12):e0144344. doi: 10.1371/journal.pone.0144344.

The combined perceptions of people with stroke and their carers regarding rehabilitation needs 1 year after stroke: a mixed methods study.
Ekstam L, Johansson U, Guidetti S, Eriksson G, Ytterberg C. *BMJ Open*. 2015 Feb 12;5(2):e006784. doi: 10.1136/bmjopen-2014-006784

Self-Reported Fatigue and Associated Factors Six Years after Stroke.
Elf M, Eriksson G, Johansson S, von Koch L, Ytterberg C. *PLoS One*. 2016 Aug 30;11(8):e0161942. doi: 10.1371/journal.pone.0161942. eCollection 2016

The Importance of Patient Involvement in Stroke Rehabilitation.
Kristensen HK, Tistad M, Koch Lv, Ytterberg C. *PLoS One*. 2016 Jun 10;11(6):e0157149. doi: 10.1371/journal.pone.0157149. eCollection 2016.

Perceived impact of stroke six years after onset, and changes in impact between one and six years.
Ytterberg C, Dybäck M, Bergström A, Guidetti S, Eriksson G. *J Rehabil Med*. 2017 Aug 31;49(8):637-643. doi: 10.2340/16501977-2258

Experiences of Sexuality Six Years After Stroke: A Qualitative Study.
Nilsson MI, Fugl-Meyer K, von Koch L, Ytterberg C. *J Sex Med*. 2017 Jun;14(6):797-803. doi: 10.1016/j.jsxm.2017.04.061. Epub 2017 May 3

The case of value-based healthcare for people living with complex long-term conditions.
Elf M, Flink M, Nilsson M, Tistad M, von Koch L, Ytterberg C. *BMC Health Serv Res*. 2017 Jan 11;17(1):24. doi: 10.1186/s12913-016-1957-6

Abandoned to the strains of daily life: a qualitative study of the long-term experiences in partners to persons after a mild to moderate stroke.
Ytterberg C, von Koch L, Erikson A. *Disabil Rehabil*. 2019 Mar;41(6):649-655. doi: 10.1080/09638288.2017.1401674.

Closeness and life satisfaction after six years for persons with stroke and spouses.
Fugl-Meyer KS, Nilsson MI, von Koch L, Ytterberg C. *J Rehabil Med*. 2019 Jul 8;51(7):492-498. doi: 10.2340/16501977-2566.PMID: 31123757

Healthcare Utilization After Stroke: A 1-Year Prospective Study.
Minet LR, Peterson E, von Koch L, Ytterberg C. *J Am Med Dir Assoc.* 2020 Nov;21(11):1684-1688. doi: 10.1016/j.jamda.2020.04.036. Epub 2020 Jul

Factors related to met needs for rehabilitation 6 years after stroke.
Ytterberg C, Kristensen HK, Tistad M, von Koch L. *PLoS One.* 2020 Jan 15;15(1):e0227867. doi: 10.1371/journal.pone.0227867. eCollection 2020.

Depression symptoms 6 years after stroke are associated with higher perceived impact of stroke, limitations in ADL and restricted participation.
Ytterberg C, Cegrell L, von Koch L, Wiklander M. *Sci Rep.* 2022 May 12;12(1):7816. doi: 10.1038/s41598-022-11097-9