

2020

Nwadozi E, Rudnicki M, De Ciantis M, Milkovich S, Pulbere A, Roudier E, et al. High fat diet pre-conditioning improves microvascular remodeling during regeneration of ischemic mouse skeletal muscle. *Acta Physiol (Oxf)*. 2020.

Mirko Mandić ER, Per Widholm, MatsLilja, Olof Dahlqvist Leinhard, Thomas Gustafsson, Tommy R. Lundberg. Automated assessment of regional muscle volume and hypertrophy using MRI. *Sci Rep*. 2020.

Berg HE, Truong D, Skoglund E, Gustafsson T, Lundberg TR. Threshold-automated CT measurements of muscle size and radiological attenuation in multiple lower-extremity muscles of older individuals. *Clin Physiol Funct Imaging*. 2020:e12618.

Ajeganova S, Gustafsson T, Lindberg L, Hafström I, Frostegård J. Similar progression of carotid intima-media thickness in 7-year surveillance of patients with mild SLE and controls, but this progression is still promoted by dyslipidaemia, lower HDL levels, hypertension, history of lupus nephritis and a higher prednisolone usage in patients. *Lupus Science & Medicine*. 2020;7(1):e000362.

2019

Tardif N, Polia F, Tjader I, Gustafsson T, Rooyackers O. Autophagy flux in critical illness, a translational approach. *Sci Rep*. 2019;9(1):10762.

Talamonti E, Sasso V, To H, Haslam RP, Napier JA, Ulfhake B, et al. Impairment of DHA synthesis alters the expression of neuronal plasticity markers and the brain inflammatory status in mice. *FASEB J*. 2019.

Steinz MM, Persson M, Aresh B, Olsson K, Cheng AJ, Ahlstrand E, et al. Oxidative hotspots on actin promote skeletal muscle weakness in rheumatoid arthritis. *JCI Insight*. 2019;5.

Skoglund E, Gronholdt-Klein M, Rullman E, Thornell LE, Stromberg A, Hedman A, et al. Longitudinal Muscle and Myocellular Changes in Community-Dwelling Men Over Two Decades of Successful Aging-The ULSAM Cohort Revisited. *J Gerontol A Biol Sci Med Sci*. 2019.

Sanz G, Martinez-Aranda LM, Tesch PA, Fernandez-Gonzalo R, Lundberg TR. Muscle2View, a CellProfiler pipeline for detection of the capillary-to-muscle fiber interface and high-content quantification of fiber type-specific histology. *J Appl Physiol (1985)*. 2019;127(6):1698-709.

Saini A, Bjorkhem-Bergman L, Bostrom J, Lilja M, Melin M, Olsson K, et al. Impact of vitamin D and vitamin D receptor TaqI polymorphism in primary human myoblasts. *Endocr Connect*. 2019;8(7):1070-81.

Rundqvist HC, Montelius A, Osterlund T, Norman B, Esbjornsson M, Jansson E. Acute sprint exercise transcriptome in human skeletal muscle. *PLoS One*. 2019;14(10):e0223024.

Rullman E, Melin M, Mandic M, Gonon A, Fernandez-Gonzalo R, Gustafsson T. Circulatory factors associated with function and prognosis in patients with severe heart failure. *Clin Res Cardiol*. 2019.

Pernold K, Iannello F, Low BE, Rigamonti M, Rosati G, Scavizzi F, et al. Towards large scale automated cage monitoring - Diurnal rhythm and impact of interventions on in-cage activity of C57BL/6J mice recorded 24/7 with a non-disrupting capacitive-based technique. *PLoS One*. 2019;14(2):e0211063.

Olsson K, Cheng AJ, Al-Ameri M, Wyckelsma VL, Rullman E, Westerblad H, et al. Impaired sarcoplasmic reticulum Ca(2+) release is the major cause of fatigue-induced force loss in intact single fibres from human intercostal muscle. *J Physiol*. 2019.

Nwadozi E, Ng A, Stromberg A, Liu HY, Olsson K, Gustafsson T, et al. Leptin is a physiological regulator of skeletal muscle angiogenesis and is locally produced by PDGFRalpha and PDGFRbeta expressing perivascular cells. *Angiogenesis*. 2019;22(1):103-15.

Maroto-Izquierdo S, Fernandez-Gonzalo R, Magdi HR, Manzano-Rodriguez S, Gonzalez-Gallego J, De Paz JA. Comparison of the musculoskeletal effects of different iso-inertial resistance training modalities: Flywheel vs. electric-motor. *Eur J Sport Sci*. 2019;19(9):1184-94.

Lundberg TR, Gustafsson T. Fibre hypertrophy, satellite cell and myonuclear adaptations to resistance training: Have very old individuals reached the ceiling for muscle fibre plasticity? *Acta Physiol (Oxf)*. 2019;227(1):e13287.

Lundberg TR, Garcia-Gutierrez MT, Mandic M, Lilja M, Fernandez-Gonzalo R. Regional and muscle-specific adaptations in knee extensor hypertrophy using flywheel versus conventional weight-stack resistance exercise. *Appl Physiol Nutr Metab*. 2019;44(8):827-33.

Hansson B, Olsen LA, Nicoll JX, von Walden F, Melin M, Stromberg A, et al. Skeletal muscle signaling responses to resistance exercise of the elbow extensors are not compromised by a preceding bout of aerobic exercise. *Am J Physiol Regul Integr Comp Physiol*. 2019;317(1):R83-R92.

Grosicki G, Barrett BB, Englund DA, Liu C, Trivison, TG, Cederholm T, Koochek A, von Berens Å, Gustafsson T, Benard T, Reid KF, Fielding RA. Circulating Interleukin-6 is Associated with Skeletal Muscle Strength, Quality, and Functional Adaptation with Exercise Training in Mobility-Limited Older Adults. Accepted *Journal of Frailty & Aging* 2019. 2019.

Gronholdt-Klein M, Altun M, Becklen M, Dickman Kahm E, Fahlstrom A, Rullman E, et al. Muscle atrophy and regeneration associated with behavioural loss and recovery of function after sciatic nerve crush. *Acta Physiol (Oxf)*. 2019;227(3):e13335.

Franco I, Fernandez-Gonzalo R, Vrtacnik P, Lundberg TR, Eriksson M, Gustafsson T. Healthy skeletal muscle aging: The role of satellite cells, somatic mutations and exercise. *Int Rev Cell Mol Biol*. 2019;346:157-200.

Anna W, Lundberg TR, Eric R, Andersson DP, Mats H, Mirko M, et al. Muscle strength, size and composition following 12 months of gender-affirming treatment in transgender individuals. *J Clin Endocrinol Metab*. 2019.

2018

von Berens Å, Cederholm T, Fielding RA, Gustafsson T, Kirn D, Laussen J, et al. Physical Performance and Serum 25(OH)Vitamin D Status in Community Dwelling Old Mobility Limited Adults: A Cross-Sectional Study. *The journal of nutrition, health & aging*. 2018;22(1):1-7.

von Berens A, Koochek A, Nydahl M, Fielding RA, Gustafsson T, Kirn DR, et al. "Feeling More Self-Confident, Cheerful and Safe". Experiences from a Health-Promoting Intervention in Community Dwelling Older Adults - A Qualitative Study. *J Nutr Health Aging*. 2018;22(4):541-8.

von Berens A, Fielding RA, Gustafsson T, Kirn D, Laussen J, Nydahl M, et al. Effect of exercise and nutritional supplementation on health-related quality of life and mood in older adults: the VIVE2 randomized controlled trial. *BMC Geriatr*. 2018;18(1):286.

Wiik A, Andersson DP, Brismar TB, Chanpen S, Dhejne C, Ekström TJ, et al. Metabolic and functional changes in transgender individuals following cross-sex hormone treatment: Design and methods of the GEndeR Dysphoria Treatment in Sweden (GETS) study. *Contemporary Clinical Trials Communications*. 2018;10:148-53.

Westerstahl M, Jansson E, Barnekow-Bergkvist M, Aasa U. Longitudinal changes in physical capacity from adolescence to middle age in men and women. *Sci Rep*. 2018;8(1):14767.

Westerstahl M, Forss M, Persson L, Bouma K, Gustavsson T, Wuhl E, et al. Hypertension outcomes and cardiovascular status in young adults with childhood-diagnosed white coat hypertension. *Arch Dis Child*. 2018;103(1):113-4.

Wallin H, Asp AM, Wallquist C, Jansson E, Caidahl K, Hylander Rossner B, et al. Gradual reduction in exercise capacity in chronic kidney disease is associated with systemic oxygen delivery factors. *PLoS One*. 2018;13(12):e0209325.

Sundblad P, Kölegård R, Rullman E, Gustafsson T. Effects of training with flow restriction on the exercise pressor reflex. *European Journal of Applied Physiology*. 2018;118(9):1903-9.

Saini A, Sundberg CJ. Chromatin Immunoprecipitation of Skeletal Muscle Tissue. *Methods Mol Biol*. 2018;1689:127-38.

Saini A, Rullman E, Lilja M, Mandić M, Melin M, Olsson K, et al. Asymmetric cellular responses in primary human myoblasts using sera of different origin and specification. *PLOS ONE*. 2018;13(2):e0192384.

Rullman E, Fernandez-Gonzalo R, Mekjavić IB, Gustafsson T, Eiken O. MEF2 as upstream regulator of the transcriptome signature in human skeletal muscle during unloading. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*. 2018;315(4):R799-R809.

Rullman E, Fernandez-Gonzalo R, Mekjavić IB, Gustafsson T, Eiken O. MEF2 as upstream regulator of the transcriptome signature in human skeletal muscle during unloading. *Am J Physiol Regul Integr Comp Physiol*. 2018;315(4):R799-R809.

Nwadozi E, Ng A, Strömberg A, Liu H-y, Olsson K, Gustafsson T, et al. Leptin is a physiological regulator of skeletal muscle angiogenesis and is locally produced by PDGFR α and PDGFR β expressing perivascular cells. *Angiogenesis*. 2018;22(1):103-15.

Lundberg TR, Howatson G. Analgesic and anti-inflammatory drugs in sports: Implications for exercise performance and training adaptations. *Scand J Med Sci Sports*. 2018;28(11):2252-62.

Lilja M, Mandic M, Apro W, Melin M, Olsson K, Rosenborg S, et al. High doses of anti-inflammatory drugs compromise muscle strength and hypertrophic adaptations to resistance training in young adults. *Acta Physiol (Oxf)*. 2018;222(2):e12948.

Franco I, Johansson A, Olsson K, Vrtacnik P, Lundin P, Helgadottir HT, et al. Somatic mutagenesis in satellite cells associates with human skeletal muscle aging. *Nat Commun*. 2018;9(1):800.

2017

von Berens Å, Koochek A, Nydahl M, Fielding RA, Gustafsson T, Kirn DR, et al. "Feeling More Self-Confident, Cheerful and Safe". Experiences from a Health-Promoting Intervention in Community Dwelling Older Adults — A Qualitative Study. *The journal of nutrition, health & aging*. 2017;22(4):541-8.

Westerståhl M, Forss M, Persson L, Bouma K, Gustavsson T, Wühl E, et al. Hypertension outcomes and cardiovascular status in young adults with childhood-diagnosed white coat hypertension. *Archives of Disease in Childhood*. 2017;103(1):113-4.

Tesch PA, Fernandez-Gonzalo R, Lundberg TR. Clinical Applications of Iso-Inertial, Eccentric-Overload (YoYo) Resistance Exercise. *Front Physiol*. 2017;8:241.

Stromberg A, Rullman E, Jansson E, Gustafsson T. Exercise-induced upregulation of endothelial adhesion molecules in human skeletal muscle and number of circulating cells with remodeling properties. *J Appl Physiol (1985)*. 2017;122(5):1145-54.

Saini A, Sharples AP, Al-Shanti N, Stewart CE. Omega-3 fatty acid EPA improves regenerative capacity of mouse skeletal muscle cells exposed to saturated fat and inflammation. *Biogerontology*. 2017;18(1):109-29.

Rundqvist HC, Esbjornsson M, Rooyackers O, Osterlund T, Moberg M, Apro W, et al. Influence of nutrient ingestion on amino acid transporters and protein synthesis in human skeletal muscle after sprint exercise. *J Appl Physiol* (1985). 2017;123(6):1501-15.

Rundqvist H, Gustafsson T. Hypoxic sprint exercise as a complement to the "Live High-Train Low" regimen. *Acta Physiologica*. 2017;222(1):e12989.

Pollard AS, Charlton BG, Hutchinson JR, Gustafsson T, McGonnell IM, Timmons JA, et al. Limb proportions show developmental plasticity in response to embryo movement. *Sci Rep*. 2017;7(1):41926.

Lundberg TR, Weckstrom K. Fixture congestion modulates post-match recovery kinetics in professional soccer players. *Res Sports Med*. 2017;25(4):408-20.

Lilja M, Mandić M, Apró W, Melin M, Olsson K, Rosenborg S, et al. High doses of anti-inflammatory drugs compromise muscle strength and hypertrophic adaptations to resistance training in young adults. *Acta Physiologica*. 2017;222(2):e12948.

Fielding RA, Trivison TG, Kirn DR, Koochek A, Reid KF, von Berens A, et al. Effect of structured physical activity and nutritional supplementation on physical function in mobility-limited older adults: Results from the VIVE2 randomized trial. *The journal of nutrition, health & aging*. 2017;21(9):936-42.

Fielding RA, Trivison TG, Kirn DR, Koochek A, Reid KF, von Berens A, et al. Effect of Structured Physical Activity and Nutritional Supplementation on Physical Function in Mobility-Limited Older Adults: Results from the VIVE2 Randomized Trial. *J Nutr Health Aging*. 2017;21(9):936-42.

Englund DA, Kirn DR, Koochek A, Zhu H, Trivison TG, Reid KF, et al. Nutritional Supplementation With Physical Activity Improves Muscle Composition in Mobility-Limited Older Adults, The VIVE2 Study: A Randomized, Double-Blind, Placebo-Controlled Trial. *J Gerontol A Biol Sci Med Sci*. 2017;73(1):95-101.

Crossland H, Atherton PJ, Stromberg A, Gustafsson T, Timmons JA. A reverse genetics cell-based evaluation of genes linked to healthy human tissue age. *FASEB J*. 2017;31(1):96-108.

Cardinale DA, Lilja M, Mandic M, Gustafsson T, Larsen FJ, Lundberg TR. Resistance Training with Co-ingestion of Anti-inflammatory Drugs Attenuates Mitochondrial Function. *Frontiers in Physiology*. 2017;8:1074.

Aasa U, Lundell S, Barnekow-Bergkvist M, Jansson E, Westerstahl M. The Swedish physical activity and fitness cohort born in 1958 - dropout analysis and overview at 36-year follow-up. *Scand J Med Sci Sports*. 2017;27(4):418-29.

2016

Wagner H, Fischer H, Degerblad M, Alvarsson M, Gustafsson T. Improvement of insulin sensitivity in response to exercise training in type 2 diabetes mellitus is associated with vascular endothelial growth factor A expression. *Diab Vasc Dis Res*. 2016;13(5):361-6.

Tesch PA, Lundberg TR, Fernandez-Gonzalo R. Unilateral lower limb suspension: From subject selection to "omic" responses. *J Appl Physiol* (1985). 2016;120(10):1207-14.

Svensson V, Sobko T, Ek A, Forssen M, Ekblom K, Johansson E, et al. Obesogenic dietary intake in families with 1-year-old infants at high and low obesity risk based on parental weight status: baseline data from a longitudinal intervention (Early STOPP). *Eur J Nutr*. 2016;55(2):781-92.

Stromberg A, Olsson K, Dijksterhuis JP, Rullman E, Schulte G, Gustafsson T. CX3CL1--a macrophage chemoattractant induced by a single bout of exercise in human skeletal muscle. *Am J Physiol Regul Integr Comp Physiol*. 2016;310(3):R297-304.

Sood S, Szkop KJ, Nakhuda A, Gallagher IJ, Murie C, Brogan RJ, et al. iGEMS: an integrated model for identification of alternative exon usage events. *Nucleic Acids Res*. 2016;44(11):e109.

Rahman M, Sing S, Golabkesh Z, Fiskesund R, Gustafsson T, Jogestrand T, et al. IgM antibodies against malondialdehyde and phosphorylcholine are together strong protection markers for atherosclerosis in systemic lupus erythematosus: Regulation and underlying mechanisms. *Clin Immunol*. 2016;166-167:27-37.

Olsson K, Saini A, Stromberg A, Alam S, Lilja M, Rullman E, et al. Evidence for Vitamin D Receptor Expression and Direct Effects of 1 α ,25(OH) $_2$ D $_3$ in Human Skeletal Muscle Precursor Cells. *Endocrinology*. 2016;157(1):98-111.

Nwadozi E, Roudier E, Rullman E, Tharmalingam S, Liu HY, Gustafsson T, et al. Endothelial FoxO proteins impair insulin sensitivity and restrain muscle angiogenesis in response to a high-fat diet. *FASEB J*. 2016;30(9):3039-52.

Melin M, Montelius A, Ryden L, Gonon A, Hagerman I, Rullman E. Effects of enhanced external counterpulsation on skeletal muscle gene expression in patients with severe heart failure. *Clin Physiol Funct Imaging*. 2016.

Melin M, Hagerman I, Gonon A, Gustafsson T, Rullman E. Variability in Physical Activity Assessed with Accelerometer Is an Independent Predictor of Mortality in CHF Patients. *PLoS One*. 2016;11(4):e0153036.

Lundberg TR, Fernandez-Gonzalo R, Tesch PA, Rullman E, Gustafsson T. Aerobic exercise augments muscle transcriptome profile of resistance exercise. *Am J Physiol Regul Integr Comp Physiol*. 2016;310(11):R1279-87.

Lourdudoss C, Elkan AC, Hafstrom I, Jogestrand T, Gustafsson T, van Vollenhoven R, et al. Dietary micronutrient intake and atherosclerosis in systemic lupus erythematosus. *Lupus*. 2016;25(14):1602-9.

Hesselman Borg J, Westerstahl M, Lundell S, Madison G, Aasa U. Longitudinal study exploring factors associated with neck/shoulder pain at 52 years of age. *J Pain Res*. 2016;9:303-10.

Crossland H, Atherton PJ, Stromberg A, Gustafsson T, Timmons JA. A reverse genetics cell-based evaluation of genes linked to healthy human tissue age. *FASEB J*. 2016.

Aiken J, Roudier E, Ciccone J, Drouin G, Stromberg A, Vojnovic J, et al. Phosphorylation of murine double minute-2 on Ser166 is downstream of VEGF-A in exercised skeletal muscle and regulates primary endothelial cell migration and FoxO gene expression. *FASEB J*. 2016;30(3):1120-34.

2015

Stromberg A, Olsson K, Dijksterhuis JP, Rullman E, Schulte G, Gustafsson T. CX3CL1 - a macrophage chemoattractant induced by a single bout of exercise in human skeletal muscle. *Am J Physiol Regul Integr Comp Physiol*. 2015:ajpregu 00236 2015.

Sood S, Gallagher IJ, Lunnon K, Rullman E, Keohane A, Crossland H, et al. A novel multi-tissue RNA diagnostic of healthy ageing relates to cognitive health status. *Genome Biology*. 2015;16(1).

Sood S, Gallagher IJ, Lunnon K, Rullman E, Keohane A, Crossland H, et al. A novel multi-tissue RNA diagnostic of healthy ageing relates to cognitive health status. *Genome Biol*. 2015;16(1):185.

Ring M, Eriksson MJ, Jogestrand T, Caidahl K. Ultrasound measurements of carotid intima-media thickness by two semi-automated analysis systems. *Clin Physiol Funct Imaging*. 2015:n/a-n/a.

Pojednic RM, Ceglia L, Olsson K, Gustafsson T, Lichtenstein AH, Dawson-Hughes B, et al. Effects of 1,25-dihydroxyvitamin D3 and vitamin D3 on the expression of the vitamin d receptor in human skeletal muscle cells. *Calcif Tissue Int*. 2015;96(3):256-63.

Olsson K, Cheng AJ, Alam S, Al-Ameri M, Rullman E, Westerblad H, et al. Intracellular Ca²⁺-handling differs markedly between intact human muscle fibers and myotubes. *Skeletal Muscle*. 2015;5(1).

Jogestrand T, Freden-Lindqvist J, Lindqvist M, Lundgren S, Tillman AS, Zachrisson H. Discrepancies in recommended criteria for grading of carotid stenosis with ultrasound. *Clin Physiol Funct Imaging*. 2015:n/a-n/a.

Ajeganova S, Gustafsson T, Jogestrand T, Frostegård J, Hafström I. Bone mineral density and carotid atherosclerosis in systemic lupus erythematosus: a controlled cross-sectional study. *Arthritis Research & Therapy*. 2015;17(1).

Aiken J, Roudier E, Ciccone J, Drouin G, Stromberg A, Vojnovic J, et al. Phosphorylation of murine double minute-2 on Ser166 is downstream of VEGF-A in exercised skeletal muscle and regulates primary endothelial cell migration and FoxO gene expression. *The FASEB Journal*. 2015.

2014

Westerstahl M, Hedvall Kallerman P, Hagman E, Ek AE, Rossner SM, Marcus C. Nocturnal blood pressure non-dipping is prevalent in severely obese, prepubertal and early pubertal children. *Acta Paediatr*. 2014;103(2):225-30.

Siddiqui AJ, Gustafsson T, Sylven C, Crisby M. Rosuvastatin Inhibits TIMP-2 and Promotes Myocardial Angiogenesis. *Pharmacology*. 2014;93(3-4):178-84.

Pojednic RM, Ceglia L, Olsson K, Gustafsson T, Lichtenstein AH, Dawson-Hughes B, et al. Effects of 1,25-Dihydroxyvitamin D3 and Vitamin D3 on the Expression of the Vitamin D Receptor in Human Skeletal Muscle Cells. *Calcified Tissue International*. 2014;96(3):256-63.

Norman B, Esbjornsson M, Rundqvist H, Osterlund T, Glenmark B, Jansson E. ACTN3 genotype and modulation of skeletal muscle response to exercise in human subjects. *J Appl Physiol (1985)*. 2014;116(9):1197-203.

Lundberg TR, Fernandez-Gonzalo R, Tesch PA. Exercise-induced AMPK activation does not interfere with muscle hypertrophy in response to resistance training in men. *J Appl Physiol (1985)*. 2014;116(6):611-20.

Lundberg TR, Fernandez-Gonzalo R, Norrbom J, Fischer H, Tesch PA, Gustafsson T. Truncated splice variant PGC-1 α 4 is not associated with exercise-induced human muscle hypertrophy. *Acta Physiologica*. 2014;212(2):142-51.

Lundberg TR, Fernandez-Gonzalo R, Norrbom J, Fischer H, Tesch PA, Gustafsson T. Truncated splice variant PGC-1 α 4 is not associated with exercise-induced human muscle hypertrophy. *Acta Physiol (Oxf)*. 2014;212(2):142-51.

Lindholm ME, Fischer H, Poellinger L, Johnson RS, Gustafsson T, Sundberg CJ, et al. Negative regulation of HIF in skeletal muscle of elite endurance athletes: a tentative mechanism promoting oxidative metabolism. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*. 2014;307(3):R248-R55.

Kirn DR, Koochek A, Reid KF, von Berens A, Trivison T, Foltz S, et al. P384: The Vitality, Independence, and Vigor in the Elderly 2 Study (VIVE2): design and methods. *European Geriatric Medicine*. 2014;5:S202.

Kallerman PH, Hagman E, Bonamy AKE, Zemack H, Marcus C, Norman M, et al. Obese children without comorbidities have impaired microvascular endothelial function. *Acta Paediatrica*. 2014;103(4):411-7.

Jogestrand T, Agewall S, Gustafsson T, Henareh L. Conventional treatment after myocardial infarction in routine clinical practice results in regression of left common carotid intima-media thickness. *Clin Physiol Funct Imaging*. 2014;34(4):322-6.

Hjortkaer H, Jensen T, Kofoed K, Mogensen U, Kober L, Hilsted KL, et al. Nocturnal antihypertensive treatment in patients with type 1 diabetes with autonomic neuropathy and non-dipping of blood pressure during night time: protocol for a randomised, placebo-controlled, double-blind, two-way crossover study. *BMJ Open*. 2014;4(10):e006142.

Gross M, Boesch C, Bolliger CS, Norman B, Gustafsson T, Hoppeler H, et al. Effects of beta-alanine supplementation and interval training on physiological determinants of severe exercise performance. *Eur J Appl Physiol*. 2014;114(2):221-34.

Flück M, Li R, Valdivieso P, Linnehan RM, Castells J, Tesch P, et al. Early Changes in Costameric and Mitochondrial Protein Expression with Unloading Are Muscle Specific. *BioMed Research International*. 2014;2014:1-11.

Fluck M, Li RW, Valdivieso P, Linnehan RM, Castells J, Tesch P, et al. Early Changes in Costameric and Mitochondrial Protein Expression with Unloading Are Muscle Specific. *Biomed Research International*. 2014;2014:1-11.

Fernandez-Gonzalo R, Lundberg TR, Alvarez-Alvarez L, de Paz JA. Muscle damage responses and adaptations to eccentric-overload resistance exercise in men and women. *Eur J Appl Physiol*. 2014;114(5):1075-84.

Fernandez-Gonzalo R, Irimia JM, Cusso R, Gustafsson T, Linné A, Tesch PA. Flywheel Resistance Exercise to Maintain Muscle Oxidative Potential During Unloading. *Aviation, Space, and Environmental Medicine*. 2014;85(7):694-9.

Fernandez-Gonzalo R, Irimia JM, Cusso R, Gustafsson T, Linne A, Tesch PA. Flywheel resistance exercise to maintain muscle oxidative potential during unloading. *Aviat Space Environ Med*. 2014;85(7):694-9.

2013

Ydfors M, Fischer H, Mascher H, Blomstrand E, Norrbom J, Gustafsson T. The truncated splice variants, NT -PGC -1 α and PGC -1 α 4 , increase with both endurance and resistance exercise in human skeletal muscle. *Physiological Reports*. 2013;1(6):e00140.

Ydfors M, Fischer H, Mascher H, Blomstrand E, Norrbom J, Gustafsson T. The truncated splice variants, NT-PGC-1 α and PGC-1 α 4, increase with both endurance and resistance exercise in human skeletal muscle. *Physiol Rep*. 2013;1(6):e00140.

Trappe S, Hayes E, Galpin A, Kaminsky L, Jemiolo B, Fink W, et al. New records in aerobic power among octogenarian lifelong endurance athletes. *Journal of Applied Physiology*. 2013;114(1):3-10.

Su J, Frostegard AG, Hua X, Gustafsson T, Jogestrand T, Hafstrom I, et al. Low Levels of Antibodies Against Oxidized but not Nonoxidized Cardiolipin and Phosphatidylserine Are Associated with Atherosclerotic Plaques in Systemic Lupus Erythematosus. *The Journal of Rheumatology*. 2013;40(11):1856-64.

Strömberg A, Jansson M, Fischer H, Rullman E, Hägglund H, Gustafsson T. Bone marrow derived cells in adult skeletal muscle tissue in humans. *Skeletal Muscle*. 2013;3(1):12.

Stromberg A, Jansson M, Fischer H, Rullman E, Hagglund H, Gustafsson T. Bone marrow derived cells in adult skeletal muscle tissue in humans. *Skelet Muscle*. 2013;3(1):12.

Rundqvist HC, Lilja MR, Rooyackers O, Odrzywol K, Murray JT, Esbjornsson M, et al. Nutrient ingestion increased mTOR signaling, but not hVps34 activity in human skeletal muscle after sprint exercise. *Physiol Rep*. 2013;1(5):e00076.

Rundqvist H, Augsten M, Strömberg A, Rullman E, Mijwel S, Kharaziha P, et al. Effect of Acute Exercise on Prostate Cancer Cell Growth. *PLoS ONE*. 2013;8(7):e67579.

Rundqvist H, Augsten M, Stromberg A, Rullman E, Mijwel S, Kharaziha P, et al. Effect of acute exercise on prostate cancer cell growth. *PLoS One*. 2013;8(7):e67579.

Rullman E, Olsson K, Wagsater D, Gustafsson T. Circulating MMP-9 during exercise in humans. *Eur J Appl Physiol*. 2013;113(5):1249-55.

Rullman E, Andersson DC, Melin M, Reiken S, Mancini DM, Marks AR, et al. Modifications of skeletal muscle ryanodine receptor type 1 and exercise intolerance in heart failure. *The Journal of Heart and Lung Transplantation*. 2013;32(9):925-9.

Roudier E, Milkiewicz M, Birot O, Slopack D, Montelius A, Gustafsson T, et al. Endothelial FoxO1 is an intrinsic regulator of thrombospondin 1 expression that restrains angiogenesis in ischemic muscle. *Angiogenesis*. 2013;16(4):759-72.

Roudier E, Aiken J, Slopack D, Gouzi F, Mercier J, Haas TL, et al. Novel perspective: exercise training stimulus triggers the expression of the oncoprotein human double minute-2 in human skeletal muscle. *Physiological Reports*. 2013;1(2).

Phillips BE, Williams JP, Gustafsson T, Bouchard C, Rankinen T, Knudsen S, et al. Molecular Networks of Human Muscle Adaptation to Exercise and Age. *PLoS Genetics*. 2013;9(3):e1003389.

Lundberg TR, Fernandez-Gonzalo R, Gustafsson T, Tesch PA. Aerobic exercise does not compromise muscle hypertrophy response to short-term resistance training. *Journal of Applied Physiology*. 2013;114(1):81-9.

Lessard SJ, Rivas DA, Alves-Wagner AB, Hirshman MF, Gallagher IJ, Constantin-Teodosiu D, et al. Resistance to Aerobic Exercise Training Causes Metabolic Dysfunction and Reveals Novel Exercise-Regulated Signaling Networks. *Diabetes*. 2013;62(8):2717-27.

Jogestrand T, Agewall S, Gustafsson T, Henareh L. Conventional treatment after myocardial infarction in routine clinical practice results in regression of left common carotid intima-media thickness. *Clinical Physiology and Functional Imaging*. 2013;34(4):322-6.

Gustafsson T, Kolegard R, Sundblad P, Norman B, Eiken O. Elevations of local intravascular pressures release vasoactive substances in humans. *Clin Physiol Funct Imaging*. 2013;33(1):38-44.

Gross M, Boesch C, Bolliger CS, Norman B, Gustafsson T, Hoppeler H, et al. Effects of beta-alanine supplementation and interval training on physiological determinants of severe exercise performance. *European Journal of Applied Physiology*. 2013;114(2):221-34.

Fernandez-Gonzalo R, Lundberg TR, Tesch PA. Acute molecular responses in untrained and trained muscle subjected to aerobic and resistance exercise training versus resistance training alone. *Acta Physiol (Oxf)*. 2013;209(4):283-94.

2012-1977

Rullman E, Olsson K, Wågsäter D, Gustafsson T. Circulating MMP-9 during exercise in humans. *European Journal of Applied Physiology*. 2012;113(5):1249-55.

Lundberg TR, Fernandez-Gonzalo R, Gustafsson T, Tesch PA. Aerobic exercise alters skeletal muscle molecular responses to resistance exercise. *Med Sci Sports Exerc*. 2012;44(9):1680-8.

Klaude M, Mori M, Tjader I, Gustafsson T, Wernerman J, Rooyackers O. Protein metabolism and gene expression in skeletal muscle of critically ill patients with sepsis. *Clin Sci*. 2012;122(3-4):133-42.

- Keramidas ME, Norman B, Gustafsson T, Eiken O, Mekjavic IB. Long-term intermittent hyperoxic exposures do not enhance erythropoiesis. *Eur J Clin Invest*. 2012;42(3):260-5.
- Genead R, Fischer H, Hussain A, Jaksch M, Andersson AB, Ljung K, et al. Ischemia-Reperfusion Injury and Pregnancy Initiate Time-Dependent and Robust Signs of Up-Regulation of Cardiac Progenitor Cells. *PLoS ONE*. 2012;7(5):e36804.
- Esbjörnsson M, Rundqvist HC, Mascher H, Österlund T, Rooyackers O, Blomstrand E, et al. Sprint exercise enhances skeletal muscle p70S6k phosphorylation and more so in women than in men. *Acta Physiologica*. 2012;205(3):411-22.
- Esbjörnsson M, Rooyackers O, Norman B, Rundqvist HC, Nowak J, Bulow J, et al. Reduction in plasma leucine after sprint exercise is greater in males than in females. *Scand J Med Sci Sports*. 2012;22(3):399-409.
- Elkan AC, Anania C, Gustafsson T, Jogestrand T, Hafstrom I, Frostegard J. Diet and fatty acid pattern among patients with SLE: associations with disease activity, blood lipids and atherosclerosis. *Lupus*. 2012;21(13):1405-11.
- Eiken O, Mekjavic IB, Kölegård R. Local Intravascular Pressure Habituation in Relation to G-Induced Arm Pain. *aviat space environ med*. 2012;83(7):667-72.
- Anania C, Norman M, Heimburger M, Gustafsson T, Jogestrand T, Hafstrom I, et al. Microcirculation as determined by iontophoresis in SLE-patients and controls. *Lupus*. 2012;21(8):815-20.
- Ajeganova S, de Faire U, Jogestrand T, Frostegard J, Hafstrom I. Carotid Atherosclerosis, Disease Measures, Oxidized Low-density Lipoproteins, and Atheroprotective Natural Antibodies for Cardiovascular Disease in Early Rheumatoid Arthritis -- An Inception Cohort Study. *The Journal of Rheumatology*. 2012;39(6):1146-54.
- Yakob M, Söder B, Meurman JH, Jogestrand T, Nowak J, Söder PÖ. *Prevotella nigrescens* and *Porphyromonas gingivalis* are associated with signs of carotid atherosclerosis in subjects with and without periodontitis. *Journal of Periodontal Research*. 2011;46(6):749-55.
- Shemyakin A, Salehzadeh F, Esteves Duque-Guimaraes D, Bohm F, Rullman E, Gustafsson T, et al. Endothelin-1 reduces glucose uptake in human skeletal muscle in vivo and in vitro. *Diabetes*. 2011;60(8):2061-7.
- Norrbom J, Sallstedt EK, Fischer H, Sundberg CJ, Rundqvist H, Gustafsson T. Alternative splice variant PGC-1alpha-b is strongly induced by exercise in human skeletal muscle. *Am J Physiol Endocrinol Metab*. 2011;301(6):E1092-8.
- Keramidas ME, Kounalakis SN, Debevec T, Norman B, Gustafsson T, Eiken O, et al. Acute normobaric hyperoxia transiently attenuates plasma erythropoietin concentration in healthy males: evidence against the 'normobaric oxygen paradox' theory. *Acta Physiol (Oxf)*. 2011;202(1):91-8.
- Keller P, Vollaard NB, Gustafsson T, Gallagher IJ, Sundberg CJ, Rankinen T, et al. A transcriptional map of the impact of endurance exercise training on skeletal muscle phenotype. *J Appl Physiol (1985)*. 2011;110(1):46-59.
- Karlsson LO, Grip L, Bissessar E, Bobrova I, Gustafsson T, Kavianipour M, et al. Opioid receptor agonist Eribis peptide 94 reduces infarct size in different porcine models for myocardial ischaemia and reperfusion. *Eur J Pharmacol*. 2011;651(1-3):146-51.
- Forslow U, Mattsson J, Gustafsson T, Remberger M. Donor lymphocyte infusion may reduce the incidence of bronchiolitis obliterans after allogeneic stem cell transplantation. *Biol Blood Marrow Transplant*. 2011;17(8):1214-21.
- Debevec T, Keramidas ME, Norman B, Gustafsson T, Eiken O, Mekjavic IB. Acute short-term hyperoxia followed by mild hypoxia does not increase EPO production: resolving the "normobaric oxygen paradox". *European Journal of Applied Physiology*. 2011;112(3):1059-65.

Broberg AM, Siddiqui AJ, Fischer H, Grinnemo K-H, Wardell E, Andersson AB, et al. Estrogen receptors do not influence angiogenesis after myocardial infarction. *Scandinavian Cardiovascular Journal*. 2011;45(4):215-22.

Balzano R, Lindblad YT, Vavilis G, Jogestrand T, Berg UB, Krmar RT. Use of annual ABPM, and repeated carotid scan and echocardiography to monitor cardiovascular health over nine yr in pediatric and young adult renal transplant recipients. *Pediatric Transplantation*. 2011;15(6):635-41.

Ajeganova S, Ehrnfelt C, Alizadeh R, Rohani M, Jogestrand T, Hafstrom I, et al. Longitudinal levels of apolipoproteins and antibodies against phosphorylcholine are independently associated with carotid artery atherosclerosis 5 years after rheumatoid arthritis onset--a prospective cohort study. *Rheumatology*. 2011;50(10):1785-93.

Yakob M, Meurman JH, Jogestrand T, Nowak J, Söder P-Ö, Söder B. C-reactive protein in relation to early atherosclerosis and periodontitis. *Clin Oral Invest*. 2010;16(1):259-65.

Vuilleumier N, Bratt J, Alizadeh R, Jogestrand T, Hafström I, Frostegård J. Anti-apoA-1 IgG and oxidized LDL are raised in rheumatoid arthritis (RA): potential associations with cardiovascular disease and RA disease activity. *Scand J Rheumatol*. 2010;39(6):447-53.

Westerstahl M, Marcus C. Association between nocturnal blood pressure dipping and insulin metabolism in obese adolescents. *Int J Obesity*. 2010;34(3):472-7.

Westerstahl M, Hedvall P, Roessner SM, Marcus C. Association between nocturnal blood pressure dipping and glucose metabolism in obese children. *Diabetes Obes Metab*. 2010;12:58-.

Siddiqui AJ, Fischer H, Widegren U, Grinnemo KH, Hao X, Mansson-Broberg A, et al. Depressed expression of angiogenic growth factors in the subacute phase of myocardial ischemia: a mechanism behind the remodeling plateau? *Coron Artery Dis*. 2010;21(2):65-71.

Rydwik E, Gustafsson T, Frandin K, Akner G. Effects of physical training on aerobic capacity in frail elderly people (75+years). Influence of lung capacity, cardiovascular disease and medical drug treatment: a randomized controlled pilot trial. *Aging Clinical and Experimental Research*. 2010;22(1):85-94.

Rullman E, Gustafsson T, Ahlborg G. The impact of the endothelin type A receptor on regional endothelin-1 turnover, in particular renal endothelin-1 release, in humans. *J Appl Physiol (1985)*. 2010;108(6):1625-30.

Norrbom J, Wallman SE, Gustafsson T, Rundqvist H, Jansson E, Sundberg CJ. Training response of mitochondrial transcription factors in human skeletal muscle. *Acta Physiol (Oxf)*. 2010;198(1):71-9.

Henareh L, Camilla J, Jogestrand T, Brodin L-Å, Agewall S. Intima-Media Thickness of Common Carotid and Brachial Arteries and Prothrombin Fragment 1 + 2 Are Associated with Left Ventricular Diastolic Dysfunction in Patients with Myocardial Infarction. *Echocardiography*. 2010;27(6):651-8.

Gustafsson T, Osterlund T, Flanagan JN, von Walden F, Trappe TA, Linnehan RM, et al. Effects of 3 days unloading on molecular regulators of muscle size in humans. *J Appl Physiol (1985)*. 2010;109(3):721-7.

Anania C, Gustafsson T, Hua XA, Su J, Vikstrom M, de Faire U, et al. Increased prevalence of vulnerable atherosclerotic plaques and low levels of natural IgM antibodies against phosphorylcholine in patients with systemic lupus erythematosus. *Arthritis Research & Therapy*. 2010;12(6):R214.

Söder PÖ, Meurman JH, Jogestrand T, Nowak J, Söder B. Matrix metalloproteinase-9 and tissue inhibitor of matrix metalloproteinase-1 in blood as markers for early atherosclerosis in subjects with chronic periodontitis. *Journal of Periodontal Research*. 2009;44(4):452-8.

Rundqvist H, Rullman E, Sundberg CJ, Fischer H, Eisleitner K, Stahlberg M, et al. Activation of the erythropoietin

receptor in human skeletal muscle. *Eur J Endocrinol*. 2009;161(3):427-34.

Rullman E, Norrbom J, Stromberg A, Wagsater D, Rundqvist H, Haas T, et al. Endurance exercise activates matrix metalloproteinases in human skeletal muscle. *J Appl Physiol* (1985). 2009;106(3):804-12.

Henareh L, Jogestrand T, Agewall S. Prothrombin fragment 1+2 is associated with intima media thickness of the carotid artery in patients with myocardial infarction. *Thrombosis Research*. 2009;124(5):526-30.

Wiik A, Hellsten Y, Berthelson P, Lundholm L, Fischer H, Jansson E. Activation of estrogen response elements is mediated both via estrogen and muscle contractions in rat skeletal muscle myotubes. *AJP: Cell Physiology*. 2008;296(1):C215-C20.

Tesch PA, von Walden F, Gustafsson T, Linnehan RM, Trappe TA. Skeletal muscle proteolysis in response to short-term unloading in humans. *J Appl Physiol* (1985). 2008;105(3):902-6.

Mascher H, Tannerstedt J, Brink-Elfegoun T, Ekblom B, Gustafsson T, Blomstrand E. Repeated resistance exercise training induces different changes in mRNA expression of MAFbx and MuRF-1 in human skeletal muscle. *Am J Physiol Endocrinol Metab*. 2008;294(1):E43-51.

Krmar RT, Balzano R, Jogestrand T, Cedazo-Minguez A, Englund MS, Berg UB. Prospective analysis of carotid arterial wall structure in pediatric renal transplants with ambulatory normotension and in treated hypertensive recipients. *Pediatric Transplantation*. 2008;12(4):412-9.

Rullman E, Rundqvist H, Wagsater D, Fischer H, Eriksson P, Sundberg CJ, et al. A single bout of exercise activates matrix metalloproteinase in human skeletal muscle. *J Appl Physiol* (1985). 2007;102(6):2346-51.

Pahlsson HI, Laskar C, Stark K, Andersson A, Jogestrand T, Wahlberg E. The Optimal Cuff Width for Measuring Toe Blood Pressure. *Angiology*. 2007;58(4):472-6.

Nowak J, Jogestrand T. Duplex ultrasonography is an efficient diagnostic tool for the detection of moderate to severe internal carotid artery stenosis. *Clinical Physiology and Functional Imaging*. 2007;27(3):144-7.

Hafstrom I, Rohani M, Deneberg S, Wornert M, Jogestrand T, Frostegard J. Effects of low-dose prednisolone on endothelial function, atherosclerosis, and traditional risk factors for atherosclerosis in patients with rheumatoid arthritis--a randomized study. *J Rheumatol*. 2007;34(9):1810-6.

Gustafsson T, Rundqvist H, Norrbom J, Rullman E, Jansson E, Sundberg CJ. The influence of physical training on the angiotensin and VEGF-A systems in human skeletal muscle. *J Appl Physiol* (1985). 2007;103(3):1012-20.

Fischer H, Esbjornsson M, Sabina RL, Stromberg A, Peyrard-Janvid M, Norman B. AMP deaminase deficiency is associated with lower sprint cycling performance in healthy subjects. *Journal of Applied Physiology*. 2007;103(1):315-22.

Bäck M, Airila-Månsson S, Jogestrand T, Söder B, Söder P-Ö. Increased leukotriene concentrations in gingival crevicular fluid from subjects with periodontal disease and atherosclerosis. *Atherosclerosis*. 2007;193(2):389-94.

Brink-Elfegoun T, Kaijser L, Gustafsson T, Ekblom B. Maximal oxygen uptake is not limited by a central nervous system governor. *J Appl Physiol* (1985). 2007;102(2):781-6.

Berg U, Gustafsson T, Sundberg CJ, Kaijser L, Carsod-Skwirut C, Bang P. Interstitial IGF-I in exercising skeletal muscle in women. *European Journal of Endocrinology*. 2007;157(4):427-35.

Suliman ME, Stenvinkel P, Jogestrand T, Maruyama Y, Qureshi AR, Bárány P, et al. Plasma pentosidine and total

homocysteine levels in relation to change in common carotid intima-media area in the first year of dialysis therapy. *CN*. 2006;66(12):418-25.

Kramer DK, Ahlsen M, Norrbom J, Jansson E, Hjeltnes N, Gustafsson T, et al. Human skeletal muscle fibre type variations correlate with PPAR alpha, PPAR delta and PGC-1 alpha mRNA. *Acta Physiol (Oxf)*. 2006;188(3-4):207-16.

Henareh L, Jogestrand T, Agewall S. Microalbuminuria in patients with previous myocardial infarction. *Kidney Int*. 2006;69(1):178-83.

Fischer H, Gustafsson T, Sundberg CJ, Norrbom J, Ekman M, Johansson O, et al. Fatty acid binding protein 4 in human skeletal muscle. *Biochemical and Biophysical Research Communications*. 2006;346(1):125-30.

Eiken O, Nowak J, Jogestrand T, Mekjavic IB. Effects of local arteriosclerosis on carotid baroreflex sensitivity and on heart rate and arterial pressure variability in humans. *Clinical Physiology and Functional Imaging*. 2006;26(1):9-14.

Berg U, Gustafsson T, Sundberg CJ, Carlsson-Skwirut C, Hall K, Jakeman P, et al. Local changes in the insulin-like growth factor system in human skeletal muscle assessed by microdialysis and arterio-venous differences technique. *Growth Horm IGF Res*. 2006;16(4):217-23.

Wiik A, Gustafsson T, Esbjornsson M, Johansson O, Ekman M, Sundberg CJ, et al. Expression of oestrogen receptor alpha and beta is higher in skeletal muscle of highly endurance-trained than of moderately active men. *Acta Physiologica Scandinavica*. 2005;184(2):105-12.

Westerstahl M, Barnekow-Bergkvist M, Jansson E. Low physical activity among adolescents in practical education. *Scandinavian Journal of Medicine & Science in Sports*. 2005;15(5):287-97.

Timmons JA, Larsson O, Jansson E, Fischer H, Gustafsson T, Greenhaff PL, et al. Human muscle gene expression responses to endurance training provide a novel perspective on Duchenne muscular dystrophy. *FASEB J*. 2005;19(7):750-60.

Timmons JA, Jansson E, Fischer H, Gustafsson T, Greenhaff PL, Ridden J, et al. Modulation of extracellular matrix genes reflects the magnitude of physiological adaptation to aerobic exercise training in humans. *BMC Biol*. 2005;3(1):19.

Stenvinkel P, Wang K, Qureshi AR, Axelsson J, Pecoits-Filho R, Gao P, et al. Low fetuin-A levels are associated with cardiovascular death: Impact of variations in the gene encoding fetuin. *Kidney Int*. 2005;67(6):2383-92.

Soder PO, Soder B, Nowak J, Jogestrand T. Early Carotid Atherosclerosis in Subjects With Periodontal Diseases. *Stroke*. 2005;36(6):1195-200.

Siddiqui AJ, Mansson-Broberg A, Gustafsson T, Grinnemo KH, Dellgren G, Hao X, et al. Antagonism of the renin-angiotensin system can counteract cardiac angiogenic vascular endothelial growth factor gene therapy and myocardial angiogenesis in the normal heart. *Am J Hypertens*. 2005;18(10):1347-52.

Siddiqui A, Manssonbroberg A, Gustafsson T, Grinnemo K, Dellgren G, Hao X, et al. Antagonism of the Renin-Angiotensin System Can Counteract Cardiac Angiogenic Vascular Endothelial Growth Factor Gene Therapy and Myocardial Angiogenesis in the Normal Heart. *American Journal of Hypertension*. 2005;18(10):1347-52.

Rohani M, Jogestrand T, Källner G, Jussila R, Agewall S. Morphological changes rather than flow-mediated dilatation in the brachial artery are better indicators of the extent and severity of coronary artery disease. *Journal of Hypertension*. 2005;23(7):1397-402.

Rohani M, Jogestrand T, Ekberg M, van der Linden J, Källner G, Jussila R, et al. Interrelation between the extent of atherosclerosis in the thoracic aorta, carotid intima-media thickness and the extent of coronary artery disease.

Atherosclerosis. 2005;179(2):311-6.

Quintana M, Gustafsson T, Sundblad P, Langanger J. The effects of heart rate on myocardial velocity and atrio-ventricular displacement during exercise with and without beta-blockade: a tissue Doppler echocardiographic study. *Eur J Echocardiogr.* 2005;6(2):127-33.

Henareh L, Jogestrand T, Agewall S. Glucose intolerance is associated with C-reactive protein and intima-media anatomy of the common carotid artery in patients with coronary heart disease. *Diabetic Medicine.* 2005;22(9):1212-7.

Gustafsson T, Ameln H, Fischer H, Sundberg CJ, Timmons JA, Jansson E. VEGF-A splice variants and related receptor expression in human skeletal muscle following submaximal exercise. *J Appl Physiol (1985).* 2005;98(6):2137-46.

Andersson LE, Jogestrand T, Thörne A, Sollevi A, Odeberg-Werner S. Are there changes in leg vascular resistance during laparoscopic cholecystectomy with CO₂ pneumoperitoneum? *Acta Anaesthesiologica Scandinavica.* 2005;49(3):360-5.

Ameln H, Gustafsson T, Sundberg CJ, Okamoto K, Jansson E, Poellinger L, et al. Physiological activation of hypoxia inducible factor-1 in human skeletal muscle. *FASEB J.* 2005;19(8):1009-11.

Agewall S, Henareh L, Jogestrand T. Intima-media complex of both the brachial artery and the common carotid artery are associated with left ventricular hypertrophy in patients with previous myocardial infarction. *Journal of Hypertension.* 2005;23(1):119-25.

Tesch PA, Trieschmann JT, Ekberg A. Hypertrophy of chronically unloaded muscle subjected to resistance exercise. *J Appl Physiol (1985).* 2004;96(4):1451-8.

Tesch PA, Ekberg A, Lindquist DM, Trieschmann JT. Muscle hypertrophy following 5-week resistance training using a non-gravity-dependent exercise system. *Acta Physiologica Scandinavica.* 2004;180(1):89-98.

Sundstedt M, Hedberg P, Jonason T, Ringqvist I, Brodin LA, Henriksen E. Left ventricular volumes during exercise in endurance athletes assessed by contrast echocardiography. *Acta Physiol Scand.* 2004;182(1):45-51.

Storaa C, Lind B, Brodin L-Å. Distribution of left ventricular longitudinal peak systolic strain and impact of low frame rate. *Ultrasound in Medicine & Biology.* 2004;30(8):1049-55.

Storaa C, Cain P, Olstad B, Lind B, Brodin LA. Tissue motion imaging of the left ventricle--quantification of myocardial strain, velocity, acceleration and displacement in a single image. *Eur J Echocardiogr.* 2004;5(5):375-85.

Siddiqui AJ, Gustafsson T, Fischer H, Widegren U, Hao X, Mansson-Broberg A, et al. Simvastatin enhances myocardial angiogenesis induced by vascular endothelial growth factor gene transfer. *J Mol Cell Cardiol.* 2004;37(6):1235-44.

Saha SK, Brodin L-A, Lind B, Svedenhag J, Straat E, Gunnes S. Myocardial velocities measured during adenosine, dobutamine and supine bicycle exercise: a tissue Doppler study in healthy volunteers. *Clinical Physiology and Functional Imaging.* 2004;24(5):281-8.

Rück A, Gustafsson T, Norrbom J, Nowak J, Källner G, Söderberg M, et al. ANP and BNP but not VEGF are regionally overexpressed in ischemic human myocardium. *Biochemical and Biophysical Research Communications.* 2004;322(1):287-91.

Quintana M, Saha SK, Rohani M, Furia FDEL, Bjernby J, Lind B, et al. Assessment of the longitudinal and circumferential left ventricular function at rest and during exercise in healthy elderly individuals by tissue-Doppler echocardiography: relationship with heart rate. *Clin Sci.* 2004;106(5):451-7.

Quintana M, Saha S, Rohani M, del Furia F, Roumina M S, Lind B, et al. Electromechanical Coupling, Uncoupling, and Ventricular Function in Patients with Bundle Branch Block: A Tissue-Doppler Echocardiographic Study. *Echocardiography*. 2004;21(8):687-98.

Quintana M, Kahan T, Hjemdahl P. Pharmacological Prevention of Reperfusion Injury in Acute Myocardial Infarction. *American Journal of Cardiovascular Drugs*. 2004;4(3):159-67.

Quintana M, Edner M, Kahan T, Hjemdahl P, Sollevi A, Rehnqvist N. Is left ventricular diastolic function an independent marker of prognosis after acute myocardial infarction? *International Journal of Cardiology*. 2004;96(2):183-9.

Norrbom J, Sundberg CJ, Ameln H, Kraus WE, Jansson E, Gustafsson T. PGC-1alpha mRNA expression is influenced by metabolic perturbation in exercising human skeletal muscle. *J Appl Physiol* (1985). 2004;96(1):189-94.

Hao X, Mansson-Broberg A, Gustafsson T, Grinnemo KH, Blomberg P, Siddiqui AJ, et al. Angiogenic effects of dual gene transfer of bFGF and PDGF-BB after myocardial infarction. *Biochem Biophys Res Commun*. 2004;315(4):1058-63.

Hannerz J, Jogestrand T. Relationship Between Chronic Tension-type Headache, Cranial Hemodynamics, and Cerebrospinal Pressure: Study Involving Provocation With Sumatriptan. *Headache: The Journal of Head and Face Pain*. 2004;44(2):154-9.

Gunnes S, Storaas C, Lind B, Nowak J, Brodin L-Å. Analysis of the effect of temporal filtering in myocardial tissue velocity imaging. *Journal of the American Society of Echocardiography*. 2004;17(11):1138-45.

Broman G, Johnsson L, Kaijser L. Golf: a high intensity interval activity for elderly men. *Aging Clinical and Experimental Research*. 2004;16(5):375-81.

Wiik A, Glenmark B, Ekman M, Esbjornsson-Liljedahl M, Johansson O, Bodin K, et al. Oestrogen receptor beta is expressed in adult human skeletal muscle both at the mRNA and protein level. *Acta Physiol Scand*. 2003;179(4):381-7.

Westerstahl M, Barnekow-Bergkvist M, Hedberg G, Jansson E. Secular trends in sports: participation and attitudes among adolescents in Sweden from 1974 to 1995. *Acta Paediatr*. 2003;92(5):602-9.

Westerstahl M, Barnekow-Bergkvist M, Hedberg G, Jansson E. Secular trends in body dimensions and physical fitness among adolescents in Sweden from 1974 to 1995. *Scandinavian Journal of Medicine & Science in Sports*. 2003;13(2):128-37.

Storaas C, Palmberg N, Elmqvist H, Brodin L. 935 Modelling the effect of incorrect transducer placement on tissue Doppler measurements. *European Journal of Echocardiography*. 2003;4:S124.

Storaas C, Palmberg N, Brodin LA, Elmqvist H. Modeling error in ultrasound tissue Doppler measurement due to incorrect transducer placement. *Proceedings of the 25th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (IEEE Cat No03CH37439): Institute of Electrical & Electronics Engineers (IEEE); 2003.*

Storaas C, Aberg P, Lind B, Brodin LA. Effect of angular error on tissue Doppler velocities and strain. *Echocardiography*. 2003;20(7):581-7.

Rubio CA, Befrits R, Jaramillo E, Fisher H, Lindblom A. Mechanism of diarrhea in collagenous colitis. *Gastroenterology*. 2003;124(7):2000.

Madler CF, Payne N, Wilkeshoff U, Cohen A, Derumeaux GA, Pierard LA, et al. Non-invasive diagnosis of coronary artery disease by quantitative stress echocardiography: optimal diagnostic models using off-line tissue Doppler in the MYDISE study. *European Heart Journal*. 2003;24(17):1584-94.

Lu Q, Eriksson M, Jogestrand T, Henriksson P, Freyschuss A. Micro- and Macrocirculatory Effects of Apheresis in Patients with Familial Hyperlipidemia. *Therapeutic Apheresis and Dialysis*. 2003;7(1):115-8.

Katz A, Andersson DC, Yu J, Norman B, Sandström ME, Wieringa B, et al. Contraction-mediated glycogenolysis in mouse skeletal muscle lacking creatine kinase: the role of phosphorylase b activation. *The Journal of Physiology*. 2003;553(2):523-31.

Johansen JE, Fetissov S, Fischer H, Arvidsson S, Hokfelt T, Schalling M. Approaches to anorexia in rodents: focus on the anx/anx mouse. *Eur J Pharmacol*. 2003;480(1-3):171-6.

Jogestrand T, Eiken O, Nowak J. Relation between the elastic properties and intima-media thickness of the common carotid artery. *Clinical Physiology and Functional Imaging*. 2003;23(3):134-7.

Fraser AG, Payne N, Madler CF, Janerot-Sjöberg B, Lind B, Grocott-Mason RM, et al. Feasibility and Reproducibility of Off-line Tissue Doppler Measurement of Regional Myocardial Function During Dobutamine Stress Echocardiography. *European Heart Journal - Cardiovascular Imaging*. 2003;4(1):43-53.

Flück M, Gustafsson T, Rissanen T, Ylä-Herttua S. VEGF Protein in Human Ischemic Skeletal Muscle. *The American Journal of Pathology*. 2003;163(6):2636-8.

Bohm F, Pernow J, Lindström J, Ahlborg G. ETA receptors mediate vasoconstriction, whereas ETB receptors clear endothelin-1 in the splanchnic and renal circulation of healthy men. *Clin Sci*. 2003;104(2):143-51.

Sundqvist K, Jogestrand T, Nowak J. The effect of digoxin on the electrocardiogram of healthy middle-aged and elderly patients at rest and during exercise [mdash] A comparison with the ECG reaction induced by myocardial ischemia. *Journal of Electrocardiology*. 2002;35(3):213-21.

Stenvinkel P, Heimbürger O, Jogestrand T. Elevated interleukin-6 predicts progressive carotid artery atherosclerosis in dialysis patients: Association with Chlamydia pneumoniae seropositivity. *American Journal of Kidney Diseases*. 2002;39(2):274-82.

Shalabi A, Eriksson K, Jansson E, Wredmark T. Ultrasound-Guided Percutaneous Biopsies of the Semitendinosus Muscle following ACL Reconstruction - A Methodological Description. *International Journal of Sports Medicine*. 2002;23(3):202-6.

Nygren AT, Kaijser L. Water exchange induced by unilateral exercise in active and inactive skeletal muscles. *Journal of Applied Physiology*. 2002;93(5):1716-22.

Logason K, Karacagil S, Tulga Ulus A, Hardemark HG. The Impact of Different Spectral Doppler Criteria on the Proportion of High-Grade Internal Carotid Artery Stenosis in Patients Undergoing Duplex Scanning. *Angiology*. 2002;53(3):297-301.

Lind B, Nowak J, Dorph J, van der Linden J, Brodin LA. Analysis of Temporal Requirements for Myocardial Tissue Velocity Imaging. *European Heart Journal - Cardiovascular Imaging*. 2002;3(3):214-9.

Lagerstrand L, Ingemansson M, Bergström M, Lidberg K, et al. Tidal Volume Forced Expiration in Asthmatic Infants: Reproducibility and Reversibility Tests. *Respiration*. 2002;69(5):389-96.

Jogestrand T, Lindqvist M, Nowak J. Diagnostic Performance of Duplex Ultrasonography in the Detection of High Grade Internal Carotid Artery Stenosis. *European Journal of Vascular and Endovascular Surgery*. 2002;23(6):510-8.

Gustafsson T, Knutsson A, Puntchart A, Kaijser L, Nordqvist AC, Sundberg CJ, et al. Increased expression of vascular endothelial growth factor in human skeletal muscle in response to short-term one-legged exercise training. *Pflugers Arch.* 2002;444(6):752-9.

Fischer H, Chen J, Skoog L, Lindblom A. Cyclin D2 expression in familial and sporadic breast cancer. *Oncology Reports.* 2002.

Esbjörnsson-Liljedahl M, Bodin K, Jansson E. Smaller muscle ATP reduction in women than in men by repeated bouts of sprint exercise. *Journal of Applied Physiology.* 2002;93(3):1075-83.

Bohm F, Ahlborg G, Pernow J. Endothelin-1 inhibits endothelium-dependent vasodilatation in the human forearm: reversal by ETA receptor blockade in patients with atherosclerosis. *Clin Sci.* 2002;102(3):321-7.

Bohm F. Combined Endothelin Receptor Blockade Evokes Enhanced Vasodilatation in Patients With Atherosclerosis. *Arteriosclerosis, Thrombosis, and Vascular Biology.* 2002;22(4):674-9.

Ahlborg G, Lindström J. Insulin sensitivity and big ET-1 conversion to ET-1 after ET A - or ET B -receptor blockade in humans. *Journal of Applied Physiology.* 2002;93(6):2112-21.

Tyni-Lenné R, Dencker K, Gordon A, Jansson E, Sylvén C. Comprehensive local muscle training increases aerobic working capacity and quality of life and decreases neurohormonal activation in patients with chronic heart failure. *European Journal of Heart Failure.* 2001;3(1):47-52.

Sylvén C, Sarkar N, Rück A, Drvota V, Y-Hassan S, Lind B, et al. Myocardial Doppler tissue velocity improves following myocardial gene therapy with VEGF-A165 plasmid in patients with inoperable angina pectoris. *Coronary Artery Disease.* 2001;12(3):239-43.

Storaa C, Brodin LA, Lind B. Angular error in ultrasound Doppler tissue velocities and its influence on the derived variable peak systolic strain. 2001 Conference Proceedings of the 23rd Annual International Conference of the IEEE Engineering in Medicine and Biology Society: Institute of Electrical & Electronics Engineers (IEEE); 2001.

Soderqvist E, Carlsson C, Brodin LA, Elmqvist H, Kronander H, Ericsson A. Design of a single segment conductance catheter for measurement of left ventricular volume. 2001 Conference Proceedings of the 23rd Annual International Conference of the IEEE Engineering in Medicine and Biology Society: Institute of Electrical & Electronics Engineers (IEEE); 2001.

Selzer RH, Mack WJ, Lee PL, Kwong-Fu H, Hodis HN. Improved common carotid elasticity and intima-media thickness measurements from computer analysis of sequential ultrasound frames. *Atherosclerosis.* 2001;154(1):185-93.

Sandek K, Bratel T, Lagerstrand L. Effects on diffusing capacity and ventilation-perfusion relationships of budesonide inhalations for 2 months in chronic obstructive pulmonary disease (COPD). *Respiratory Medicine.* 2001;95(8):676-84.

Sandek K, Bratel T, Hellstrom G, Lagerstrand L. Ventilation-perfusion inequality and carbon dioxide sensitivity in hypoxaemic chronic obstructive pulmonary disease (COPD) and effects of 6 months of long-term oxygen treatment (LTOT). *Clin Physiol.* 2001;21(5):584-93.

Rajs J, Brodin L-Å, Hertzfeld I, Larsen FF. Death Related to Coronary Artery Fistula After Rupture of an Aneurysm to the Coronary Sinus. *The American Journal of Forensic Medicine and Pathology.* 2001;22(1):58-61.

Quintana M, Lindvall K. Determinants of left ventricular systolic function after acute myocardial infarction: the role of residual myocardial ischaemia. *Coronary Artery Disease.* 2001;12(5):393-400.

Nygren AT, Karlsson M, Norman B, Kaijser L. Effect of glycogen loading on skeletal muscle cross-sectional area and T2 relaxation time. *Acta Physiol Scand*. 2001;173(4):385-90.

Norman B, Sabina RL, Jansson E. Regulation of skeletal muscle ATP catabolism by AMPD1 genotype during sprint exercise in asymptomatic subjects. *J Appl Physiol* (1985). 2001;91(1):258-64.

Lundberg G, Olofsson P, Ungerstedt U, Jansson E, Sundberg CJ. Erratum to: Lactate concentrations in human skeletal muscle biopsy, microdialysate and venous blood during dynamic exercise under blood flow restriction. *Pflügers Archiv - European Journal of Physiology*. 2001;443(3):458-65.

Janerot-Sjöberg B, Sadigh-Lindell B, Brodin LA, Jansson T. Effect of contrast on systolic myocardial ultrasound color-Doppler velocity. 2001 Conference Proceedings of the 23rd Annual International Conference of the IEEE Engineering in Medicine and Biology Society: Institute of Electrical & Electronics Engineers (IEEE); 2001.

Gustafsson T, Bodin K, Sylven C, Gordon A, Tyni-Lenne R, Jansson E. Increased expression of VEGF following exercise training in patients with heart failure. *Eur J Clin Invest*. 2001;31(4):362-6.

Gaballa M, Lind B, Storaas C, Brodin LA. Intra- and interobserver reproducibility in off-line extracted cardiac tissue Doppler velocity measurements and derived variables. 2001 Conference Proceedings of the 23rd Annual International Conference of the IEEE Engineering in Medicine and Biology Society: Institute of Electrical & Electronics Engineers (IEEE); 2001.

Fischer H, Zhang XU, O'Brien KP, Kylsten P, Engvall E. C7, a novel nucleolar protein, is the mouse homologue of the Drosophila late puff product L82 and an isoform of human OXR1. *Biochem Biophys Res Commun*. 2001;281(3):795-803.

Fischer H, Stenling R, Rubio C, Lindblom A. *BMC Physiology*. 2001;1(1):1.

Fischer H, Stenling R, Rubio C, Lindblom A. Colorectal carcinogenesis is associated with stromal expression of COL11A1 and COL5A2. *Carcinogenesis*. 2001;22(6):875-8.

Fischer H, Salahshor S, Stenling R, Björk J, Lindmark G, Iselius L, et al. *BMC Cancer*. 2001;1(1):17.

Eriksson K, Hamberg P, Jansson E, Larsson H, Shalabi A, Wredmark T. Semitendinosus muscle in anterior cruciate ligament surgery. *Arthroscopy: The Journal of Arthroscopic & Related Surgery*. 2001;17(8):808-17.

Carlsson C, Söderqvist E, Brodin LA, Kallner G, Hultman J, Elmquist H, et al. Initial experience with a thin single segment pressure and conductance catheter for measurement of left ventricular volume. 2001 Conference Proceedings of the 23rd Annual International Conference of the IEEE Engineering in Medicine and Biology Society: Institute of Electrical & Electronics Engineers (IEEE); 2001.

Bengtsson J, Gustafsson T, Widegren U, Jansson E, Sundberg CJ. Mitochondrial transcription factor A and respiratory complex IV increase in response to exercise training in humans. *Pflug Arch Eur J Phy*. 2001;443(1):61-6.

Barnekow-Bergkvist M, Hedberg G, Janlert U, Jansson E. Adolescent determinants of cardiovascular risk factors in adult men and women. *Scandinavian Journal of Public Health*. 2001;29(3):208-17.

Anders B, Ericsson HK. Correlation between a Mid-ventricular Volume Segment and Global Left Ventricular Volume Measured by the Conductance Catheter. *Scandinavian Cardiovascular Journal*. 2001;35(2):129-35.

Ahlborg G, Lundberg JM. Endothelin-1: increased plasma clearance, pulmonary affinity and renal vasoconstriction in young smokers. *Clin Physiol*. 2001;21(6):693-703.

- Wolff CB. Cerebral blood flow and oxygen delivery at high altitude. *High Alt Med Biol.* 2000;1(1):33-8.
- Sobrosa CG, Jansson E, Kaijser L, Bomfim V. Metabolismo miocárdico após cardioplegia sangüínea hipotérmica retrógrada contínua. *Revista Brasileira de Cirurgia Cardiovascular.* 2000;15(3):219-26.
- Nygren AT, Sundberg CJ, Goransson H, Esbjornsson-Liljedahl M, Jansson E, Kaijser L. Effects of dynamic ischaemic training on human skeletal muscle dimensions. *Eur J Appl Physiol.* 2000;82(1-2):137-41.
- Nygren AT, Greitz D, Kaijser L. Changes in cross-sectional area in human exercising and non-exercising skeletal muscles. *European Journal of Applied Physiology.* 2000;81(3):210-3.
- Nygren A, Greitz D, Kaijser L. Skeletal Muscle Perfusion During Exercise Using Gd-DTPA Bolus Detection. *Journal of Cardiovascular Magnetic Resonance.* 2000;2(4):263-70.
- Mekjavic IB, Exner JA, Tesch PA, Eiken OLA. Hyperbaric oxygen therapy does not affect recovery from delayed onset muscle soreness. *Medicine & Science in Sports & Exercise.* 2000;32(3):558-63.
- Lund F, Jogestrand T, Kolegard R. Computerized analysis of video fluorescein imaging (VFI) of the skin. *Clin Physiol.* 2000;20(5):374-9.
- Klefbeck B, Lagerstrand L, Mattsson E. Inspiratory muscle training in patients with prior polio who use part-time assisted ventilation. *Archives of Physical Medicine and Rehabilitation.* 2000;81(8):1065-71.
- Härenstam A, Theorell T, Kaijser L. Coping with anger-provoking situations, psychosocial working conditions, and ECG-detected signs of coronary heart disease. *Journal of Occupational Health Psychology.* 2000;5(1):191-203.
- Fujii N, Hayashi T, Hirshman MF, Smith JT, Habinowski SA, Kaijser L, et al. Exercise Induces Isoform-Specific Increase in 5'AMP-Activated Protein Kinase Activity in Human Skeletal Muscle. *Biochemical and Biophysical Research Communications.* 2000;273(3):1150-5.
- Widerl, x000F, v E, Jostell KG, Claesson L, Odling B, et al. Influence of food intake on electrocardiograms of healthy male volunteers. *European Journal of Clinical Pharmacology.* 1999;55(9):619-24.
- Tyni-Lenne R, Jansson E, Sylven C. Female-related skeletal muscle phenotype in patients with moderate chronic heart failure before and after dynamic exercise training. *Cardiovascular Research.* 1999;42(1):99-103.
- Stenvinkel P, Heimbürger O, Paultre F, Diczfalusy U, Wang T, Berglund L, et al. Strong association between malnutrition, inflammation, and atherosclerosis in chronic renal failure. *Kidney Int.* 1999;55(5):1899-911.
- Sandek K, Andersson T, Bratel T, Hellström G, Lagerstrand L. Sleep quality, carbon dioxide responsiveness and hypoxaemic patterns in nocturnal hypoxaemia due to chronic obstructive pulmonary disease (COPD) without daytime hypoxaemia. *Respiratory Medicine.* 1999;93(2):79-87.
- Salahshor S, Kressner U, Fischer H, Lindmark G, Glimelius B, Pahlman L, et al. Microsatellite instability in sporadic colorectal cancer is not an independent prognostic factor. *Br J Cancer.* 1999;81(2):190-3.
- Ottosson-Seeberger A, Ahlborg G, Hemsén A, Lundberg JM, Alvestrand A. Hemodynamic effects of endothelin-1 and big endothelin-1 in chronic hemodialysis patients. *J Am Soc Nephrol.* 1999;10(5):1037-44.
- Lagerstrand L, Hjelte L, Jorulf H. Pulmonary gas exchange in cystic fibrosis: basal status and the effect of i.v. antibiotics and inhaled amiloride. *Eur Respir J.* 1999;14(3):686.
- Göran Dellgren MEL. The Extended Biocor Stentless Aortic Bioprosthesis: Early Clinical Experience. *Scandinavian*

Cardiovascular Journal. 1999;33(5):259-64.

Gustafsson T, Puntchart A, Sundberg CJ, Jansson E. Related expression of vascular endothelial growth factor and hypoxia-inducible factor-1 mRNAs in human skeletal muscle. *Acta Physiol Scand*. 1999;165(3):335-6.

Gustafsson T, Puntchart A, Kaijser L, Jansson E, Sundberg CJ. Exercise-induced expression of angiogenesis-related transcription and growth factors in human skeletal muscle. *Am J Physiol*. 1999;276(2 Pt 2):H679-85.

Gordon A, Tyni-Lenne R, Jansson E, Jensen-Urstad M, Kaijser L. Beneficial effects of exercise training in heart failure patients with low cardiac output response to exercise - a comparison of two training models. *J Intern Med*. 1999;246(2):175-82.

Esbjornsson-Liljedahl M, Sundberg CJ, Norman B, Jansson E. Metabolic response in type I and type II muscle fibers during a 30-s cycle sprint in men and women. *J Appl Physiol* (1985). 1999;87(4):1326-32.

Esbjornsson-Liljedahl M, Jansson E. Sex difference in plasma ammonia but not in muscle inosine monophosphate accumulation following sprint exercise in humans. *European Journal of Applied Physiology*. 1999;79(5):404-8.

Eriksson MJ, Rosfors S, Rådegran K, Brodin L-Å. Effects of exercise on Doppler-derived pressure difference, valve resistance, and effective orifice area in different aortic valve prostheses of similar size. *The American Journal of Cardiology*. 1999;83(4):619-22.

Eriksson MJ, Rosfors S, Brodin L-Å. Temporal Variability of Exercise Doppler Echocardiography in Patients with Nonstented Aortic Bioprostheses. *Journal of the American Society of Echocardiography*. 1999;12(6):484-91.

Eriksson BE, Jansson E, Kaijser L, Sylvén C. Impaired exercise performance but normal skeletal muscle characteristics in female syndrome X patients. *The American Journal of Cardiology*. 1999;84(2):176-80.

Dellgren G, Eriksson MJ, Blange I, Brodin L-Å, Rådegran K, Sylvén C. Angiotensin-converting enzyme gene polymorphism influences degree of left ventricular hypertrophy and its regression in patients undergoing operation for aortic stenosis. *The American Journal of Cardiology*. 1999;84(8):909-13.

Anders Franco-Cereceda PH. ET-1 Infusion Increases Systemic Vascular Resistance and Depresses Cardiac Output in Patients with Chronic Hypoxaemia and Pulmonary Hypertension. *Scandinavian Cardiovascular Journal*. 1999;33(3):151-6.

Viru M, Jansson E, Viru A, Sundberg CJ. Effect of restricted blood flow on exercise-induced hormone changes in healthy men. *European Journal of Applied Physiology*. 1998;77(6):517-22.

Tyni-Lenné R, Gordon A, Europe E, Jansson E, Sylven C. Exercise-based rehabilitation improves skeletal muscle capacity, exercise tolerance, and quality of life in both women and men with chronic heart failure. *Journal of Cardiac Failure*. 1998;4(1):9-17.

Timmons JA, Gustafsson T, Sundberg CJ, Jansson E, Hultman E, Kaijser L, et al. Substrate availability limits human skeletal muscle oxidative ATP regeneration at the onset of ischemic exercise. *J Clin Invest*. 1998;101(1):79-85.

Timmons JA, Gustafsson T, Sundberg CJ, Jansson E, Greenhaff PL. Muscle acetyl group availability is a major determinant of oxygen deficit in humans during submaximal exercise. *Am J Physiol*. 1998;274(2 Pt 1):E377-80.

Svedenhag J, Nowak J. Opposite effects of adrenaline on plasma ammonia and blood lactate levels in humans. *Acta Physiol Scand*. 1998;164(1):115-6.

Russell E. Anderson DBS. Myocardial Perfusion after Coronary Artery Bypass Surgery: A Study Using Ectomographic

Myocardial Scintigraphy and Adenosine Provocation. *Scandinavian Cardiovascular Journal*. 1998;32(2):69-74.

Ribeiro A, Juhlin-Dannfelt A, Brodin L-Å, Holmgren A, Jorfeldt L. Pulmonary embolism: Relation between the degree of right ventricle overload and the extent of perfusion defects. *American Heart Journal*. 1998;135(5):868-74.

Ottosson S, Hemsén, Lundberg, Ahlborg. The C-terminal fragment of big endothelin-1 does not potentiate the vasoactive effects of endothelin-1. *Clinical Physiology*. 1998;18(1):61-8.

Nygren AT, Jogestrand T. Detection of patent foramen ovale by transcranial Doppler and carotid duplex ultrasonography: a comparison with transoesophageal echocardiography. *Clin Physiol*. 1998;18(4):327-30.

Nowak J, Nilsson T, Sylven C, Jogestrand T. Potential of Carotid Ultrasonography in the Diagnosis of Coronary Artery Disease : A Comparison With Exercise Test and Variance ECG. *Stroke*. 1998;29(2):439-46.

Norman B, Mahnke-Zizelman DK, Vallis A, Sabina RL. Genetic and other determinants of AMP deaminase activity in healthy adult skeletal muscle. *J Appl Physiol* (1985). 1998;85(4):1273-8.

Jensen U, Bouvier, Nejat, Saltin, Brodin. Left ventricular function in endurance runners during exercise. *Acta Physiol Scand*. 1998;164(2):167-72.

Harridge SD, Bottinelli R, Canepari M, Pellegrino M, Reggiani C, Esbjornsson M, et al. Sprint training, in vitro and in vivo muscle function, and myosin heavy chain expression. *J Appl Physiol* (1985). 1998;84(2):442-9.

Hannerz J, Jogestrand T. Is Chronic Tension-Type Headache a Vascular Headache? The Relation Between Chronic Tension-Type Headache and Cranial Hemodynamics. *Headache*. 1998;38(9):668-75.

Eriksson MJ, Källner G, Rosfors S, Ivert T, Brodin L-Å. Hemodynamic performance of cryopreserved aortic homograft valves during midterm follow-up. *Journal of the American College of Cardiology*. 1998;32(4):1002-8.

Brodin L-Å, van der Linden J, Olstad B. Echocardiographic functional images based on tissue velocity information. *Herz*. 1998;23(8):491-8.

Brodin LA, van der Linden J, Jensen-Urstad M, Olstad B. New functional imaging options with echocardiography based on myocardial velocity curves. *Computers in Cardiology 1998 Vol 25 (Cat No98CH36292): Institute of Electrical & Electronics Engineers (IEEE); 1998.*

Bjorkhem I, Lutjohann D, Diczfalusy U, Stahle L, Ahlborg G, Wahren J. Cholesterol homeostasis in human brain: turnover of 24S-hydroxycholesterol and evidence for a cerebral origin of most of this oxysterol in the circulation. *J Lipid Res*. 1998;39(8):1594-600.

Bergmark C, Jogestrand T, Swedenborg J. Carotid Atherosclerosis in Patients Operated for Lower Extremity Ischemia before the Age of 50: A Case Control Study. *Annals of Vascular Surgery*. 1998;12(5):430-5.

Barnekow-Bergkvist M, Hedberg GE, Janlert U, Jansson E. Determinants of Self-Reported Neck-Shoulder and Low Back Symptoms in a General Population. *Spine*. 1998;23(2):235-43.

Barnekow-Bergkvist M, Hedberg G, Janlert U, Jansson E. Prediction of physical fitness and physical activity level in adulthood by physical performance and physical activity in adolescence - An 18-year follow-up study. *Scandinavian Journal of Medicine & Science in Sports*. 1998;8(5):299-308.

Barnekow-Bergkvist M. Health status and health behaviour in men and women at the age of 34 years. *The European Journal of Public Health*. 1998;8(2):179-82.

- Ahlborg G, Lundberg JM. Cyclooxygenase inhibition potentiates the renal vascular response to endothelin-1 in humans. *J Appl Physiol* (1985). 1998;85(5):1661-6.
- Tyni-Lenné R, Gordon A, Jansson E, Bermann G, Sylvén C. Skeletal muscle endurance training improves peripheral oxidative capacity, exercise tolerance, and health-related quality of life in women with chronic congestive heart failure secondary to either ischemic cardiomyopathy or idiopathic dilated cardiomyopathy. *The American Journal of Cardiology*. 1997;80(8):1025-9.
- Svedenhag J, Piehl-Aulin K, Skog C, Saltin B. Increased left ventricular muscle mass after long-term altitude training in athletes. *Acta Physiol Scand*. 1997;161(1):63-70.
- Runsio M, Brodin L-A, Eriksson L, Rosenqvist M, Samuelsson S, Stone-Elander S, et al. Brief episodes of ventricular fibrillation do not influence postischemic cerebral perfusion assessed by positron emission tomography. *Critical Care Medicine*. 1997;25(11):1827-30.
- Runsio M, Bergfeldt L, Brodin LA, Ribeiro A, Samuelsson S, Rosenqvist M. Left ventricular function after repeated episodes of ventricular fibrillation and defibrillation assessed by transoesophageal echocardiography. *European Heart Journal*. 1997;18(1):124-31.
- Pernow J, Ahlborg G, Lundberg JM, Kaijser L. Long-lasting coronary vasoconstrictor effects and myocardial uptake of endothelin-1 in humans. *Acta Physiol Scand*. 1997;159(2):147-53.
- Ottosson-Seeberger A, Lundberg JM, Alvestrand A, Ahlborg G. Exogenous endothelin-1 causes peripheral insulin resistance in healthy humans. *Acta Physiol Scand*. 1997;161(2):211-20.
- Olstad B, Brodin LA, Berg S. Display of cardiac activation pathways with echocardiography. *Medical Imaging 1997: Physiology and Function from Multidimensional Images*; 1997/05/09: SPIE-Intl Soc Optical Eng; 1997.
- Magnusson G, Kaijser L, Sylven C, Karlberg KE, Isberg B, Saltin B. Peak skeletal muscle perfusion is maintained in patients with chronic heart failure when only a small muscle mass is exercised. *Cardiovascular Research*. 1997;33(2):297-306.
- Lund F, Jogestrand T, Inacio J, Larsson UB, Lund S, Sorhed K. Video fluorescein imaging of the skin: description of an overviewing technique for functional evaluation of regional cutaneous blood perfusion in occlusive arterial disease of the limbs. *Clin Physiol*. 1997;17(6):619-33.
- Karlsson J, Lin LJ, Gunnes S, Sylven C, Astrom H, Jansson E, et al. Muscle characteristics in effort angina before and after CABG. *Can J Cardiol*. 1997;13(6):577-82.
- Joyce F, Tingleff J, Pettersson G. Treatment of aortic valve endocarditis with the Ross operation. *Cardiac Valve Allografts: Springer Science + Business Media*; 1997. p. 187-99.
- Gordon A, Tyni-Lenne R, Jansson E, Kaijser L, Theodorsson-Norheim E, Sylven C. Improved ventilation and decreased sympathetic stress in chronic heart failure patients following local endurance training with leg muscles. *Journal of Cardiac Failure*. 1997;3(1):3-12.
- Freyschuss A, Xiu RJ, Zhang J, Ying X, Diczfalusy U, Jogestrand T, et al. Vitamin C Reduces Cholesterol-Induced Microcirculatory Changes in Rabbits. *Arteriosclerosis, Thrombosis, and Vascular Biology*. 1997;17(6):1178-84.
- Eriksson MJ, Brodin LA, Dellgren GN, Radegran K. Rest and exercise hemodynamics of an extended stentless aortic bioprosthesis. *J Heart Valve Dis*. 1997;6(6):653-60.
- Dale SM, Bone DE, Brodin LA, Lindstrom C. Comparison of SPECT and ectomography for evaluating myocardial perfusion with technetium-99m-sestamibi. *J Nucl Med*. 1997;38(5):754-9.

- Dale S, Holmberg M, Larsson M, Persson M, Ribbe T, Elmquist H, et al. A mobile tomographic gamma camera system for acute studies. *IEEE Trans Nucl Sci.* 1997;44(2):199-203.
- Dahlström M. Muscle characteristics, energy intake and expenditure in the dancer. *Phys Ther Rev.* 1997;2(4):197-215.
- Dahlstrom M, Esbjornsson Liljedahl M, Gierup J, Kaijser L, Jansson E. High proportion of type I fibres in thigh muscle of young dancers. *Acta Physiol Scand.* 1997;160(1):49-55.
- Bouvier F, Nejat M, Berglund B, Brodin LA, Jorfeldt L, Juhlin-Dannfelt A, et al. High incidence of scintigraphic myocardial uptake defects at rest and during exercise in male elite runners. *Heart.* 1997;77(3):252-5.
- Anderson RE, Lind B, Öwall A, Brodin L-Å. Hemodynamic Response to Adenosine Infusion Before and After Coronary Artery Bypass Surgery. *Journal of Cardiovascular Pharmacology.* 1997;29(3):331-6.
- Ahlborg G, Lundberg JM. Nitric oxide-endothelin-1 interaction in humans. *J Appl Physiol (1985).* 1997;82(5):1593-600.
- Åhman M, Persson L, Lagerstrand L, Söderman E, Cynkier I. Lung Function in Woodworking Teachers in Sweden. *International Journal of Occupational and Environmental Health.* 1996;2(3):204-10.
- Westblad P, Svedenhag J, Rolf C. The Validity of Isokinetic Knee Extensor Endurance Measurements with Reference to Treadmill Running Capacities. *International Journal of Sports Medicine.* 1996;17(02):134-9.
- Thalme A, Nygren AT, Julander I, Freyschuss U. Classification of Infective Endocarditis by Duke's Criteria and Transesophageal Echocardiography: A 1-Year Retrospective Analysis. *Scandinavian Journal of Infectious Diseases.* 1996;28(4):407-10.
- Sylvén C, Jansson E, Sotonyi P, Waagstein F, Barkhem T, Brönnegård M. Cardiac nuclear hormone receptor mRNA in heart failure in man. *Life Sciences.* 1996;59(22):1917-22.
- Sperber A, Jogestrand T, Wredmark T. Knee arthroscopy and venous blood flow in the lower leg. *Acta Orthopaedica.* 1996;67(6):553-6.
- Pernow J, Kaijser L, Lundberg JM, Ahlborg G. Comparable Potent Coronary Constrictor Effects of Endothelin-1 and Big Endothelin-1 in Humans. *Circulation.* 1996;94(9):2077-82.
- Nowak J, Barregård L, Benthin G, Granung G, Wennmalm Å. Thromboxane metabolite excretion in patients with hand-arm vibration syndrome. *Clin Physiol.* 1996;16(4):361-7.
- Nowak J, Andersson K, Benthin G, Chen J, Karlberg KE, Sylven C. Effect of nicotine infusion in humans on platelet aggregation and urinary excretion of a major thromboxane metabolite. *Acta Physiol Scand.* 1996;157(1):101-7.
- Nilsson A, Jogestrand T, Ekengren J, Hahn RG. Femoral vein blood flow during transurethral resection of the prostate. *British Journal of Urology.* 1996;77(2):207-11.
- Magnusson G, Kaijser L, Rong H, Isberg B, Sylvén C, Saltin B. Exercise capacity in heart failure patients: relative importance of heart and skeletal muscle. *Clin Physiol.* 1996;16(2):183-95.
- Magnusson G, Gordon A, Kaijser L, Sylven C, Isberg B, Karpakka J, et al. High intensity knee extensor training, in patients with chronic heart failure: Major skeletal muscle improvement. *European Heart Journal.* 1996;17(7):1048-55.
- Lutjohann D, Breuer O, Ahlborg G, Nennesmo I, Siden A, Diczfalusy U, et al. Cholesterol homeostasis in human brain:

evidence for an age-dependent flux of 24S-hydroxycholesterol from the brain into the circulation. Proceedings of the National Academy of Sciences. 1996;93(18):9799-804.

Lund E, Andersson O, Zhang J, Babiker A, Ahlborg G, Diczfalusy U, et al. Importance of a Novel Oxidative Mechanism for Elimination of Intracellular Cholesterol in Humans. *Arteriosclerosis, Thrombosis, and Vascular Biology*. 1996;16(2):208-12.

Karlsson J, Lin L, Sylvén C, Jansson E. Muscle ubiquinone in healthy physically active males. *Molecular and Cellular Biochemistry*. 1996;156(2):169-72.

Jogestrand T, Fehrman-Ekholm I, Angelin B, Berglund L, Gabel H. Increased prevalence of atherosclerotic wall changes in patients with hyperlipidaemia after renal transplantation. *J Intern Med*. 1996;239(2):177-80.

Harridge SDR, Bottinelli R, Canepari M, Pellegrino MA, Reggiani C, Esbjörnsson M, et al. Whole-muscle and single-fibre contractile properties and myosin heavy chain isoforms in humans. *Pflügers Archiv - European Journal of Physiology*. 1996;432(5):913-20.

Hannerz J, Jogestrand T. Chronic Cluster Headache: Provocation With Carbon Dioxide Breathing and Nitroglycerin. *Headache*. 1996;36(3):174-7.

Hagerman I, Nowak J, Svedenhag J, Nyquist O, Sylvén C, et al. Beat-to-Beat QRS Amplitude Variability during Dobutamine Infusion in Patients with Coronary Artery Disease. *Cardiology*. 1996;87(2):161-8.

Hagerman I, Berglund M, Svedenhag J, Nowak J, Sylvén C. Beat-to-beat QRS amplitude variability after acute myocardial infarction and coronary artery bypass grafting. *The American Journal of Cardiology*. 1996;77(11):927-31.

Hagerman I, Berglund M, Lorin M, Nowak J, Sylvén C. Chaos-related deterministic regulation of heart rate variability in time- and frequency domains: effects of autonomic blockade and exercise. *Cardiovascular Research*. 1996;31(3):410-8.

Gårdebäck M, Settergren G, Brodin LÅ. Hepatic blood flow and right ventricular function during cardiac surgery assessed by transesophageal echocardiography. *Journal of Cardiothoracic and Vascular Anesthesia*. 1996;10(3):318-22.

Gordon A, Sylvén C, Tyni-Lennaé R, Persson H, Kauser L, Hultman E. Markedly improved skeletal muscle function with local muscle training in patients with chronic heart failure. *Clin Cardiol*. 1996;19(7):568-74.

Gannedahl P, Odeberg S, Brodin LÅ, Sollevi A. Effects of posture and pneumoperitoneum during anaesthesia on the indices of left ventricular filling. *Acta Anaesthesiologica Scandinavica*. 1996;40(2):160-6.

Fehrman-Ekholm I, Jogestrand T, Angelin B. Decreased Cyclosporine Levels during Gemfibrozil Treatment of Hyperlipidemia after Kidney Transplantation. *Nephron*. 1996;72(3):483-.

Esbjörnsson Liljedahl M, Holm I, Sylvén C, Jansson E. Different responses of skeletal muscle following sprint training in men and women. *European Journal of Applied Physiology and Occupational Physiology*. 1996;74(4):375-83.

Eiken O, Tesch PA, Mejkavic IB. Effect of nitrous oxide on human skeletal muscle function. *Acta Anaesthesiologica Scandinavica*. 1996;40(4):486-8.

Dalberg K, Brodin LA, JuhlinDannfelt A, Farnebo LO. Cardiac function in primary hyperparathyroidism before and after operation - An echocardiographic study. *Eur J Surg*. 1996;162(3):171-6.

Barnekow-Bergkvist M, Hedberg G, Janlert U, Jansson E. Physical activity pattern in men and women at the ages of 16 and 34 and development of physical activity from adolescence to adulthood. *Scandinavian Journal of Medicine &*

Science in Sports. 1996;6(6):359-70.

Barnekow-Bergkvist M, Hedberg G, Janlert U, Jansson E. Development of muscular endurance and strength from adolescence to adulthood and level of physical capacity in men and women at the age of 34 years. *Scandinavian Journal of Medicine & Science in Sports*. 1996;6(3):145-55.

Ahlborg G, Ottosson-Seeberger A, Hemsén A, Lundberg JM. Central and regional hemodynamic effects during infusion of Big endothelin-1 in healthy humans. *J Appl Physiol* (1985). 1996;80(6):1921-7.

Ahlborg G, Lundberg JM. Exercise-induced changes in neuropeptide Y, noradrenaline and endothelin-1 levels in young people with type I diabetes. *Clin Physiol*. 1996;16(6):645-55.

Ulfvarson U, Dahlqvist M, Sandström T, Bergström B, Ekholm U, Lagerstrand L, et al. Experimental Evaluation of the Effect of Filtration of Diesel Exhaust by Biologic Exposure Indicators. *Am J Ind Med*. 1995;27(1):91-106.

Takolander R, Fischer-Colbrie W, Jogestrand T, Ohlsén H, Olofsson P, Swedenborg J. The "ad hoc" estimation of outflow does not predict patency of infrainguinal reconstructions. *European Journal of Vascular and Endovascular Surgery*. 1995;10(2):187-91.

Sylvén C, Jansson E, Sotonyi P, Waagstein F, Bronnegard M. Na, K-ATPase Receptor Subunits .ALPHA.1, .ALPHA.2 and .ALPHA.3 mRNA in Dilated Cardiomyopathy. *Biol Pharm Bull*. 1995;18(6):907-9.

Schvarcz R, Svedenhag J, Rådegran K. A Case of *Brucella melitensis* Endocarditis Successfully Treated by a Combination of Surgical Resection and Antibiotics. *Scandinavian Journal of Infectious Diseases*. 1995;27(6):641-2.

Sandek K, Andersson T, Bratel T, Lagerstrand L. Ventilation-perfusion inequality in nocturnal hypoxaemia due to chronic obstructive lung disease (COLD). *Clin Physiol*. 1995;15(5):499-513.

Samuelsson S, Brodin L-A, Broman M, Owall A, Settergren G. Comparison Between Transesophageal Doppler Echocardiography and Nuclear Cardioangiography for the Evaluation of Left Ventricular Filling During Coronary Artery Bypass Grafting. *Anesthesia & Analgesia*. 1995;80(1):41-6.

Saltin B, Larsen H, Terrados N, Bangsbo J, Bak T, Kim CK, et al. Aerobic exercise capacity at sea level and at altitude in Kenyan boys, junior and senior runners compared with Scandinavian runners. *Scandinavian Journal of Medicine & Science in Sports*. 1995;5(4):209-21.

Saltin B, Kim CK, Terrados N, Larsen H, Svedenhag J, Rolf CJ. Morphology, enzyme activities and buffer capacity in leg muscles of Kenyan and Scandinavian runners. *Scandinavian Journal of Medicine & Science in Sports*. 1995;5(4):222-30.

Norman B, Glenmark B, Jansson E. Muscle AMP deaminase deficiency in 2% of a healthy population. *Muscle & Nerve*. 1995;18(2):239-41.

Norman B. Inosine monophosphate accumulation in energy-deficient human skeletal muscle with reference to substrate availability, fibre types and AMP deaminase activity. *Scand J Clin Lab Invest*. 1995;55(8):733-41.

Montgomery M, Frenckner Br, Freyschuss U, Mortenson W. Esophageal atresia. *Pediatr Surg Int*. 1995;10(8):519-22.

Lemne C, Jogestrand T, de Faire U. Carotid Intima-Media Thickness and Plaque in Borderline Hypertension. *Stroke*. 1995;26(1):34-9.

Lagerstrand L, Skedinger M, Ihre E, Halldén G, Zetterstrom O. Spirometry and ventilation-perfusion inequality in patients with mild allergic asthma before and during the pollen season. *Clin Physiol*. 1995;15(4):355-64.

Jonsson H, Ivert T, Brodin L-Å, Jonasson R. Late Sudden Deaths after Repair of Tetralogy of Fallot: Electrocardiographic Findings Associated with Survival. *Scand Cardiovasc J.* 1995;29(3):131-9.

Jonsson H, Ivert T. Survival and Clinical Results Up to 26 Years after Repair of Tetralogy of Fallot. *Scand Cardiovasc J.* 1995;29(2):43-51.

Hemsén A, Ahlborg G, Ottosson-Seeberger A, Lundberg JM. Metabolism of Big endothelin-1 (1–38) and (22–38) in the human circulation in relation to production of endothelin-1 (1–21). *Regulatory Peptides.* 1995;55(3):287-97.

Hannerz J, Jogestrand T. Effects of Increasing the Intracranial Blood Volume in Cluster Headache Patients and Controls. *Cephalalgia.* 1995;15(6):499-503.

Hannerz J, Jogestrand T. Provocation of Unilateral Pain in Cluster Headache Patients by Breathing CO₂. *Headache.* 1995;35(1):38-43.

Gordon A, Hultman E, Kaijser L, Kristjansson S, Rolf CJ, Nyquist O, et al. Creatine supplementation in chronic heart failure increases skeletal muscle creatine phosphate and muscle performance. *Cardiovascular Research.* 1995;30(3):413-8.

Eriksson B, Svedenhag J, Martinsson A, Sylvén C. Effect of epinephrine infusion on chest pain in syndrome X in the absence of signs of myocardial ischemia. *The American Journal of Cardiology.* 1995;75(4):241-5.

Dahlström M, Jansson E, Ekman M, Kaijser L. Do highly physically active females have a lowered basal metabolic rate? *Scandinavian Journal of Medicine & Science in Sports.* 1995;5(2):81-7.

Cook DB, O'Connor PJ, Smith JC. Perception of Leg Muscle Pain during Ramped Cycle Ergometry. *Medicine & Science in Sports & Exercise.* 1995;27(Supplement):S151.

Bylin G, Lagerstrand L, Hedenstierna G, Wagner PD. Variability in airway conductance and lung volume in subjects with asthma. *Clin Physiol.* 1995;15(3):207-18.

Bjurstedt H, Eiken O. Graded Restriction of Blood Flow in Exercising Leg Muscles. *Control of the Cardiovascular and Respiratory Systems in Health and Disease: Springer Science + Business Media;* 1995. p. 147-56.

Berg HE, Eiken OLA, Tesch PA. Involvement of eccentric muscle actions in giant slalom racing. *Medicine & Science in Sports & Exercise.* 1995;27(12):1666-70.

Walldius G, Erikson U, Olsson AG, Bergstrand L, Hadell K, Johansson J, et al. The effect of probucol on femoral atherosclerosis: the ProbucoL Quantitative Regression Swedish Trial (PQRST). *Am J Cardiol.* 1994;74(9):875-83.

Söderman C, Juhlin-Dannfelt A, Lagerstrand L, Eriksson LS. Ventilation-perfusion relationships and central haemodynamics in patients with cirrhosis. Effects of a somatostatin analogue. *Journal of Hepatology.* 1994;21(1):52-7.

Sylvén C, Hagerman I, Ylen M, Nyquist O, Nowak J. Variance ECG detection of coronary artery disease--a comparison with exercise stress test and myocardial scintigraphy. *Clin Cardiol.* 1994;17(3):132-40.

Svedenhag J, Sjödin B. Body-Mass-Modified Running Economy and Step Length in Elite Male Middle- and Long-Distance Runners. *International Journal of Sports Medicine.* 1994;15(06):305-10.

Schmekel B, Hedenstrom H, Kampe M, Lagerstrand L, Stalenheim G, Wollmer P, et al. The Bronchial Response, but Not the Pulmonary Response to Inhaled Methacholine Is Dependent on the Aerosol Deposition Patterns. *Chest.*

1994;106(6):1781-7.

Norman B, Hellsten-Westing Y, Sjodin B, Ansson EJ. AMP deaminase in skeletal muscle of healthy males quantitatively determined by new assay. *Acta Physiologica Scandinavica*. 1994;150(4):397-403.

Nordgren H, Freyschuss U, Persson B. Blood Pressure Response to Physical Exercise in Healthy Adolescents and Adolescents with Insulin-Dependent Diabetes Mellitus. *Clin Sci*. 1994;86(4):425-32.

Neiman J, Nowak J, Benthin G, Numminen H, Hillbom M. Increased urinary excretion of a major thromboxane metabolite in early alcohol withdrawal. *Clin Physiol*. 1994;14(4):405-9.

Muellbauer J. The Assessment - Consumer Expenditure. *Oxford Review of Economic Policy*. 1994;10(2):1-41.

Magnusson G, Kaijser L, Isberg B, Saltin B. Cardiovascular responses during one- and two-legged exercise in middle-aged men. *Acta Physiologica Scandinavica*. 1994;150(4):353-62.

Lundberg JM, Ahlborg G, Hemsén A, Rudehill A, Weitzberg E. Peptide Receptors in Human Brain Arteries. *The Human Brain Circulation: Springer Science + Business Media*; 1994. p. 135-44.

Karlberg K-E, Nowak J, Ahlner J, Sylvén C. Evidence for tolerance to the platelet inhibitory effect of nitroglycerin. *The American Journal of Cardiology*. 1994;73(13):958-9.

Jensen-Urstad M, Svedenhag J, Sahlin K. Effect of muscle mass on lactate formation during exercise in humans. *European Journal of Applied Physiology and Occupational Physiology*. 1994;69(3):189-95.

Hellsten Y, Madsen KS, Richter EA, Kiens B, Sjodin B, Bangsbo J. 484 Exchange of Purines in Active and Inactive Skeletal Muscle with High Intensity Exercise. *Medicine & Science in Sports & Exercise*. 1994;26(Supplement):S87.

Hagenfeldt L, von Döbeln U, Solders G, Kaijser L. Creatine treatment in MELAS. *Muscle Nerve*. 1994;17(10):1236-7.

Gullstrand L, Sjödin B, Svedenhag J. Blood sampling during continuous running and 30-second intervals on a treadmill. *Scandinavian Journal of Medicine & Science in Sports*. 1994;4(4):239-42.

Glenmark B, Hedberg G, Kaijser L, Jansson E. Muscle strength from adolescence to adulthood ? relationship to muscle fibre types. *European Journal of Applied Physiology and Occupational Physiology*. 1994;68(1):9-19.

Glenmark B, Hedberg G, Jansson E. Prediction of physical activity level in adulthood by physical characteristics, physical performance and physical activity in adolescence: an 11-year follow-up study. *Eur J Appl Physiol*. 1994;69(6):530-8.

Freyschuss U, Hjelte L, Johannesson M, Nowak J, Sylvén C. Signal Variance Electrocardiogram: A Test for Early Detection of Myocardial Involvement in Cystic Fibrosis? *Clin Sci*. 1994;87(1):103-7.

Fischer-Colbrie W, Clyne N, Jogestrand T, Takolander R. The effect of erythropoietin treatment on arteriovenous haemodialysis fistula/graft: A prospective study with colour flow doppler ultrasonography. *European Journal of Vascular Surgery*. 1994;8(3):346-50.

Eiken O, Sun JCL, Mekjavic IB. Effects of blood-volume distribution on the characteristics of the carotid baroreflex in humans at rest and during exercise. *Acta Physiologica Scandinavica*. 1994;150(1):89-94.

Edner M, Jogestrand T. Effect of physical activity on the day-to-day variation in serum digoxin concentration. *Clin Physiol*. 1994;14(6):627-32.

Dahlqvist M, Lagerstrand L, Nilsson A. Repeated measurements of transfer factor in rabbits: an animal model suitable for evaluation of short-term exposure. *Clin Physiol*. 1994;14(1):53-61.

Clyne N, Jogestrand T, Lins LE, Pehrsson SK. Progressive Decline in Renal Function Induces a Gradual Decrease in Total Hemoglobin and Exercise Capacity. *Nephron*. 1994;67(3):322-6.

Ahlborg G, Ottosson-Seeberger A, Hemsén A, Lundberg JM. Big ET-1 infusion in man causes renal ET-1 release, renal and splanchnic vasoconstriction, and increased mean arterial blood pressure. *Cardiovascular Research*. 1994;28(10):1559-63.

Ahlborg G, Lundberg JM. Inhibitory effects of neuropeptide Y on splanchnic glycogenesis and renin release in humans. *Clin Physiol*. 1994;14(2):187-96.

Weitzberg E, Ahlborg G, Lundberg JM. Differences in vascular effects and removal of endothelin-1 in human lung, brain, and skeletal muscle. *Clin Physiol*. 1993;13(6):653-62.

Sundqvist K, Jogestrand T. Effect of autonomic blockade on digoxin-induced ECG changes at rest and during exercise in healthy subjects. *Journal of Electrocardiology*. 1993;26(3):219-23.

Kublickas M, Jogestrand T, Lunell NO, Westgren M. The minimum number of cardiac cycles necessary for calculation of renal blood flow velocity indices in pregnant and non-pregnant women. *Ultrasound in Obstetrics and Gynecology*. 1993;3(1):31-5.

Hellström G, Wahlgren NG. Physical exercise increases middle cerebral artery blood flow velocity. *Neuro Surgical Review*. 1993;16(2):151-6.

Hannerz J, Jogestrand T. Intracranial Hypertension and Sumatriptan Efficacy in a Case of Chronic Paroxysmal Hemicrania Which Became Bilateral. (The Mechanism of Indomethacin in CPH.). *Headache*. 1993;33(6):320-3.

Hannerz J, Jogestrand T. Pain induces decrease of blood flow in the common carotid arteries in cluster headache attacks. *Cephalalgia*. 1993;13(2):102-7.

Edner M, Ponikowski P, Jogestrand T. The effect of digoxin on the serum potassium concentration. *Scandinavian Journal of Clinical & Laboratory Investigation*. 1993;53(2):187-9.

Clyne N, Esbj, ouml, rnsso M, Jansson E, Jogestrand T, et al. Effects of Renal Failure on Skeletal Muscle. *Nephron*. 1993;63(4):395-9.

Ahlner BH, Jogestrand T, Lind MG, Lund F. Blood flow through irradiated rabbit submandibular glands measured with fluorescein angiography. *Eur Arch Otorhinolaryngol*. 1993;249(8).

Passias TC, Mekjavic IB, Eiken O. The Effect of 30% Nitrous Oxide on Thermoregulatory Responses in Humans during Hypothermia. *Anesthesiology*. 1992;76(4):550-9.

Ahlborg G, Weitzberg E, Lundberg JM. Splanchnic and renal vasoconstriction during neuropeptide Y infusion in healthy humans. *Clin Physiol*. 1992;12(2):145-53.

Weitzberg E, Ahlborg G, Lundberg JM. Long-lasting vasoconstriction and efficient regional extraction of endothelin-1 in human splanchnic and renal tissues. *Biochemical and Biophysical Research Communications*. 1991;180(3):1298-303.

Kajiser L, Pernow J, Berglund B, Lundberg JM. Neuropeptide Y is released together with noradrenaline from the

human heart during exercise and hypoxia. *Clin Physiol*. 1990;10(2):179-88.

Norman B, Sollevi A, Kaijser L, Jansson E. ATP breakdown products in human skeletal muscle during prolonged exercise to exhaustion. *Clin Physiol*. 1987;7(6):503-10.

Mekjavic IB, Eiken O. Inhibition of shivering in man by thermal stimulation of the facial area. *Acta Physiologica Scandinavica*. 1985;125(4):633-7.

Jorfeldt L, Juhlin-Dannfelt A. The influence of ethanol on human splanchnic and skeletal muscle metabolism during exercise. *Scandinavian Journal of Clinical & Laboratory Investigation*. 1977;37(7):609-18.