

# ***Suicide research in Sweden from the early 1990's until 2014 by categories***

## ***Risk and protective factors***

### **Mental disorders**

#### **Elinor Salander Renberg**

Söderberg S, Kullgren G, Renberg ES: **Life events, motives, and precipitating factors in parasuicide among borderline patients.** *Arch Suicide Res* 2004, **8**:153–62.

#### **Gunnar Kullgren**

Kullgren, G. (1988). **Factors associated with completed suicide in borderline personality disorder.** *The Journal of Nervous and Mental Disease*, 176.

Kullgren, G., Tengström, a, & Grann, M. (1998). **Suicide among personality-disordered offenders: a follow-up study of 1943 male criminal offenders.** *Social Psychiatry and Psychiatric Epidemiology*, 33 Suppl 1, S102–6.

Kullgren, G., Renberg, E., & Jacobsson, L. (1986). **An empirical study of borderline personality disorder and psychoatric suicides.** *The Journal of Nervous and Mental Disease*, 174(6), 328–331.

#### **Louise Brådvik**

Brådvik, L., Mattisson, C., Bogren, M., & Nettelblatt, P. (2008). **Long-term suicide risk of depression in the Lundby cohort 1947 – 1997 – severity and gender.** *Acta Psychiatrica Scandinavica*, 117(2), 185–191. doi:10.1111/j.1600-0447.2007.1136.x

Brådvik, L., Mattisson, C., Bogren, M., & Nettelblatt, P. (2010). **Mental disorders in suicide and undetermined death in the Lundby Study. The contribution of severe depression and alcohol dependence.** *Archives of Suicide Research*, 14(3), 266–275. doi:10.1080/13811118.2010.494146

**The occurrence of suicide in severe depression related to the months of the year and the days of the week.** *Eur Arch Psychiatry Clin Neurosci* 2002, **252**:28–32.

Brådvik L: **Suicide after suicide attempt in severe depression: a long-term follow-up.** *Suicide Life Threat Behav* 2003, **33**:381–8.

#### **Margda Waern**

Waern, M., Spak, F., & Sundh, V. (2002). **Suicidal ideation in a female population sample. Relationship with depression, anxiety disorder and alcohol dependence/abuse.** *European Archives of Psychiatry and Clinical Neuroscience*, 252(2), 81–5. doi:10.1007/s00406-002-0365-6

#### **Marie Åsberg**

Maurex, L., Lekander, M., Nilsonne, A., Andersson, E. E., Åsberg, M., & Ohman, A. (2010). **Social problem solving, autobiographical memory, trauma, and depression in women with borderline**

**personality disorder and a history of suicide attempts.** *The British Journal of Clinical Psychology / the British Psychological Society*, 49(Pt 3), 327–42. doi:10.1348/014466509X454831

### **Mats Berglund**

Berglund, M., Krantz, P., Lundqvist, G., & Therup, L. (1987). **Suicide in psychiatric patients: A prospective study of 67 cases without initial signs of severe depression or alcoholism.** *Acta Psychiatrica Scandinavica*, 76, 431–437.

Brådvik, L., & Berglund, M. (1993). **Risk factors for suicide in melancholia A case-record evaluation of 89 suicides and their controls.** *Acta Psychiatrica Scandinavica*, 87, 306–311.

Brådvik, L., & Berglund, M. (2010). **Depressive episodes with suicide attempts in severe depression: suicides and controls differ only in the later episodes of unipolar depression.** *Archives of Suicide Research : Official Journal of the International Academy for Suicide Research*, 14(4), 363–7. doi:10.1080/13811118.2010.524068

Brådvik, L., & Berglund, M. (2011). **Repetition of suicide attempts across episodes of severe depression. Behavioural sensitisation found in suicide group but not in controls.** *BMC Psychiatry*, 11(1), 5. doi:10.1186/1471-244X-11-5

Brådvik L, Berglund M: **Suicide in severe depression related to treatment: depressive characteristics and rate of antidepressant overdose.** *Eur Arch Psychiatry Clin Neurosci* 2005, 255:245–50.

### **Peter Allebeck**

Allebeck, P., & Allgulander, C. (1990). **Psychiatric diagnoses as predictors of suicide. A comparison of diagnoses at conscription and in psychiatric care in a cohort of 50,465 young men.** *The British Journal of Psychiatry*, 157(3), 339–344. doi:10.1192/bjp.157.3.339

Allebeck, P., Varla, a, & Wistedt, B. (1986). **Suicide and violent death among patients with schizophrenia.** *Acta Psychiatrica Scandinavica*, 74(1), 43–9.

### **Peter Nordström**

Carlborg, A., Jokinen, J., Jönsson, E. G., Nordstrom, A.-L., & Nordström, P. (2008). **Long-term suicide risk in schizophrenia spectrum psychoses: survival analysis by gender.** *Archives of Suicide Research*, 12(4), 347–51. doi:10.1080/13811110802325133

Carlborg, A., Jokinen, J., Nordström, A.-L., Jönsson, E. G., & Nordström, P. (2010). **Attempted suicide predicts suicide risk in schizophrenia spectrum psychosis.** *Nordic Journal of Psychiatry*, 64(1), 68–72. doi:10.3109/08039480903274431

Carlborg, A., Winnerbäck, K., Jönsson, E. G., Jokinen, J., & Nordström, P. (2010). **Suicide in schizophrenia.** *Expert Review of Neurotherapeutics*, 10(7), 1153–64. doi:10.1586/ern.10.82 \*\*

Nordström, P., Asberg, M., Aberg-Wistedt, a, & Nordin, C. (1995). **Attempted suicide predicts suicide risk in mood disorders.** *Acta Psychiatrica Scandinavica*, 92(5), 345–50. \*\*

Reutfors, J., Bahmanyar, S., Jönsson, E. G., Ekblom, A., Nordström, P., Brandt, L., & Ösby, U. (2010). **Diagnostic profile and suicide risk in schizophrenia spectrum disorder.** *Schizophrenia Research*, 123(2-3), 251–6. doi:10.1016/j.schres.2010.07.014

Reutfors, J., Osby, U., Ekblom, A., Nordström, P., Jokinen, J., & Papadopoulos, F. C. (2009). **Seasonality of suicide in Sweden: relationship with psychiatric disorder.** *Journal of Affective Disorders*, 119(1-3), 59–65. doi:10.1016/j.jad.2009.02.020

### **Träskman-Bendz**

Holmstrand, C., Niméus, A., & Träskman-Bendz, L. (2006). **Risk factors of future suicide in suicide attempters--a comparison between suicides and matched survivors.** *Nordic Journal of Psychiatry*, 60(2), 162–7. doi:10.1080/08039480600583597

### **Åsa Westrin**

Pendse, B., Westrin, A., & Engström, G. (1999). **Temperament traits in seasonal affective disorder, suicide attempters with non-seasonal major depression and healthy controls.** *Journal of Affective Disorders*, 54(1-2), 55–65.

### **Bo Runeson**

Tidemalm, D., Elofsson, S., Stefansson, C.-G., Waern, M., & Runeson, B. (2005). **Predictors of suicide in a community-based cohort of individuals with severe mental disorder.** *Social Psychiatry and Psychiatric Epidemiology*, 40(8), 595–600. doi:10.1007/s00127-005-0941-y

Tidemalm, D., Haglund, A., Karanti, A., Landén, M., & Runeson, B. (2014). **Attempted suicide in bipolar disorder: risk factors in a cohort of 6086 patients.** *PloS One*, 9(4), e94097. doi:10.1371/journal.pone.0094097

Tidemalm, D., Långström, N., Lichtenstein, P., & Runeson, B. (2008). **Risk of suicide after suicide attempt according to coexisting psychiatric disorder: Swedish cohort study with long term follow-up.** *BMJ*, 337, a2205. doi:10.1136/bmj.a2205

Webb, R. T., Långström, N., Runeson, B., Lichtenstein, P., & Fazel, S. (2011). **Violent offending and IQ level as predictors of suicide in schizophrenia: national cohort study.** *Schizophrenia Research*, 130(1-3), 143–7. doi:10.1016/j.schres.2011.04.031

### **Danuta Wasserman**

Kelleher, I., Corcoran, P., Keeley, H., Wigman, J. T. W., Devlin, N., Ramsay, H., ... Cannon, M. (2013). **Psychotic symptoms and population risk for suicide attempt: a prospective cohort study.** *JAMA Psychiatry*, 70(9), 940–8. doi:10.1001/jamapsychiatry.2013.140

Persson M-L, Runeson B, Wasserman D. **Diagnoses, psychosocial stressors and adaptive functioning in attempted suicide.** *Annals of Clinical Psychiatry*, 1999; 11:119-128.

Wasserman D. **Schizophrenia and suicide.** *Empati* 1999; 4:8-10.

Balázs, J., Miklósi, M., Keresztény, A., Hoven, C. W., Carli, V., Wasserman, C., Apter, A., ... Wasserman, D. (2013). Adolescent subthreshold-depression and anxiety: psychopathology, functional impairment and increased suicide risk. *J Child Psychol Psychiatry*, 54(6), 670-677. doi: 10.1111/jcpp.12016.

Bertolote, J., Fleischmann, A., De Leo, D., Wasserman, D. **Suicide and Mental Disorders: Do We Know Enough?** *British Journal of Psychiatry*, 2003; 183: 382-383.

Bertolote JM, Fleischmann, A, De Leo D, Wasserman D. **Psychiatric Diagnoses and Suicide: Revisiting the Evidence.** *Crisis*. 2004; 25(4):147-155.

### Jan Beskow

**Suicide in mental disorder in Swedish men.** *Acta Psychiatr Scand Suppl* 1979:1–138.

### Marcelo Ferrada-Noli

Ferrada-Noli M: **[Occupational stress, suicide and fatigue depression]**. *Lakartidningen* 2001, **98**:3158–60.

Ferrada-Noli M, Asberg M, Ormstad K, Lundin T, Sundbom E: **Suicidal behavior after severe trauma. Part 1: PTSD diagnoses, psychiatric comorbidity, and assessments of suicidal behavior.** *J Trauma Stress* 1998, **11**:103–12.

## Sleeping problems

### Margda Waern

Sjöström, N., Hetta, J., & Waern, M. (2009). **Persistent nightmares are associated with repeat suicide attempt: a prospective study.** *Psychiatry Research*, 170(2-3), 208–11.  
doi:10.1016/j.psychres.2008.09.006

Sjöström, N., Waern, M., & Hetta, J. (2007). **Nightmares and sleep disturbances in relation to suicidality in suicide attempters.** *Sleep*, 30(1), 91–5.

## Alcohol and other substances

### Bo Runeson

Lundholm, L., Thiblin, I., Runeson, B., Leifman, A., & Fugelstad, A. (2014). **Acute Influence of Alcohol, THC or Central Stimulants on Violent Suicide: A Swedish Population Study.** *Journal of Forensic Sciences*, 59(2), 436–440. doi:10.1111/1556-4029.12353

### Danuta Wasserman

Kölves, K., Värnik, A., Tooding, L.-M., & Wasserman, D. (2006). **The role of alcohol in suicide: a case-control psychological autopsy study.** *Psychological Medicine*, 36(7), 923–30.  
doi:10.1017/S0033291706007707 \*

Wasserman D. **Alcohol and suicidal behaviour.** *Nordic Journal of Psychiatry* 1993; 47: 4:265-271.

Wasserman D, Värnik A, Eklund G. **Male suicides and alcohol consumption in the former USSR.** *Acta Psychiatrica Scandinavica* 1994; 89:306-313. \*

Søgaard Nielsen A, Bille-Brahe U, Hjelmeland H, Jensen B, Ostamo A, Salander-Renberg E, Wasserman D. **Alcohol problems among suicide attempters in the Nordic countries.** *Crisis* 1996; 17/4:157-166.

Wasserman D, Värnik A, Eklund G. **Female suicides and alcohol consumption during perestroika in the former USSR.** *Acta Psychiatrica Scandinavica* 1998; 98 (Suppl. 394):26-33.

Wasserman D, Värnik A. **Suicide-preventive effects of perestroika in the former USSR: the role of alcohol restriction**. *Acta Psychiatrica Scandinavica* 1998; 98 (Suppl. 394):1-44.

### Göran Isacsson

Dhossche, D. M., Rich, C. L., & Isacsson, G. (2001). **Psychoactive substances in suicides. Comparison of toxicologic findings in two samples**. *The American Journal of Forensic Medicine and Pathology*, 22(3), 239-43.

### Mats Berglund

Berglund, M. (1984). **Suicide in alcoholism. A prospective study of 88 suicides: 1. The multidimensional diagnosis at first admission**. *Archives of General Psychiatry*, 41, 888-891. doi:10.1080/08039480510023007 \*

Berglund, M. (1986). **Suicide in male alcoholics with peptic ulcers**. *Alcoholism, Clinical and Experimental Research*, 10(6), 631-4.

Berglund, M., Krantz, P., & Lundqvist, G. (1987). **Suicide in alcoholism: A prospective study of 55 cases with autopsy findings**. *Acta Psychiatrica Scandinavica*, 76, 381-385. doi:10.1080/08039480510023007

Berglund, M., & Ojehagen, A. (1998). **The Influence of Alcohol Drinking and Alcohol Use Disorders on Psychiatric Disorders and Suicidal Behavior**. *Alcoholism: Clinical and Experimental Research*, 22(7), 333S-345S. \*

Brådvik, L., & Berglund, M. (2002). **Seasonal distribution of suicide in alcoholism**. *Acta Psychiatrica Scandinavica*, 106(4), 299-302.

Brådvik, L., & Berglund, M. (2003). **A suicide peak after weekends and holidays in patients with alcohol dependence**. *Suicide & Life-Threatening Behavior*, 33(2), 186-91.

Brådvik L, Frank A, Hulenvik P, Medvedeo A, Berglund M: **Heroin addicts reporting previous heroin overdoses also report suicide attempts**. *Suicide Life Threat Behav* 2007, 37:475-81.

### Peter Allebeck

Price, C., Hemmingsson, T., Lewis, G., Zammit, S., & Allebeck, P. (2009). **Cannabis and suicide: longitudinal study**. *The British Journal of Psychiatry*, 195(6), 492-7. doi:10.1192/bjp.bp.109.065227

## Individual factors

### Elinor Salander Renberg (Exposure to adversity)

Söderberg, S., Kullgren, G., & Salander Renberg, E. (2004). **Childhood sexual abuse predicts poor outcome seven years after parasuicide**. *Social Psychiatry and Psychiatric Epidemiology*, 39(11), 916-20. doi:10.1007/s00127-004-0839-0

### Jussi Jokinen

Hirvikoski, T., & Jokinen, J. (2012). **Personality traits in attempted and completed suicide**. *European Psychiatry: The Journal of the Association of European Psychiatrists*, 27(7), 536-41. doi:10.1016/j.eurpsy.2011.04.004

*(Exposure to adversity)*

Rajalin, M., Hirvikoski, T., & Jokinen, J. (2013). **Family history of suicide and exposure to interpersonal violence in childhood predict suicide in male suicide attempters.** *Journal of Affective Disorders*, 148(1), 92–7. doi:10.1016/j.jad.2012.11.055

Stenbacka, M., Romelsjö, a, & Jokinen, J. (2014). **Criminality and suicide: a longitudinal Swedish cohort study.** *BMJ Open*, 4(2), e003497. doi:10.1136/bmjopen-2013-003497

Sundström, A., Alfredsson, L., Sjölin-Forsberg, G., Gerdén, B., Bergman, U., & Jokinen, J. (2010). **Association of suicide attempts with acne and treatment with isotretinoin: retrospective Swedish cohort study.** *BMJ*. doi:10.1136/bmj.c5812

**Peter Allebeck**

Allebeck, P., Allgulander, C., & Fisher, L. D. (1988). **Predictors of completed suicide in a cohort of 50,465 young men: role of personality and deviant behaviour.** *BMJ (Clinical Research Ed.)*, 297(6642), 176–8. \*\*\*

Sörberg, A., Allebeck, P., Melin, B., Gunnell, D., & Hemmingsson, T. (2013). **Cognitive ability in early adulthood is associated with later suicide and suicide attempt: the role of risk factors over the life course.** *Psychological Medicine*, 43(1), 49–60. doi:10.1017/S0033291712001043

**Intelligence**

**Finn Rasmussen**

Gunnell, D., Magnusson, P. K. E., & Rasmussen, F. (2005). **Low intelligence test scores in 18 year old men and risk of suicide: cohort study.** *BMJ (Clinical Research Ed.)*, 330(7484), 167. doi:10.1136/bmj.38310.473565.8F

Batty, D. G., Whitley, E., Deary, I. J., Gale, C. R., Tynelius, P., & Rasmussen, F. (2010). **Psychosis alters association between IQ and future risk of attempted suicide : cohort study of 1109 475 Swedish men.** *BMJ*, 340, c2506. doi:10.1136/bmj.c2506

**Peter Allebeck**

Andersson, L., Allebeck, P., Gustafsson, J.-E., & Gunnell, D. (2008). **Association of IQ scores and school achievement with suicide in a 40-year follow-up of a Swedish cohort.** *Acta Psychiatrica Scandinavica*, 118(2), 99–105. doi:10.1111/j.1600-0447.2008.01171.x

Gunnell, D., Löfving, S., Gustafsson, J.-E., & Allebeck, P. (2011). **School performance and risk of suicide in early adulthood: follow-up of two national cohorts of Swedish schoolchildren.** *Journal of Affective Disorders*, 131(1-3), 104–12. doi:10.1016/j.jad.2011.01.002

**Physical illness**

**Bo Runeson**

Ludvigsson, J. F., Sellgren, C., Runeson, B., Långström, N., & Lichtenstein, P. (2011). **Increased suicide risk in coeliac disease-a Swedish nationwide cohort study.** *Digestive and Liver Disease*, 43(8), 616–22. doi:10.1016/j.dld.2011.02.009

### **Danuta Wasserman**

De Leo D, Scocco P, Marietta P, Schmidtke A, Bille-Brahe U, Kerkhof A. J. F. M, Lonnqvist J, Crepet P, Salander-Renberg E, Wasserman D. **Physical illness and parasuicide: Evidence from the European parasuicide study interview schedule (EPIS/WHO-EURO)**. *International Journal of Psychiatry Medicine* 1999; vol 29: 2:149-163.

Cheng Q, Fredrikson S, Jiang G-X, Wasserman D. **Elevated Suicide Risk among Patients with Multiple Sclerosis in Sweden**. *Neuroepidemiology* 2003; 22:146-152.

Jiang G-X, Rasmussen F, Wasserman D. Short Stature and Poor Psychological **Performance - Risk Factors for Attempted Suicide among Swedish Male Conscripts**. *Acta Psychiatrica Scandinavica* 1999; 101:1-8.

### **Marie Åsberg**

Nilsson, L., Ahlbom, A., Farahmand, B. Y., Asberg, M., & Tomson, T. (2002). **Risk factors for suicide in epilepsy: a case control study**. *Epilepsia*, 43(6), 644–51.

### **Peter Allebeck**

Allebeck, P., & Bolund, C. (1991). **Suicides and suicide attempts in cancer patients**. *Psychological Medicine*, 21(4), 979–84.

Allebeck, P., Bolund, C., & Ringbäck, G. (1989). **Increased suicide rate in cancer patients: A cohort study based on the Swedish cancer-environment register**. *Journal of Clinical Epidemiology*, 42(7), 611–616.

### **Ullakarin Nyberg**

Bill-Axelsson, A., Garmo, H., Lambe, M., Bratt, O., Adolfsson, J., Nyberg, U., ... Stattin, P. (2010). **Suicide risk in men with prostate-specific antigen-detected early prostate cancer: a nationwide population-based cohort study from PCBaSe Sweden**. *European Urology*, 57(3), 390–5. doi:10.1016/j.eururo.2009.10.035

### **Charlotte Björkenstam**

Björkenstam, C., Edberg, A., Ayoubi, S., & Rosén, M. (2005). **Are cancer patients at higher suicide risk than the general population?** *Scandinavian Journal of Public Health*, 33(3), 208–14. doi:10.1080/14034940410019226

### **Jokinen**

Sundström, A., Alfredsson, L., Sjölin-Forsberg, G., Gerdén, B., Bergman, U., & Jokinen, J. (2010). **Association of suicide attempts with acne and treatment with isotretinoin: retrospective Swedish cohort study**. *BMJ*. doi:10.1136/bmj.c5812

## **Physical features**

### **Finn Rasmussen**

Batty, G. D., Whitley, E., Kivimäki, M., Tynelius, P., & Rasmussen, F. (2010). **Body mass index and attempted suicide: Cohort study of 1,133,019 Swedish men**. *American Journal of Epidemiology*, 172(8), 890–9. doi:10.1093/aje/kwq274

Magnusson, P. K. E., Rasmussen, F., Lawlor, D. a, Tynelius, P., & Gunnell, D. (2006). **Association of body mass index with suicide mortality: a prospective cohort study of more than one million men.** *American Journal of Epidemiology*, 163(1), 1–8. doi:10.1093/aje/kwj002

Magnusson, P. K. E., Gunnell, D., Tynelius, P., Davey Smith, G., & Rasmussen, F. (2005). **Strong inverse association between height and suicide in a large cohort of Swedish men: evidence of early life origins of suicidal behavior?** *The American Journal of Psychiatry*, 162(7), 1373–5. doi:10.1176/appi.ajp.162.7.1373

Whitley, E., Rasmussen, F., Tynelius, P., & Batty, G. D. (2010). **Physical stature and method-specific attempted suicide: cohort study of one million men.** *Psychiatry Research*, 179(1), 116–8. doi:10.1016/j.psychres.2010.06.011

### **Margda Waern**

Åberg, M. a I., Nyberg, J., Torén, K., Sörberg, a, Kuhn, H. G., & Waern, M. (2014). **Cardiovascular fitness in early adulthood and future suicidal behaviour in men followed for up to 42 years.** *Psychological Medicine*, 44(4), 779–88. doi:10.1017/S0033291713001207

### **Demographic factors**

#### **Agneta Öjehagen:**

Skogman, K., Alsén, M., & Ojehagen, A. (2004). **Sex differences in risk factors for suicide after attempted suicide-a follow-up study of 1052 suicide attempters.** *Social Psychiatry and Psychiatric Epidemiology*, 39(2), 113–20. doi:10.1007/s00127-004-0709-9

#### **Peter Nordström**

Åsgård, U., Nordström, P., & Råbäck, G. (1987). **Birth cohort analysis of changing suicide risk by sex and age in Sweden 1952 to 1981.** *Acta Psychiatrica Scandinavica*, 76, 456–463.

#### **Ferrada-Noli**

Webster Rudmin F, Ferrada-Noli M, Skolbekken J-A: **Questions of culture, age and gender in the epidemiology of suicide.** *Scand J Psychol* 2003, **44**:373–81.

### **Community and relationship factors**

#### **Bo Runeson**

Kuramoto, S., & Runeson, B. (2013). **Time to hospitalization for suicide attempt by the timing of parental suicide during offspring early development.** *JAMA*, 70(2), 149–157.

Ljung, T., Lichtenstein, P., & Sandin, S. (2013). **The Association Between Parental Schizophrenia and Offspring Suicide: A Cousin Comparison approach.** *Psychological Medicine*, 43(3), 581–590.

Runeson, B., & Åsberg, M. (2003). **Family history of suicide among suicide victims.** *American Journal of Psychiatry*, 160, 1525–1526.

Tidemalm, D., Runeson, B., Waern, M., Frisell, T., Carlström, E., Lichtenstein, P., & Långström, N. (2011). **Familial clustering of suicide risk: a total population study of 11.4 million individuals.** *Psychological Medicine*, 41(12), 2527–34. doi:10.1017/S0033291711000833



Wilcox, H., & Kuramoto, S. (2012). The Interaction of Parental History of Suicidal **Behavior and Exposure to Adoptive Parents' Psychiatric Disorders on Adoptee Suicide Attempt Hospitalizations**. *American Journal of Psychiatry*, 169, 309–315.

#### **Danuta Wasserman**

Wasserman D. **Separation: an important factor in suicidal actions**. *Crisis* 1988; 9/1:49-63.

Wasserman D, Cullberg J. **Early separation and suicidal behaviour in the parental homes of 40 consecutive suicide attempters**. *Acta Psychiatrica Scandinavica* 1989; 79:296-302.

Mittendorfer Rutz E, Rasmussen F, Wasserman D. **Restricted fetal growth and adverse maternal psychosocial and socioeconomic conditions as risk factors for suicidal behaviour in offspring: a cohort study**. *The Lancet* 2004; 364(9440):1135-1140 \*\*\*

#### **Finn Rasmussen**

Jablonska, B., Lindblad, F., Ostberg, V., Lindberg, L., Rasmussen, F., & Hjern, A. (2012). **A national cohort study of parental socioeconomic status and non-fatal suicidal behaviour--the mediating role of school performance**. *BMC Public Health*, 12(1), 17. doi:10.1186/1471-2458-12-17

#### **Mittendorfer-Rutz**

Mittendorfer-Rutz, E., Rasmussen, F., & Lange, T. (2012). **A life-course study on effects of parental markers of morbidity and mortality on offspring's suicide attempt**. *PloS One*, 7(12), e51585. doi:10.1371/journal.pone.0051585

Niederkröthaler, T., Floderus, B., Alexanderson, K., Rasmussen, F., & Mittendorfer-Rutz, E. (2012). **Exposure to parental mortality and markers of morbidity, and the risks of attempted and completed suicide in offspring: an analysis of sensitive life periods**. *Journal of Epidemiology and Community Health*, 66(3), 233–9. doi:10.1136/jech.2010.109595

Niederkröthaler, T., Rasmussen, F., & Mittendorfer-Rutz, E. (2012). **Perinatal conditions and parental age at birth as risk markers for subsequent suicide attempt and suicide: a population based case-control study**. *European Journal of Epidemiology*, 27(9), 729–38. doi:10.1007/s10654-012-9724-4

#### **Yerko Rojas**

Rojas, Y., & Stenberg, S.-A. (2010). **Early life circumstances and male suicide--a 30-year follow-up of a Stockholm cohort born in 1953**. *Social Science & Medicine (1982)*, 70(3), 420–7. doi:10.1016/j.socscimed.2009.10.026

### **Societal factors**

#### **Danuta Wasserman**

Sisask, M., Varnik, A., Kolves, K., Bertolote, J. M., Bolhari, J., Botega, N. J., ... Wasserman, D. (2010). **Is religiosity a protective factor against attempted suicide: a cross-cultural case-control study**. *Archives of Suicide Research : Official Journal of the International Academy for Suicide Research*, 14(1), 44–55. doi:10.1080/13811110903479052

Runeson B, Eklund G, Wasserman D: **Living conditions of female suicide attempters: a case-control study**. *Acta Psychiatr Scand* 1996, **94**:125–32.

- Bille-Brahe U, Kerkhof A, De Leo D, Schmidtke A, Crepet P, Lönnqvist J, Michel K, Salander-Renberg E, Stiles TC, Wasserman D. **A repetition-prediction study on European parasuicide populations: Part II of the WHO/EURO Multicentre Study on Parasuicide in co-operation with the EC concerted action on attempted suicide.** *Crisis* 1996; 17(1):22-31.
- Bille-Brahe U, Andersen K, Wasserman D, Schmidtke A, Bjerke T, Crepet P, de Leo D, Haring C, Hawton K, Kerkhof A, Lönnqvist J, Michel K, Phillippe A, Querejeta I, Salander-Renberg E, Temesvary B. **The WHO/EURO Multicentre Study: Risk of Parasuicide and the Comparability of the Areas Under Study.** *Crisis* 1996;17 (1):32-42.
- Schmidtke A, Bille-Brahe U, De Leo D, Kerkhof A, Bjerke T, Crepet P, Haring C, Hawton K, Lönnqvist J, Michel K, Pommereau X, Querejeta I, Phillippe I, Salander-Renberg E, Temesváry B, Wasserman D, Fricke S, Weinacker B, Sampaio-Faria J G. **Attempted Suicide in Europe: rates, trends and sociodemographic characteristics of suicide attempters during the period 1989-1992. Results of the WHO/EURO Multicentre Study on Parasuicide.** *Acta Psychiatrica Scandinavica* 1996; 93:327-338.
- Bille-Brahe U, Kerkhof A, De Leo D, Schmidtke A, Crepet P, Lönnqvist J, Michel K, Salander-Renberg E, Stiles TC, Wasserman D, Aagaard B, Egebo H, Jensen B. **A repetition-prediction study of European parasuicide populations: a summary of the first report from part II of the WHO/EURO Multicentre Study on Parasuicide in co-operation with the EC concerted action on attempted suicide.** *Acta Psychiatrica Scandinavica* 1997 Feb;95(2):81-6.
- Jessen G, Jensen BF, Arensman E, Bille-Brahe U, Crepet P, De Leo D, Hawton K, Haring C, Hjelmeland H, Michel K, Ostamo A, Salander-Renberg E, Schmidtke A, Temesvary B, Wasserman D. **Attempted suicide and major public holidays in Europe: findings from the WHO/EURO Multicentre study on Parasuicide.** *Acta Psychiatrica Scandinavica* 1999; 99: 412-418.
- Kölves, K, Värnik, A, Schneider, B, Fritze, J, Allik, J, Wasserman D. **Recent life events and suicide; A case-control study in Talinn and Frankfurt.** *Social Science & Medicine* 2006; 62:2887-289
- Carli, V., Mandelli, L., Zaninotto, L., Iosue, M., Hadlaczky, G., Wasserman, D., ... Sarchiapone, M. (2014). **Serious suicidal behaviors: socio-demographic and clinical features in a multinational, multicenter sample.** *Nordic Journal of Psychiatry*, 68(1), 44–52.  
doi:10.3109/08039488.2013.767934
- Durkee, T., Kaess, M., Carli, V., Parzer, P., Wasserman, C., Floderus, B., Apter, A., ... Wasserman, D. (2012). Prevalence of pathological internet use among adolescents in Europe: demographic and social factors. *Addiction*, 107(12), 2210-2222. doi: 10.1111/j.1360-0443.2012.03946.x
- Sarchiapone, M., Mandelli, L., Carli, V., Iosue, M., Wasserman, C., Hadlaczky, G., Hoven, C. W., ... Wasserman, D. (2014). Hours of sleep in adolescents and its association with anxiety, emotional concerns, and suicidal ideation. *Sleep Med.*, 15(2), 248-254. doi: 10.1016/j.sleep.2013.11.780.
- Leena Maria Johansson**  
Johansson, L. M., Sundquist, J., Johansson, S. E., & Bergman, B. (1997). **Ethnicity, social factors, illness and suicide: a follow-up study of a random sample of the Swedish population.** *Acta Psychiatrica Scandinavica*, 95(2), 125–31.

Johansson, L. M., Sundquist, J., Johansson, S.-E., Qvist, J., & Bergman, B. (1997). **The influence of ethnicity and social and demographic factors on Swedish suicide rates: A four year follow-up study.** *Social Psychiatry and Psychiatric Epidemiology*, 32, 165–170.

Westman, J., Sundquist, J., Johansson, L. M., Johansson, S.-E., & Sundquist, K. (2006). **Country of birth and suicide: a follow-up study of a national cohort in Sweden.** *Archives of Suicide Research : Official Journal of the International Academy for Suicide Research*, 10(3), 239–48.

### **Peter Allebeck**

Lundin, A., Lundberg, I., Allebeck, P., & Hemmingsson, T. (2012). **Unemployment and suicide in the Stockholm population: a register-based study on 771,068 men and women.** *Public Health*, 126(5), 371–7. doi:10.1016/j.puhe.2012.01.020

Zammit, S., Gunnell, D., Lewis, G., Leckie, G., Dalman, C., & Allebeck, P. (2014). **Individual- and area-level influence on suicide risk: a multilevel longitudinal study of Swedish schoolchildren.** *Psychological Medicine*, 44(2), 267–77. doi:10.1017/S0033291713000743

### **Ragnar Andersson**

Moniruzzaman, S., & Andersson, R. (2004). **Relationship between economic development and suicide mortality: a global cross-sectional analysis in an epidemiological transition perspective.** *Public Health*, 118(5), 346–8. doi:10.1016/j.puhe.2003.10.004

### **Ferrada-Noli**

Ferrada-Noli M: **Social psychological variables in populations contrasted by income and suicide rate: Durkheim revisited.** *Psychol Rep* 1997, **81**:307–16.

Ferrada-Noli M, Asberg M: **Psychiatric health, ethnicity and socioeconomic factors among suicides in Stockholm.** *Psychol Rep* 1997, **81**:323–32.

Ferrada-Noli M: **Health and socioeconomic indicators in psychiatric catchment areas with divergent suicide rates.** *Psychol Rep* 1997, **81**:611–9.

Ferrada-Noli M: **Social psychological indicators associated with the suicide rate: replying to the socioeconomic hypothesis.** *Psychol Rep* 1997, **80**:315–22.

Ferrada-Noli M: **Social psychological vs socioeconomic hypotheses on the epidemiology of suicide: an empirical study.** *Psychol Rep* 1996, 79(3 Pt 1):707–10.

### **Träskman-Bendz**

Magne-Ingvar U, Ojehagen a, Träskman-Bendz L: **The social network of people who attempt suicide.** *Acta Psychiatr Scand* 1992, **86**:153–8.

## **Media**

### **Danuta Wasserman**

Westerlund M, Wasserman D. **Suicide tips on the Internet. Self-regulation and filtration necessary to protect vulnerable individuals.** *Lakartidningen*. 2008 Oct 1-7;105(40):2758-9.

Westerlund M, Hadlaczky G, Wasserman D. **The representation of suicide on the internet: implications for clinicians.** *Journal of Medical Internet Research*. 2012 Sep 26;14(5):e122.

Westerlund M, Hadlaczky G, Carli V, Wasserman D. **Mental Health, suicide and the Internet.** *Psykisk Hälsa* 2012;2,53,34-41.

Sisask M, Värnik A, Wasserman D: **Internet comments on media reporting of two adolescents' collective suicide attempt.** *Arch Suicide Res* 2005, **9**:87–98.

## Epidemiology

**Christina Dalman**

**Recent time trends in levels of self-reported anxiety, mental health service use and suicidal behaviour in Stockholm.** *Acta Psychiatr Scand* 2010, **122**:47–55.

**Danuta Wasserman**

Titelman D, Oskarsson H, Wahlbeck K, Nordentoft M, Mehlum L, Jiang G-X, Erlangsen A, Nrugham L, Wasserman D: **Suicide mortality trends in the Nordic countries 1980-2009.** *Nord J Psychiatry* 2013, **67**:414–23.

Värnik P, Sisask M, Värnik A, Yur'yev A, Kõlves K, Leppik L, Nemtsov A, Wasserman D: **Massive increase in injury deaths of undetermined intent in ex-USSR Baltic and Slavic countries: hidden suicides?** *Scand J Public Health* 2010, **38**:395–403.

Wasserman D, Fellman M: **Parasuicide in the Nordic Countries.** *Scandinavian J Soc Med* 1994, **3**:170–177.

Cullberg J, Wasserman D, Stefansson C-G. Who commits suicide after a suicide attempt? An 8 to 10 year follow up in a suburban catchment area. *Acta Psychiatrica Scandinavica* 1988; **77**:598-603.

Wasserman D, Spellerberg S. Attempted suicide trends in Stockholm County, 1975-1985. *Acta Psychiatrica Scandinavica* 1989; **81**:190-196.

Wasserman D. Decreasing suicide rates in Stockholm County, Sweden. *Nordic Journal of Psychiatry*. 1990; **44**:457-462.

Värnik A, Wasserman D. Suicides in the former Soviet republics. *Acta Psychiatrica Scandinavica* 1992; **86**: 76-78.

Platt S, Bille-Brahe U, Kerkhof A, Schmidtke A, Bjerke T, Crepet P, De Leo D, Haring C, Lönnqvist J, Michel K, Philippe A, Pommereau X, Querejeta I, Salander-Renberg E, Temesvary B, Wasserman D, Sampaio Faria J. Parasuicide in Europe: The WHO/EURO Multicentre Study on Parasuicide. I. Introduction to the study and preliminary analysis for 1989. *Acta Psychiatrica Scandinavica* 1992; **85**:97-104.

Värnik A, Wasserman D, Eklund G. Suicide in the Baltic Countries 1968-90. *Scandinavian Journal of Social Medicine*. 1994; **22**:166-169.

Wasserman D, Värnik A. Increase in suicide among men in the Baltic countries. *The Lancet*. 1994 Jun **11**;343(8911):1504-5.

Wasserman D, Värnik A, Dankowicz M. Regional differences in the distribution of suicide in the former Soviet Union during perestroika, 1984-1990. *Acta Psychiatrica Scandinavica* 1998; 98 (Suppl. 394):5-12.

Värnik A, Wasserman D, Dankowicz M, Eklund G. Marked decrease in suicide among men and women in the former USSR during perestroika. *Acta Psychiatrica Scandinavica* 1998; 98 (Suppl. 394):13-19.

Värnik A, Wasserman D, Dankowicz M, Eklund G. Age-specific suicide rates in the Slavic and Baltic regions of the former USSR during perestroika, in comparison with 22 European countries. *Acta Psychiatrica Scandinavica* 1998; 98 (Suppl. 394):20-25.

Wasserman D, Värnik A. Reliability of statistics on violent death and suicide in the former USSR, 1970-1990. *Acta Psychiatrica Scandinavica* 1998; 98 (Suppl. 394):34-41.

Jessen G, Andersen K, Arensman E, Bille-Brahe U, Crepet P, De Leo D, Hawton K, Haring C, Hjelmeland H, Michel K, Ostamo A, Salander-Renberg E, Schmidtke A, Temestváry B, Wasserman D. Temporal fluctuations and seasonality in attempted suicide in Europe. Findings from the WHO/EU Multicentre Study on Parasuicide. *Archives of Suicide Research* 1999; 5(1):57-69.

Schmidtke A, Weinacker B, Apter A, Batt A, Berman A, Bille-Brahe U, Botsis A, De Leo D, Doneux A, Goldney R, Grad O, Haring C, Hawton K, Hjelmeland H, Kelleher M, Kerkhof A, Leenaars A, Lönnqvist J, Michel K, Ostamo A, Salander-Renberg E, Sayil I, Takahashi Y, van Heeringen C, Värnik A, Wasserman D (in alphabetical order). Suicide rates in the world: Update. *Archives of Suicide Research* 1999; 5:81-89.

Värnik A, Tooding L-M, Palo E, Wasserman D. Suicide trends in the Baltic states, 1970-1997. *Trames* 2000; 4(54/49) 1: 79-90.

Tooding L-M., Värnik A., Wasserman D. Gender and age-specific dynamics of suicide in the Baltic states during the transition period. *Trames - Journal of the Humanities and Social Sciences*, 2004; 8(3):299-308.

Värnik A, Kölves K, Wasserman D. Suicide among Russians in Estonia: database study before and after independence. *British Medical Journal*, 2005;330:176-177.

Schmidtke A, Wasserman D, Lohr C. Changing patterns of suicide attempts in Europe. *European Psychiatry*. 2007; 22, 35-35.

### **Lars Jacobsson**

Jacobsson L, Renberg E: **Epidemiology of suicide in a Swedish county (Västerbotten) 1961-1980.** *Acta Psychiatr Scand* 1986, **74**:459-468.

### **Mittendorfer-Rutz**

**Changes in rates, methods and characteristics of suicide attempters over a 15-year period: comparison between Stockholm, Sweden, and Würzburg, Germany.** *Soc Psychiatry Psychiatr Epidemiol* 2011, **46**:1103-14.

### **Ragnar Andersson**

**Suicide mortality trends in young people aged 15 to 19 years in Lithuania.** *Acta Paediatr* 2011, **100**:1476–80.

### **Mäkinen**

Mäkinen, I. H. **Effect on suicide rate of having reduced unemployment is uncertain.** *BMJ* 1999, **318**:941–942.

3. Mäkinen IH, Stickley A: **Suicide mortality and agricultural rationalization in post-war Europe.** *Soc Psychiatry Psychiatr Epidemiol* 2006, **41**:429–34.

4. Mäkinen TM, Raatikka V-P, Rytönen M, Jokelainen J, Rintamäki H, Ruuhela R, Näyhä S, Hassi J: **Factors affecting outdoor exposure in winter: population-based study.** *Int J Biometeorol* 2006, **51**:27–36.

5. Mäkinen T, Borodulin K, Laatikainen T, Fogelholm M, Prättälä R: **Twenty-five year socioeconomic trends in leisure-time and commuting physical activity among employed Finns.** *Scand J Med Sci Sports* 2009, **19**:188–97.

6. Magnusson S, Mäkinen IH: **Sweden: income and suicide.** *Psychol Rep* 2010, **107**:157–62.

## **Suicide method**

### **Bo Runeson**

Runeson, B., Tidemalm, D., Dahlin, M., Lichtenstein, P., & Långström, N. (2010). **Method of attempted suicide as predictor of subsequent successful suicide: national long term cohort study.** *BMJ*, **340**, c3222.

Rich, C. L., & Runeson, B. S. (1992). **Similarities in diagnostic comorbidity between suicide among young people in Sweden and the United States.** *Acta Psychiatrica Scandinavica*, **86**(5), 335–9.

### **Danuta Wasserman**

Michel K, Ballinari P, Bille-Brahe U, Bjerke T, Crepet P, De Leo D, Haring C, Hawton K, Kerkhof a, Lönnqvist J, Querejeta I, Salander-Renberg E, Schmidtke a, Temesvary B, Wasserman D: **Methods used for parasuicide: results of the WHO/EURO Multicentre Study on Parasuicide.** *Soc Psychiatry Psychiatr Epidemiol* 2000, **35**:156–63.

### **Jayanti Chotai**

**Suicide aggregation in relation to socio-demographic variables and the suicide method in a general population: assortative susceptibility.** *Nord J Psychiatry* 2005, **59**:325–30.

Chotai J, Salander Renberg E: **Season of birth variations in suicide methods in relation to any history of psychiatric contacts support an independent suicidality trait.** *J Affect Disord* 2002, **69**:69–81.

### **Louise Brådvik**

Brådvik L: **Violent and nonviolent methods of suicide: different patterns may be found in men and women with severe depression.** *Arch Suicide Res* 2007, **11**:255–64.

### **Helena Rådbo**

**Suicides and other fatalities from train-person collisions on Swedish railroads: a descriptive epidemiologic analysis as a basis for systems-oriented prevention.** *J Safety Res* 2005, **36**:423–8.

Rådbo H, Andersson R: **Patterns of suicide and other trespassing fatalities on state-owned railways in greater Stockholm; implications for prevention.** *Int J Environ Res Public Health* 2012, **9**:772–80.

### **Charlotte Björkenstam**

Holopainen, J., Helama, S., Björkenstam, C., & Partonen, T. (2013). **Variation and seasonal patterns of suicide mortality in Finland and Sweden since the 1750s.** *Environmental Health and Preventive Medicine*, *18*(6), 494–501. doi:10.1007/s12199-013-0348-4

## **Young people**

### **Bo Runeson**

Runeson, B. (1989). **Mental disorder in youth suicide.** *Acta Psychiatrica Scandinavica*, *79*(5), 490–497.

Runeson, B. (1990). **PSYCHOACTIVE SUBSTANCE USE DISORDER IN YOUTH SUICIDE.** *Alcohol and Alcoholism*, *25*(5), 561–568.

Runeson, B., & Beskow, J. (1991). **Borderline personality disorder in young Swedish suicides.** *The Journal of Nervous and Mental Disease*, *179*, 153–156.

Runeson, B. S. (1998). **History of suicidal behaviour in the families of young suicides.** *Acta Psychiatrica Scandinavica*, *98*(6), 497–501.

Wilcox, H. C., Kuramoto, S. J., Lichtenstein, P., Långström, N., Brent, D. a., & Runeson, B. (2010). **Psychiatric Morbidity, Violent Crime, and Suicide Among Children and Adolescents Exposed to Parental Death.** *Journal of the American Academy of Child & Adolescent Psychiatry*, *49*(5), 514–523. doi:10.1016/j.jaac.2010.01.020

### **Cecilia Magnusson**

Kosidou, K., Dalman, C., Fredlund, P., Lee, B. K., Galanti, R., Isacsson, G., & Magnusson, C. (2013). **School performance and the risk of suicide attempts in young adults: a longitudinal population-based study.** *Psychological Medicine*, 1–9. doi:10.1017/S0033291713001852

Kosidou, K., Hellner-Gumpert, C., Fredlund, P., Dalman, C., Hallqvist, J., Isacsson, G., & Magnusson, C. (2012). **Immigration, transition into adult life and social adversity in relation to psychological distress and suicide attempts among young adults.** *PloS One*, *7*(10), e46284. doi:10.1371/journal.pone.0046284

### **Danuta Wasserman**

Brunner, R., Kaess, M., Parzer, P., Fischer, G., Carli, V., Hoven, C. W., ... Wasserman, D. (2014). **Life-time prevalence and psychosocial correlates of adolescent direct self-injurious behavior: a comparative study of findings in 11 European countries.** *Journal of Child Psychology and Psychiatry, and Allied Disciplines*, *55*(4), 337–48. doi:10.1111/jcpp.12166

Carli, V., Hoven, C. W., Wasserman, D., Chiesa, F., Guffanti, G., Sarchiapone, M., ... Wasserman, D. (2014). **A newly identified group of adolescents at “invisible” risk for psychopathology and suicidal behavior: findings from the SEYLE study.** *World Psychiatry*, *13*, 78–86.

- Mittendorfer-Rutz, E., Rasmussen, F., & Wasserman, D. (2008). **Familial clustering of suicidal behaviour and psychopathology in young suicide attempters. A register-based nested case control study.** *Social Psychiatry and Psychiatric Epidemiology*, 43(1), 28–36. doi:10.1007/s00127-007-0266-0
- Wasserman, D., Cheng, Q., & Jiang, G.-X. (2005). **Global suicide rates among young people aged 15-19.** *World Psychiatry : Official Journal of the World Psychiatric Association (WPA)*, 4(2), 114–20.
- Hawton K, Arensman E, Wasserman D, Hultén A, Bille-Brahe U, Bjerke T, Crepet P, Deisenhammer E, Kerkhof A, De Leo D, Michel K, Ostamo A, Philippe A, Querejeta I, Salander-Renberg E, Schmidtke A, Temestváry B. **Relation between attempted suicide and suicide rates among young people in Europe.** *Journal of Epidemiology and Community Health* 1998; 52(3):191-194.
- Hultén A, Jiang G-X, Wasserman D, Hawton K, Hjelmeland H, De Leo D, Ostamo A, Salander-Renberg E, Schmidtke A. **Repetition of attempted suicide among teenagers in Europe: frequency, timing and risk factors.** *European Journal of Child and Adolescent Psychiatry* 2001; 10:161-169.
- Hultén A, Wasserman D. **Suicide among young people aged 10-29 in Sweden.** *Scandinavian Journal of Social Medicine.* 1992; 20: 2:65-71.
- Mittendorfer Rutz E, Wasserman D. **Trends in adolescent suicide mortality in the WHO European Region.** *European Child and Adolescent Psychiatry* 2004; 13:321-331.
- Mittendorfer-Rutz, E., Wasserman, D., & Rasmussen, F. (2008). **Fetal and childhood growth and the risk of violent and non-violent suicide attempts: a cohort study of 318,953 men.** *Journal of Epidemiology and Community Health*, 62(2), 168–73. doi:10.1136/jech.2006.057133
- Sarchiapone, M., Mandelli, L., Carli, V., Iosue, M., Wasserman, C., Hadlaczky, G., ... Wasserman, D. (2014). **Hours of sleep in adolescents and its association with anxiety, emotional concerns, and suicidal ideation.** *Sleep Medicine*, 15(2), 248–54. doi:10.1016/j.sleep.2013.11.780
- Olsson L, Wasserman D. **High risk of suicide amongst young people on New Years Day.** *Swedish Medical Journal*, 1999; 96 (50): 5677-5678
- Fischer G, Brunner R, Parzer P, Klug K, Durkee T, Carli V, Wasserman D, Vonderlin E, Resch F, Kaess M. **Depression, deliberate self-harm and suicidal behaviour in adolescents engaging in risky and pathological internet use.** *Prax Kinderpsychology Kinderpsychiatrie.* 2012; 61(1):16-31.
- Balázs J, Miklósi M, Keresztény A, Hoven CW, Carli V, Wasserman C, Apter A, Bobes J, Brunner R, Cosman D, Cotter P, Haring C, Iosue M, Kaess M, Kahn J-P, Keeley H, Marusic D, Postuvan V, Resch F, Saiz P A, Sisask M, Snir A, Tubiana A, Varnik A, Sarchiapone M, Wasserman D. **Adolescent Subthreshold Depression: Psychopathology, Functional Impairment and Increased Suicide Risk.** *Journal Child Psychology Psychiatry.* 2013 Jun;54(6):670-7. doi: 10.1111/jcpp.12016.
- Brunner, R., Kaess, M., Parzer, P., Fischer, G., Carli, V., Hoven, C. W., Wasserman, C., . . . Wasserman, D. (2014). Life-time prevalence and psychosocial correlates of adolescent direct self-injurious behavior: a comparative study of findings in 11 European countries. *J Child Psychol Psychiatry*, 55(4), 337-348. doi: 10.1111/jcpp.12166.



### Margda Waern

Sundin, M., Spak, F., Spak, L., Sundh, V., & Waern, M. (2011). **Substance use/abuse and suicidal behavior in young adult women: a population-based study.** *Substance Use & Misuse*, 46(13), 1690–9. doi:10.3109/10826084.2011.605414

### Mittendorfer-Rutz

Jonsson, U., Alexanderson, K., Kjeldgård, L., Westerlund, H., & Mittendorfer-Rutz, E. (2013). **Diagnosis-specific disability pension predicts suicidal behaviour and mortality in young adults: a nationwide prospective cohort study.** *BMJ Open*, 3(2), 3–10. doi:10.1136/bmjopen-2012-002286

Mittendorfer-Rutz, E., Alexanderson, K., Westerlund, H., & Lange, T. (2014). **Is transition to disability pension in young people associated with changes in risk of attempted suicide?** *Psychological Medicine*, 1–8. doi:10.1017/S0033291713003097

### Peter Allebeck

Allebeck, P., Brandt, L., Nordstrom, P., & Asgard, U. (1996). **Are suicide trends among the young reversing? Age, period and cohort analyses of suicide rates in Sweden.** *Acta Psychiatrica Scandinavica*, 93(1), 43–48.

Lundin, A., Lundberg, I., Allebeck, P., & Hemmingsson, T. (2011). **Psychiatric diagnosis in late adolescence and long-term risk of suicide and suicide attempt.** *Acta Psychiatrica Scandinavica*, 124(6), 454–61. doi:10.1111/j.1600-0447.2011.01752.x

## Elderly people

### Danuta Wasserman

De Leo, D., Padoani, W., Lonnqvist, J., Kerkhof, a J. F. M., Bille-Brahe, U., Michel, K., ... Scocco, P. (2002). **Repetition of suicidal behaviour in elderly Europeans: a prospective longitudinal study.** *Journal of Affective Disorders*, 72(3), 291–5.

De Leo D, Padoani W, Scocco P, Lie D, Bille-Brahe U, Arensman E, Bjerke T, Crepet P, Haring C, Hawton K, Lönnqvist J, Michel K, Pommerau X, Querejeta I, Philippe J, Salander-Renberg E, Schmidtke A, Fricke S, Weinacker B, Temesvary B, Wasserman D. **Attempted and completed suicide in older subjects: Results from the WHO/EURO Multicentre study of suicidal behaviour.** *International Journal of Geriatric Psychiatry*, 2001; 16:300-310.

### Margda Waern

Carlsten, A., Waern, M., Holmgren, P., & Allebeck, P. (2003). **The role of benzodiazepines in elderly suicides.** *Scandinavian Journal of Public Health*, 31(3), 224–8. doi:10.1080/14034940210167966

Fässberg, M. M., van Orden, K. a, Duberstein, P., Erlangsen, A., Lapierre, S., Bodner, E., ... Waern, M. (2012). **A systematic review of social factors and suicidal behavior in older adulthood.** *International Journal of Environmental Research and Public Health*, 9(3), 722–45. doi:10.3390/ijerph9030722

Jonson, M., Skoog, I., Marlow, T., Mellqvist Fässberg, M., & Waern, M. (2012). **Anxiety symptoms and suicidal feelings in a population sample of 70-year-olds without dementia.** *International Psychogeriatrics / IPA*, 24(11), 1865–71. doi:10.1017/S1041610212000993

- Mellqvist, M., Wiktorsson, S., Joas, E., Ostling, S., Skoog, I., & Waern, M. (2011). **Sense of coherence in elderly suicide attempters: the impact of social and health-related factors.** *International Psychogeriatrics / IPA*, 23(6), 986–93. doi:10.1017/S1041610211000196
- Morin, J., Wiktorsson, S., Marlow, T., Olesen, P. J., Skoog, I., & Waern, M. (2013). **Alcohol use disorder in elderly suicide attempters: a comparison study.** *The American Journal of Geriatric Psychiatry : Official Journal of the American Association for Geriatric Psychiatry*, 21(2), 196–203. doi:10.1016/j.jagp.2012.10.020
- Rubenowitz, E., Waern, M., Wilhelmson, K., & Allebeck, P. (2001). **Life events and psychosocial factors in elderly suicides--a case-control study.** *Psychological Medicine*, 31(7), 1193–202.
- Van Orden, K. A., Simning, A., Conwell, Y., Skoog, I., & Waern, M. (2013). **Characteristics and Comorbid Symptoms of Older Adults Reporting Death Ideation.** *The American Journal of Geriatric Psychiatry*, 21(8), 803–810. doi:10.1016/j.jagp.2013.01.015
- Waern, M. (2003). **Alcohol Dependence and Misuse in Elderly Suicides.** *Alcohol and Alcoholism*, 38(3), 249–254. doi:10.1093/alcalc/agg060
- Waern, M., Rubenowitz, E., Runeson, B., Skoog, I., Wilhelmson, K., & Allebeck, P. (2002). **Burden of illness and suicide in elderly people: case-control study.** *BMJ (Clinical Research Ed.)*, 324(7350), 1355.
- Waern, M., Rubenowitz, E., & Wilhelmson, K. (2003). **Predictors of Suicide in the Old Elderly.** *Gerontology*, 49(5), 328–334. doi:10.1159/000071715
- Waern, M., Runeson, B. S., Allebeck, P., Beskow, J., Rubenowitz, E., Skoog, I., & Wilhelmsson, K. (2002). **Mental disorder in elderly suicides: a case-control study.** *The American Journal of Psychiatry*, 159(3), 450–5.
- Wiktorsson, S., Berg, A. I., Billstedt, E., Duberstein, P. R., Marlow, T., Skoog, I., & Waern, M. (2013). **Neuroticism and extroversion in suicide attempters aged 75 and above and a general population comparison group.** *Aging & Mental Health*, 17(4), 479–88. doi:10.1080/13607863.2012.749835
- Wiktorsson, S., Marlow, T., Runeson, B., Skoog, I., & Waern, M. (2011). **Prospective cohort study of suicide attempters aged 70 and above: one-year outcomes.** *Journal of Affective Disorders*, 134(1-3), 333–40. doi:10.1016/j.jad.2011.06.010
- Suicides by drug poisoning among the elderly in Sweden 1969-1996.** *Soc Psychiatry Psychiatr Epidemiol* 1999, 34:609–14.
- Fässberg MM, Ostling S, Börjesson-Hanson A, Skoog I, Wærn M: **Suicidal feelings in the twilight of life: a cross-sectional population-based study of 97-year-olds.** *BMJ Open* 2013, 3.
- Waern M, Beskow J, Runeson B, Skoog I: **High rate of antidepressant treatment in elderly people who commit suicide.** *BMJ* 1996, 313:1118.

## Immigrants

### Danuta Wasserman

Bursztein Lipsicas, C., Mäkinen, I. H., Apter, A., De Leo, D., Kerkhof, A., Lönnqvist, J., ... Wasserman, D. (2012). **Attempted suicide among immigrants in European countries: an international perspective.** *Social Psychiatry and Psychiatric Epidemiology*, 47(2), 241–51. doi:10.1007/s00127-010-0336-6

Bursztein Lipsicas, C., Mäkinen, I. H., Wasserman, D., Apter, A., Kerkhof, A., Michel, K., ... Schmidtke, A. (2013). **Gender distribution of suicide attempts among immigrant groups in European countries--an international perspective.** *European Journal of Public Health*, 23(2), 279–84. doi:10.1093/eurpub/cks029

Värnik, P., Kolves, K., & Wasserman, D. (2005). **Suicide among Russians in Estonia: database study before and after independence.** *BMJ*, 330, 175–176. doi:10.1136/bmj.38328.559572.55

Mäkinen, I., Wasserman, D. **Suicide Mortality among Immigrant Finnish Swedes.** *Archives of Suicide Research*. 2003; 7:93-106

Värnik, A, Kolves, K, Sisask, M, Samm, A, Wasserman, D. **Suicide mortality and political transition: Russians in Estonia compared to the Estonians in Estonia and to the population of Russia.** *Trames* 2006; 10 (3):268-277.

Bursztein Lipsicas C, Makinen I, Wasserman D, Apter A, Kerkhof A, Michel K, Salander Renberg E, van Heeringen K, Varnik A, Schmidtke A. **Repetition of attempted suicide among immigrants in Europe.** *The Canadian Journal of Psychiatry/La Revue canadienne de psychiatrie*. Nov. 2013.

### Peter Allebeck

Hjern, A., & Allebeck, P. (2002). **Suicide in first- and second-generation immigrants in Sweden: a comparative study.** *Social Psychiatry and Psychiatric Epidemiology*, 37(9), 423–9. doi:10.1007/s00127-002-0564-5

### Träskman-Bendz

Johansson, L. M., Sundquist, J., Johansson, S.-E., Bergman, B., Qvist, J., & Träskman-Bendz, L. (1997). **Suicide among foreign-born minorities and native swedes: an epidemiological follow-up study of a defined population.** *Social Science & Medicine*, 44(2), 181–187.

### Vinnerljung

Hjern, A., Lindblad, F., & Vinnerljung, B. (2002). **Suicide, psychiatric illness, and social maladjustment in intercountry adoptees in Sweden: a cohort study.** *Lancet*, 360(9331), 443–8. doi:10.1016/S0140-6736(02)09674-5

Von Borczyskowski, a, Lindblad, F., Vinnerljung, B., Reintjes, R., & Hjern, a. (2011). **Familial factors and suicide: an adoption study in a Swedish National Cohort.** *Psychological Medicine*, 41(4), 749–58. doi:10.1017/S0033291710001315

Von Borczyskowski, A., Hjern, A., Lindblad, F., & Vinnerljung, B. (2006). **Suicidal behaviour in national and international adult adoptees: a Swedish cohort study.** *Social Psychiatry and Psychiatric Epidemiology*, 41(2), 95–102. doi:10.1007/s00127-005-0974-2

Lindblad F, Hjern A, Vinnerljung B: [**Psychosocial and social problems among international adoptees. Increased risk of suicide, substance abuse and grave criminal offences**]. *Lakartidningen* 2003, 100:707–9.

#### **Marcelo Ferrada-Noli**

Ferrada-Noli M: [**Traumatic stress and suicidal behavior of refugees--epidemiological findings**]. *Lakartidningen* 2001, **98**:4888–90.

Ferrada-Noli M, Asberg M, Ormstad K, Nordström P: **Definite and undetermined forensic diagnoses of suicide among immigrants in Sweden**. *Acta Psychiatr Scand* 1995, **91**:130–5.

De Noli MF: [**Suicide among immigrants increases. It increased 10.3 percent in 2012, among Swedish-born 2.8 per cent**]. *Lakartidningen* , **111**:326.

Ferrada-Noli M: **A cross-cultural breakdown of Swedish suicide**. *Acta Psychiatr Scand* 1997, **96**:108–16.

### **Unemployment**

#### **Garcy**

Garcy AM, Vågerö **The length of unemployment predicts mortality, differently in men and women, and by cause of death: a six year mortality follow-up of the Swedish 1992-1996 recession**. *Soc Sci Med* 2012, **74**:1911–20.

2. Garcy AM, Vågerö D: **Unemployment and suicide during and after a deep recession: a longitudinal study of 3.4 million Swedish men and women**. *Am J Public Health* 2013, **103**:1031–8.

#### **Allebeck**

A. Lundin a\*, I. Lundberg b, P. Allebeck c, T. Hemmingsson **Unemployment and suicide in the Stockholm population: a register-based study on 771,068 men and women**. *Public Health* 2012, **126**:371–7.

## Neurobiology /Genetics

### Genetics

**Danuta Wasserman**

**The serotonin 1A receptor C(-1019)G polymorphism in relation to suicide attempt.** *Behav Brain Funct* 2006, **2**:14.

Wasserman D, Geijer T, Sokolowski M, Frisch A, Michaelovsky E, Weizman A, Rozanov V, Wasserman J: **Association of the serotonin transporter promotor polymorphism with suicide attempters with a high medical damage.** *Eur Neuropsychopharmacol* 2007, **17**:230–3.

Wasserman D, Geijer T, Sokolowski M, Rozanov V, Wasserman J: **Nature and nurture in suicidal behavior, the role of genetics: some novel findings concerning personality traits and neural conduction.** *Physiol Behav* 2007, **92**:245–9.

Ben-Efraim YJ, Wasserman D, Wasserman J, Sokolowski M: **Family-based study of AVPR1B association and interaction with stressful life events on depression and anxiety in suicide attempts.** *Neuropsychopharmacology* 2013, **38**:1504–11.

Persson M-L, Geijer T, Wasserman D, Rockah R, Frisch A, Michaelovsky E, Jönsson EG, Apter A, Weizman A: **Lack of association between suicide attempt and a polymorphism at the dopamine receptor D4 locus.** *Psychiatr Genet* 1999, **9**:97–100.

Geijer T, Frisch A, Persson M-L, Wasserman D, Rockah R, Michaelovsky E, Apter A, Jönsson EG, M NM, Weizman A: **Search for association between suicide attempt and serotenergic polymorphisms.** *Psychiatr Genet* 2000, **10**:19–26.

Persson ML, Wasserman D, Geijer T, Jönsson EG, Terenius L: **Tyrosine hydroxylase allelic distribution in suicide attempters.** *Psychiatry Res* 1997, **72**:73–80.

Sokolowski M, Ben-Efraim YJ, Wasserman J, Wasserman D: **Glutamatergic GRIN2B and polyaminergic ODC1 genes in suicide attempts: associations and gene-environment interactions with childhood/adolescent physical assault.** *Mol Psychiatry* 2013, **18**:985–92.

Ben-Efraim YJ, Wasserman D, Wasserman J, Sokolowski M: **Family-based study of HTR2A in suicide attempts: observed gene, gene × environment and parent-of-origin associations.** *Mol Psychiatry* 2013, **18**:758–66.

Wasserman D, Terenius L, Wasserman J, Sokolowski M: **The 2009 Nobel conference on the role of genetics in promoting suicide prevention and the mental health of the population.** *Mol Psychiatry* 2010, **15**:12–7.

Sokolowski M, Wasserman J, Wasserman D: **Association of polymorphisms in the SLIT2 axonal guidance gene with anger in suicide attempters.** *Mol Psychiatry* 2010, **15**:10–1.

Wasserman D, Wasserman J, Sokolowski M: **Genetics of HPA-axis, depression and suicidality.** *Eur Psychiatry* 2010, **25**:278–80.

Written by NASP, June 2014

Wasserman D, Terenius L: **The role of genetics in promoting suicide prevention and the mental health of the population. Preface.** *Eur Psychiatry* 2010, **25**:249.

Ben-Efraim YJ, Wasserman D, Wasserman J, Sokolowski M: **Gene-environment interactions between CRHR1 variants and physical assault in suicide attempts.** *Genes Brain Behav* 2011, **10**:663–72.

Wasserman D, Geijer T, Rozanov V, Wasserman J: **Suicide attempt and basic mechanisms in neural conduction: relationships to the SCN8A and VAMP4 genes.** *Am J Med Genet B Neuropsychiatr Genet* 2005, **133B**:116–9.

Wasserman D, Sokolowski M, Rozanov V, Wasserman J: **The CRHR1 gene: a marker for suicidality in depressed males exposed to low stress.** *Genes Brain Behav* 2008, **7**:14–9.

Wasserman D, Wasserman J, Rozanov V, Sokolowski M: **Depression in suicidal males: genetic risk variants in the CRHR1 gene.** *Genes Brain Behav* 2009, **8**:72–9.

Wasserman D, Sokolowski M, Wasserman J. **Relation of genes regulating the HPA axis to major depression and suicidality; Novel Findings.** *Suicidologi*, 2007,3: 24-25.

Wasserman D, Sokolowski M, Rozanov V, Wasserman J. **The CRHR1 gene: a marker for suicidality in depressed males exposed to low stress.** *Genes Brain Behavior*. 2008; 7(1):14-9.

Sokolowski M, Wasserman D. **A Review of the Neurobiology and Genetics of the Hypothalamic-Pituitary-Adrenal Axis in Suicide.** *European Psychiatric Review* 2009; 2(2): 25-29.

### Marie Åsberg

Roy a, Rylander G, Forslund K, Asberg M, Mazzanti CM, Goldman D, Nielsen D a: **Excess tryptophan hydroxylase 17 779C allele in surviving cotwins of monozygotic twin suicide victims.** *Neuropsychobiology* 2001, **43**:233–6.

Zaboli G, Gizatullin R, Nilsson A, Wilczek A, Jönsson EG, Ahnemark E, Asberg M, Leopardi R: **Tryptophan hydroxylase-1 gene variants associate with a group of suicidal borderline women.** *Neuropsychopharmacology* 2006, **31**:1982–90.

Search for association between suicide attempt and serotonergic polymorphisms.

Geijer T, Frisch A, Persson ML, Wasserman D, Rockah R, Michaelovsky E, Apter A, Jönsson EG, Nöthen MM, Weizman A.  
*Psychiatr Genet*. 2000 Mar;10(1):19-26.

Search for the influence of the tyrosine hydroxylase (TH) repeat polymorphism on personality traits.  
Persson ML, Wasserman D, Jönsson EG, Bergman H, Terenius L, Gyllander A, Neiman J, Geijer T.  
*Psychiatry Res*. 2000 Jul 24;95(1):1-8.

Lack of association between suicide attempt and a polymorphism at the dopamine receptor D4 locus.

Persson ML, Geijer T, Wasserman D, Rockah R, Frisch A, Michaelovsky E, Jönsson EG, Apter A, Weizman A.  
*Psychiatr Genet*. 1999 Jun;9(2):97-100.

Tyrosine hydroxylase allelic distribution in suicide attempters.

Persson ML, Wasserman D, Geijer T, Jönsson EG, Terenius L.  
*Psychiatry Res.* 1997 Sep 19;72(2):73-80.

### Neurobiology

#### Danuta Wasserman

Wasserman D, Hellström C, Wasserman J, Beck O, Andersson E, Åsberg M. **Natural killer cell activity and CSF monoamine metabolites in suicide attempters.** *Archives of Suicide Research* 1997; 3:153-169.

Rozanov VA, Mokhovikov AN, Wasserman D. **Neurobiological basis of suicidality in Swedish and Ukrainian patients who attempted or committed suicide.** *The Journal of Ukrainian Medical Association* 1999; 6(14);5-12.

#### Jan Beskow

Beskow, J., Gottfries, C. G., Roos, B. E., & Winblad, B. (1976). **Determination of monoamine and monoamine metabolites in the human brain: post mortem studies in a group of suicides and in a control group.** *Acta Psychiatrica Scandinavica*, 53(1), 7–20.

#### Jussi Jokinen

**Cholesterol, CSF 5-HIAA, violence and intent in suicidal men.** *Psychiatry Res* 2010, **178**:217–9.

#### Marie Åsberg

**Platelet MAO activity and monoamine metabolites in cerebrospinal fluid in depressed and suicidal patients and in healthy controls.** *Psychiatry Res* 1981, **4**:21–9.

Rydin E, Schalling D, Åsberg M: **Rorschach Ratings in Depressed and Suicidal Patients With Low Levels of 5-Hydroxyindoleacetic Acid in Cerebrospinal Fluid.** *Psychiatry Res* 1982, **243**:229–243.

Lidberg L, Åsberg M, Sundqvist-Stensman U: **5-Hydroxyindoleacetic acid levels in attempted suicides who have killed their children.** *Lancet* 1984:928.

Lidberg L, Tuck JR, Åsberg M, Scalia-Tomba GP, Bertilsson L: **Homicide, suicide and CSF 5-HIAA.** *Acta Psychiatr Scand* 1985, **71**:230–236.

Edman G, Åsberg M, Levander S, Schalling D: **Skin conductance habituation and cerebrospinal fluid 5-hydroxyindoleacetic acid in suicidal patients.** *Arch Gen Psychiatry* 1986, **43**:586–92.

Ferrada-Noli M, Ormstad K, Åsberg M: **Pathoanatomic findings and blood alcohol analysis at autopsy ( BAC ) in forensic diagnoses of undetermined suicide. A cross-cultural study.** *Forensic Sci Int* 1996, **78**:157–163.

Åsberg M: **Neurotransmitters and suicidal behavior. The evidence from cerebrospinal fluid studies.** *Ann N Y Acad Sci* 1997, **836**:158–81.

Lidberg L, Belfrage H, Bertilsson L, Evenden MM, Åsberg M: **Suicide attempts and impulse control disorder are related to low cerebrospinal fluid 5-HIAA in mentally disordered violent offenders.** *Acta Psychiatr Scand* 2000, **101**:395–402.

Asberg M: [[Suicide and biological markers](#)]. *Lakartidningen* 1991, 88:743–6.

### **Peter Nordström**

Jokinen J, Ouda J, Nordström P: [Noradrenergic function and HPA axis dysregulation in suicidal behaviour](#). *Psychoneuroendocrinology* 2010, **35**:1536–42.

Jokinen J, Chatzittofis A, Hellström C, Nordström P, Uvnäs-Moberg K, Asberg M: [Low CSF oxytocin reflects high intent in suicide attempters](#). *Psychoneuroendocrinology* 2012, **37**:482–90.

Jokinen J, Mårtensson B, Nordström A-L, Nordström P: [CSF 5-HIAA and DST non-suppression - independent biomarkers in suicide attempters?](#) *J Affect Disord* 2008, **105**:241–5.

Jokinen J, Samuelsson M, Nordström A-L, Nordström P: [HPT axis, CSF monoamine metabolites, suicide intent and depression severity in male suicide attempters](#). *J Affect Disord* 2008, **111**:119–24.

[CSF 5-HIAA, attempted suicide and suicide risk in schizophrenia spectrum psychosis](#). *Schizophr Res* 2009, **112**:80–5.

Sinai C, Hirvikoski T, Vansvik ED, Nordström A-L, Linder J, Nordström P, Jokinen J: [Thyroid hormones and personality traits in attempted suicide](#). *Psychoneuroendocrinology* 2009, **34**:1526–32.

Asellus P, Nordström P, Jokinen J: [Cholesterol and CSF 5-HIAA in attempted suicide](#). *J Affect Disord* 2010, **125**:388–92.

Moberg T, Nordström P, Forslund K, Kristiansson M, Asberg M, Jokinen J: [CSF 5-HIAA and exposure to and expression of interpersonal violence in suicide attempters](#). *J Affect Disord* 2011, **132**:173–8.

Isung J, Mobarrez F, Nordström P, Asberg M, Jokinen J: [Low plasma vascular endothelial growth factor \(VEGF\) associated with completed suicide](#). *World J Biol Psychiatry* 2012, **13**:468–73.

Carlborg A, Jokinen J, Jönsson EG, Erhardt S, Nordström P: [CSF kynurenic acid and suicide risk in schizophrenia spectrum psychosis](#). *Psychiatry Res* 2013, **205**:165–7.

Isung J, Aeinehband S, Mobarrez F, Mårtensson B, Nordström P, Asberg M, Piehl F, Jokinen J: [Low vascular endothelial growth factor and interleukin-8 in cerebrospinal fluid of suicide attempters](#). *Transl Psychiatry* 2012, **2**(October):e196.

Chatzittofis A, Nordström P, Hellström C, Arver S, Åsberg M, Jokinen J: [CSF 5-HIAA, cortisol and DHEAS levels in suicide attempters](#). *Eur Neuropsychopharmacol* 2013, **23**:1280–7.

Asellus P, Nordström P, Nordström A-L, Jokinen J: [Cholesterol and the “Cycle of Violence” in attempted suicide](#). *Psychiatry Res* 2014, **215**:646–50.



Lundbäck E, Forslund K, Rylander G, Jokinen J, Nordström P, Nordström A-L, Asberg M: **CSF 5-HIAA and the rorschach test in patients who have attempted suicide.** *Arch Suicide Res* 2006, **10**:339–45.

Jokinen J, Nordström A-L, Nordström P: **CSF 5-HIAA and DST non-suppression--orthogonal biologic risk factors for suicide in male mood disorder inpatients.** *Psychiatry Res* 2009, **165**:96–102.

Jokinen J, Nordström P: **HPA axis hyperactivity and attempted suicide in young adult mood disorder inpatients.** *J Affect Disord* 2009, **116**:117–20.

S

Nordström P, Åsberg M: **Suicide risk and serotonin.** *Int Clin Psychopharmacol* 1992, **6 Suppl**:12–21.

### **Träskman-Bendz**

**Cortisol in the CSF of depressed and suicidal patients.** *Arch Gen Psychiatry* 1980, **37**:761–767.

Träskman L, Asberg M, Bertilsson L, Sjöstrand L: **Monoamine metabolites in CSF and suicidal behavior.** *Arch Gen Psychiatry* 1981, **38**:631–6.

Jones SJ, Stanley B, Mann J, Frances AJ, Guido JR, Träskman-Bendz L, Winchel R, Brown RP, Stanley M: **CSF 5-HIAA and HVA concentrations in elderly depressed patients who attempted suicide.** *Am J Psychiatry* 1990, **147**:1225–1227.

Engström G, Alling C, Blennow K, Regnéll G, Träskman-Bendz L: **Reduced cerebrospinal HVA concentrations and HVA/5-HIAA ratios in suicide attempters. Monoamine metabolites in 120 suicide attempters and 47 controls.** *Eur Neuropsychopharmacol* 1999, **9**:399–405.

Nässberger L, Träskman-Bendz L: **Increased soluble interleukin-2 receptor concentrations in suicide attempters.** *Acta Psychiatr Scand* 1993, **88**:48–52.

Simonsson P, Träskman-Bendz L, Alling C, Orelund L, Regnéll G, Ohman R: **Peripheral serotonergic markers in patients with suicidal behavior.** *Eur Neuropsychopharmacol* 1991, **1**:503–10.

Träskman-Bendz L, Alling C, Alsén M, Regnéll G, Simonsson P, Ohman R: **The role of monoamines in suicidal behavior.** *Acta Psychiatr Scand Suppl* 1993, **371**:45–7.

Bayard-Burfield L, Alling C, Blennow K, Jönsson S, Träskman-Bendz L: **Impairment of the blood-CSF barrier in suicide attempters.** *Eur Neuropsychopharmacol* 1996, **6**:195–9.

Engström G, Alling C, Gustavsson P, Orelund L, Träskman-Bendz L: **Clinical characteristics and biological parameters in temperamental clusters of suicide attempters.** *J Affect Disord* 1997, **44**:45–55.

Westrin a, Engstöm G, Ekman R, Träskman-Bendz L: **Correlations between plasma-neuropeptides and temperament dimensions differ between suicidal patients and healthy controls.** *J Affect Disord* 1998, **49**:45–54.

Westrin a, Ekman R, Träskman-Bendz L: **Alterations of corticotropin releasing hormone (CRH) and neuropeptide Y (NPY) plasma levels in mood disorder patients with a recent suicide attempt.** *Eur Neuropsychopharmacol* 1999, **9**:205–11.

- Westrin a, Ekman R, Regnéll G, Träskman-Bendz L: **A follow up study of suicide attempters: increase of CSF-somatostatin but no change in CSF-CRH.** *Eur Neuropsychopharmacol* 2001, **11**:135–43.
- Bergquist J, Träskman-Bendz L, Lindström MB, Ekman R: **Suicide-attempters having immunoglobulin G with affinity for dopamine in cerebrospinal fluid.** *Eur Neuropsychopharmacol* 2002, **12**:153–8.
- Gustavsson G: **CSF testosterone in 43 male suicide attempters.** *Eur Neuropsychopharmacol* 2003, **13**:105–109.
- Westrin Å, Frii K, Träskman-Bendz L: **The dexamethasone suppression test and DSM-III-R diagnoses in suicide attempters.** *Eur Psychiatry* 2003, **18**:350–355.
- Lindström MB, Ryding E, Bosson P, Ahnlide J-A, Rosén I, Träskman-Bendz L: **Impulsivity related to brain serotonin transporter binding capacity in suicide attempters.** *Eur Neuropsychopharmacol* 2004, **14**:295–300.
- Olsson A, Regnéll G, Träskman-Bendz L, Ekman R, Westrin A: **Cerebrospinal neuropeptide Y and substance P in suicide attempters during long-term antidepressant treatment.** *Eur Neuropsychopharmacol* 2004, **14**:479–85.
- Westling S, Ahrén B, Träskman-Bendz L, Westrin A: **High CSF-insulin in violent suicide attempters.** *Psychiatry Res* 2004, **129**:249–55.
- Sher L, Mann JJ, Traskman-Bendz L, Winchel R, Huang Y, Fertuck E, Stanley BH: **Lower cerebrospinal fluid homovanillic acid levels in depressed suicide attempters.** *J Affect Disord* 2006, **90**:83–9.
- Ryding E, Ahnlide J-A, Lindström M, Rosén I, Träskman-Bendz L: **Regional brain serotonin and dopamine transporter binding capacity in suicide attempters relate to impulsiveness and mental energy.** *Psychiatry Res* 2006, **148**:195–203.
- Brundin L, Björkqvist M, Petersén A, Träskman-Bendz L: **Reduced orexin levels in the cerebrospinal fluid of suicidal patients with major depressive disorder.** *Eur Neuropsychopharmacol* 2007, **17**:573–9.
- Brundin L, Björkqvist M, Träskman-Bendz L, Petersén A: **Cocaine and amphetamine regulated transcript (CART) in suicide attempters.** *Psychiatry Res* 2008, **158**:117–22.
- Schultz K, Träskman-Bendz L, Petersén A: **Transthyretin in cerebrospinal fluid from suicide attempters.** *J Affect Disord* 2008, **109**:205–8.
- Bah J, Lindström M, Westberg L, Mannerås L, Ryding E, Henningsson S, Melke J, Rosén I, Träskman-Bendz L, Eriksson E: **Serotonin transporter gene polymorphisms: effect on serotonin transporter availability in the brain of suicide attempters.** *Psychiatry Res* 2008, **162**:221–9.
- Holmstrand C, Engström G, Träskman-Bendz L: **Disentangling dysthymia from major depressive disorder in suicide attempters' suicidality, comorbidity and symptomatology.** *Nord J Psychiatry* 2008, **62**:25–31.

- Brundin L, Björkqvist M, Träskman-Bendz L, Petersén A: **Increased orexin levels in the cerebrospinal fluid the first year after a suicide attempt.** *J Affect Disord* 2009, **113**:179–82.
- Sunnqvist C, Westrin A, Träskman-Bendz L: **Suicide attempters: biological stressmarkers and adverse life events.** *Eur Arch Psychiatry Clin Neurosci* 2008, **258**:456–62.
- Lindqvist D, Träskman-Bendz L, Vang F: **Suicidal intent and the HPA-axis characteristics of suicide attempters with major depressive disorder and adjustment disorders.** *Arch Suicide Res* 2008, **12**:197–207.
- Lindqvist D, Isaksson A, Träskman-Bendz L, Brundin L: **Salivary cortisol and suicidal behavior--a follow-up study.** *Psychoneuroendocrinology* 2008, **33**:1061–8.
- Ryding E, Lindström M, Träskman-Bendz L: **The role of dopamine and serotonin in suicidal behaviour and aggression.** *Prog Brain Res* 2008, **172**:307–15.
- Lindqvist D, Janelidze S, Hagell P, Erhardt S, Samuelsson M, Minthon L, Hansson O, Björkqvist M, Träskman-Bendz L, Brundin L: **Interleukin-6 is elevated in the cerebrospinal fluid of suicide attempters and related to symptom severity.** *Biol Psychiatry* 2009, **66**:287–92.
- Vang FJ, Lindström M, Sunnqvist C, Bah-Rösman J, Johanson A, Träskman-Bendz L: **Life-time adversities, reported thirteen years after a suicide attempt: relationship to recovery, 5HTTLPR genotype, and past and present morbidity.** *Arch Suicide Res* 2009, **13**:214–29.
- Vang FJ, Ryding E, Träskman-Bendz L, van Westen D, Lindström MB: **Size of basal ganglia in suicide attempters, and its association with temperament and serotonin transporter density.** *Psychiatry Res* 2010, **183**:177–9.
- Hallberg L, Westrin A, Isaksson A, Janelidze S, Träskman-Bendz L, Brundin L: **Decreased aldosterone in the plasma of suicide attempters with major depressive disorder.** *Psychiatry Res* 2011, **187**:135–9.
- Janelidze S, Mattei D, Westrin Å, Träskman-Bendz L, Brundin L: **Cytokine levels in the blood may distinguish suicide attempters from depressed patients.** *Brain Behav Immun* 2011, **25**:335–9.
- Lindqvist D, Janelidze S, Erhardt S, Träskman-Bendz L, Engström G, Brundin L: **CSF biomarkers in suicide attempters--a principal component analysis.** *Acta Psychiatr Scand* 2011, **124**:52–61.
- Janelidze S, Ventorp F, Erhardt S, Hansson O, Minthon L, Flax J, Samuelsson M, Traskman-Bendz L, Brundin L: **Altered chemokine levels in the cerebrospinal fluid and plasma of suicide attempters.** *Psychoneuroendocrinology* 2013, **38**:853–62.
- Suchankova P, Holm G, Träskman-Bendz L, Brundin L, Ekman A: **The +1444C>T polymorphism in the CRP gene: a study on personality traits and suicidal behaviour.** *Psychiatr Genet* 2013, **23**:70–6.
- Erhardt S, Lim CK, Linderholm KR, Janelidze S, Lindqvist D, Samuelsson M, Lundberg K, Postolache TT, Träskman-Bendz L, Guillemin GJ, Brundin L: **Connecting inflammation with glutamate agonism in suicidality.** *Neuropsychopharmacology* 2013, **38**:743–52.

Träskman-Bendz L, Asberg M, Schalling D: **Serotonergic function and suicidal behavior in personality disorders.** *Ann N Y Acad Sci* 1986, **487**(Dsm 11):168–74.

Brundin L, Petersén A, Björkqvist M, Träskman-Bendz L: **Orexin and psychiatric symptoms in suicide attempters.** *J Affect Disord* 2007, **100**:259–63.

Zhang, Y., Träskman-Bendz, L., Janelidze, S., Langenberg, P., Saleh, A., Constantine, N., ... Postolache, T. T. (2012). **Toxoplasma gondii immunoglobulin G antibodies and nonfatal suicidal self-directed violence.** *The Journal of Clinical Psychiatry*, 73(8), 1069–76. doi:10.4088/JCP.11m07532

### Åsa Westrin

Westrin, Å. (2000). **Stress Stress system alterations and mood disorders in suicidal patients. A review.** *Biomedicine & Pharmacotherapy*, 142–145.

Westrin, Å., Ekman, R., & Träskman-Bendz, L. (1998). **High delta sleep-inducing peptide-like immunoreactivity in plasma in suicidal patients with major depressive disorder.** *Biological Psychiatry*, 43(10), 734–739. doi:10.1016/S0006-3223(97)00254-0

Westrin, Å., & Niméus, A. (2003). **The dexamethasone suppression test and CSF-5-HIAA in relation to suicidality and depression in suicide attempters.** *European Psychiatry*, 18(4), 166–171. doi:10.1016/S0924-9338(03)00044-0

## Biology of mental disorders

### Martin Schalling

The KMO allele encoding Arg452 is associated with psychotic features in bipolar disorder type 1, and with increased CSF KYNA level and reduced KMO expression.

Lavebratt C, Olsson S, Backlund L, Frisé L, Sellgren C, Priebe L, Nikamo P, Träskman-Bendz L, Cichon S, Vawter MP, Osby U, Engberg G, Landén M, Erhardt S, Schalling M. *Mol Psychiatry*. 2014 Mar;19(3):334-41. doi: 10.1038/mp.2013.11.

The importance of epigenomic studies in schizophrenia.

Ekström TJ, Lavebratt C, Schalling M.

*Epigenomics*. 2012 Aug;4(4):359-62. doi: 10.2217/epi.12.33.

The COMTval158met polymorphism is associated with symptom relief during exposure-based cognitive-behavioral treatment in panic disorder.

Lonsdorf TB, Rück C, Bergström J, Andersson G, Ohman A, Lindefors N, Schalling M.

*BMC Psychiatry*. 2010 Nov 26;10:99. doi: 10.1186/1471-244X-10-99.

CRY2 is associated with depression.

Lavebratt C, Sjöholm LK, Soronen P, Paunio T, Vawter MP, Bunney WE, Adolfsson R, Forsell Y, Wu JC, Kelsoe JR, Partonen T, Schalling M.

*PLoS One*. 2010 Feb 24;5(2):e9407. doi: 10.1371/journal.pone.0009407.

Genetics of affective disorders.

Johansson C, Jansson M, Linnér L, Yuan QP, Pedersen NL, Blackwood D, Barden N, Kelsoe J, Schalling M. *Eur Neuropsychopharmacol*. 2001 Dec;11(6):385-94.

## Inflammatory factors

### Brundin

Cytokine levels in the blood may distinguish suicide attempters from depressed patients.

Janelidze S, Mattei D, Westrin Å, Träskman-Bendz L, Brundin L.

Brain Behav Immun. 2011 Feb;25(2):335-9. doi: 10.1016/j.bbi.2010.10.010.

Exercise-induced release of cytokines in patients with major depressive disorder.

Hallberg L, Janelidze S, Engstrom G, Wisén AG, Westrin A, Brundin L.

J Affect Disord. 2010 Oct;126(1-2):262-7. doi: 10.1016/j.jad.2010.02.133.

## Suicide risk assessment

### Scales

#### Danuta Wasserman

**Subjective psychological well-being (WHO-5) in assessment of the severity of suicide attempt.**

*Nord J Psychiatry* 2008, **62**:431–5.

Titelman D, Nilsson A, Estari J, Wasserman D: **Depression, anxiety, and psychological defense in attempted suicide: a pilot study using PORT.** *Arch Suicide Res* 2004, **8**:239–49.

Antretter E, Dunkel D: **The factorial structure of the Suicide Intent Scale: a comparative study in clinical samples from 11 European regions.** *Int J Methods Psychiatr Res* 2008, **17**:63–79.

Antretter E. Dunkel D. Haring C. Corcoran P. De Leo D. Fekete S. Hawton K. Kerkhof AJ. Lonnqvist J. Renberg ES. Schmidtke A. Van Heeringen K. Wasserman D. **The factorial structure of the Suicide Intent Scale: a comparative study in clinical samples from 11 European regions.** *International Journal of Methods in Psychiatric Research.* 2008; 17(2), 63-79.

Sisask M, Värnik A, Kõlves K, Konstabel K, Wasserman D. **Subjective psychological well-being (WHO-5) in assessment of the severity of suicide attempt.** *Nordic Journal Psychiatry.* 2008,pp.431-435.

#### Jussi Jokinen

Stefansson J, Nordström P, Jokinen J: **Suicide Intent Scale in the prediction of suicide.** *J Affect Disord* 2012, **136**:167–71.

Jokinen, J., Forslund, K., Ahnemark, E., Gustavsson, J. P., Nordström, P., & Asberg, M. (2010). Karolinska Interpersonal Violence Scale predicts suicide in suicide attempters. *The Journal of Clinical Psychiatry*, 71(8), 1025–32. doi:10.4088/JCP.09m05944blu

#### Lars-Håkan Thorell

**Reasons For Living”--translation, psychometric evaluation and relationships to suicidal behaviour in a Swedish random sample.** *Nord J Psychiatry* 2004, **58**:277–85.

#### Margda Waern

Waern, M., Sjöström, N., Marlow, T., & Hetta, J. (2010). Does the Suicide Assessment Scale predict risk of repetition? A prospective study of suicide attempters at a hospital emergency department. *European Psychiatry*, 25(7), 421–6. doi:10.1016/j.eurpsy.2010.03.014

#### Träskman-Bendz

Niméus A, Alsén M, Träskman-Bendz L: **The suicide assessment scale: an instrument assessing suicide risk of suicide attempters.** *Eur Psychiatry* 2000, **15**:416–23.

Niméus A, Hjalmarsson Ståhlfors F, Sunnqvist C, Stanley B, Träskman-Bendz L: **Evaluation of a modified interview version and of a self-rating version of the Suicide Assessment Scale.** *Eur Psychiatry* 2006, **21**:471–7.

Lindqvist D, Nimeus A, Träskman-Bendz L: **Suicidal intent and psychiatric symptoms among inpatient suicide attempters.** *Nord J Psychiatry* 2007, **61**:27–32.

**Wolfgang Rutz**

**Psychometric properties of the Gotland Scale for Depression in Italian psychiatric inpatients and its utility in the prediction of suicide risk.** *J Affect Disord* 2011, **132**:99–103.

Wålinder J, Rutz W: **Male depression and suicide.** *Int Clin Psychopharmacol* 2001, **16**(suppl 2):S21–S24.

**Psychological test**

**Marie Åsberg**

**Violent and nonviolent suicide attempts--a controlled Rorschach study.** *Acta Psychiatr Scand* 1990, **82**:30–9.

**Mats Berglund**

**Post-diction of suicide in a group of depressive patients.** *Acta Psychiatr Scand* 1988, **77**:504–10.

**Träskman-Bendz**

Fribergh H, Träskman-Bendz L, Ojehagen A, Regnéll G. **The Meta-Contrast Technique - a projective test predicting suicide.** *Acta Psychiatr Scand* 1992, **86**:473–477.

Niméus A, Träskman-Bendz L, Alsén M: **Hopelessness and suicidal behavior.** *J Affect Disord* 1997, **42**:137–44.

**Biochemical/biological test**

**Jussi Jokinen**

Jokinen J, Carlborg A, Mårtensson B, Forslund K, Nordström A-L, Nordström P: **DST non-suppression predicts suicide after attempted suicide.** *Psychiatry Res* 2007, **150**:297–303.

Jokinen J, Nordström A-L, Nordström P: **The relationship between CSF HVA/5-HIAA ratio and suicide intent in suicide attempters.** *Arch Suicide Res* 2007, **11**:187–92.

Jokinen J, Nordström A-L, Nordström P: **ROC analysis of dexamethasone suppression test threshold in suicide prediction after attempted suicide.** *J Affect Disord* 2008, **106**:145–52.

Jokinen J, Nordström P: **HPA axis hyperactivity as suicide predictor in elderly mood disorder inpatients.** *Psychoneuroendocrinology* 2008, **33**:1387–93.

**Lars-Håkan Thorell**

Thorell L-H: **Electrodermal responsivity and suicide risk - comment.** *Arch Gen Psychiatry* 1987, **44**:1112.

Thorell L-H: **Valid electrodermal hyporeactivity for depressive suicidal propensity offers links to cognitive theory.** *Acta Psychiatr Scand* 2009, **119**:338–49.

Thorell LH, Wolfersdorf M, Straub R, Steyer J, Hodgkinson S, Kaschka WP, Jandl M: **Electrodermal hyporeactivity as a trait marker for suicidal propensity in uni- and bipolar depression.** *J Psychiatr Res* 2013, **47**:1925–31.

**Peter Nordström**

Written by NASP, June 2014

**CSF 5-HIAA, suicide intent and hopelessness in the prediction of early suicide in male high-risk suicide attempters.** *Acta Psychiatr Scand* 2006, **113**:44–7.



## Treatment & Care

### Pharmacotherapy

#### Göran Isacsson

**Increased antidepressant use and fewer suicides in Jämtland county, Sweden, after a primary care educational programme on the treatment of depression.** *Acta Psychiatr Scand* 2006, **114**:159–67.

Isacsson G, Holmgren a, Osby U, Ahlner J: **Decrease in suicide among the individuals treated with antidepressants: a controlled study of antidepressants in suicide, Sweden 1995-2005.** *Acta Psychiatr Scand* 2009, **120**:37–44.

Isacsson G, Ahlner J: **Antidepressants and the risk of suicide in young persons--prescription trends and toxicological analyses.** *Acta Psychiatr Scand* 2014, **129**:296–302.

Isacsson G, Bergman U, Rich CL: **Epidemiological data suggest antidepressants reduce suicide risk among depressives.** *J Affect Disord* 1996, **41**:1–8.

Isacsson G, Holmgren P: **The utilization of antidepressants - a key issue in the prevention of suicide: an analysis of 5281 suicides in Sweden during during the period 1992-1994.** *Acta Psychiatr Scand* 1997, **96**:94–100.

Henriksson S, Boëthius G, Isacsson G: **Suicides are seldom prescribed antidepressants: findings from a prospective prescription database in Jämtland county, Sweden, 1985-95.** *Acta Psychiatr Scand* 2001, **103**:301–6.

Isacsson G, Holmgren P, Ahlner J: **Selective serotonin reuptake inhibitor antidepressants and the risk of suicide: a controlled forensic database study of 14,857 suicides.** *Acta Psychiatr Scand* 2005, **111**:286–90.

Makris GD, Reutfors J, Ösby U, Isacsson G, Frangakis C, Ekblom a, Papadopoulos FC: **Suicide seasonality and antidepressants: a register-based study in Sweden.** *Acta Psychiatr Scand* 2013, **127**:117–25.

Tondo L, Isacsson G, Baldessarini R: **Suicidal behaviour in bipolar disorder: risk and prevention.** *CNS Drugs* 2003, **17**:491–511.

Isacsson G, Rich CL: **Antidepressant drug use and suicide prevention.** *Int Rev Psychiatry* 2005, **17**:153–62.

Isacsson G: **Depression is the core of suicidality-its treatment is the cure.** *Acta Psychiatr Scand* 2006, **114**:149–50.

Isacsson G, Holmgren P, Wasserman D, Bergman U. **Suicide and the use of antidepressants.** *British Medical Journal* 1994: 308:916.

Reutfors J, Brandt L, Ekblom A, Isacsson G, Sparén P, Osby U: **Suicide and hospitalization for mental disorders in Sweden: a population-based case-control study.** *J Psychiatr Res* 2010, **44**:741–7.

Written by NASP, June 2014

Isacsson G, Rich CL, Jureidini J, Raven M: **The increased use of antidepressants has contributed to the worldwide reduction in suicide rates.** *Br J Psychiatry* 2010, **196**:429–33.

Isacsson G, Rich CL: **Antidepressant drugs and the risk of suicide in children and adolescents.** *Paediatr Drugs* 2014, **16**:115–22.

Isacsson G, Holmgren P, Wasserman D, Bergman U: **Use of antidepressants among people committing suicide in Sweden.** *BMJ* 1994, **308**:506–9.

Isacsson G, Holmgren P, Wasserman D, Bergman U. **Antidepressants and suicide.** *British Medical Journal.* 1995 Jan 14;310(6972):127.

Isacsson G, Bergman U, Wasserman D, Redfors I, Sjöqvist F. **The use of antidepressants and therapeutic drug monitoring by general practitioners and psychiatrists. Findings from a questionnaire survey in two Swedish areas.** *Annals of Clinical Psychiatry* 1996; 8: 3:153-160.

Isacsson G, Wasserman D. **Parasuicide and Psychotropic Medication: Clinical data and drugs used for overdose in 202 parasuicides.** *Archives of Suicide Research* 1999, Vol. 5(2): 113-123.

**Margda Waern**

**Are sedatives and hypnotics associated with increased suicide risk of suicide in the elderly?** *BMC Geriatr* 2009, **9**:20.

**Mats Berglund**

**Treatment and suicide in severe depression: a case-control study of antidepressant therapy at last contact before suicide.** *J ECT* 2000, **16**:399–408.

Brådvik L, Berglund M: **Long-term treatment and suicidal behavior in severe depression: ECT and antidepressant pharmacotherapy may have different effects on the occurrence and seriousness of suicide attempts.** *Depress Anxiety* 2006, **23**:34–41.

Brådvik L, Berglund M: **Antidepressant therapy in severe depression may have different effects on ego-dystonic and ego-syntonic suicidal ideation.** *Depress Res Treat* 2011, **2011**:896395.

Weitoft GR, Berglund M, Lindström EA, Nilsson M, Salmi P, Rosén M: **Mortality, attempted suicide, re-hospitalisation and prescription refill for clozapine and other antipsychotics in Sweden — a register-based study.** *Pharmacoepidemiol Drug Saf* 2014, **23**:290–298.

**Träskman-Bendz**

**Psychosocial and pharmacological treatment of patients following deliberate self-harm: the methodological issues involved in evaluating effectiveness.** *Suicide Life Threat Behav* 2001, **31**:169–80.

## Psychotherapy

**Jan Beskow**

**Kognitiv Suicidprevention-Ett nytt sätt att förstå suicidalitet.** *Soc Tidskr* 2009, **4**:389–394.

**Jussi Jokinen**

**Dialectical behavior therapy-based skills training for family members of suicide attempters.**

*Arch Suicide Res* 2009, **13**:257–63.

**Marie Åsberg**

**Treatment of Suicidal and Deliberate Self-Harming Patients With Borderline Personality Disorder Using Dialectical Behavioral Therapy: The Patients' and the Therapists' Perceptions.**

*Arch Psychiatr Nurs* 2003, **XVII**:218–227.

**Care**

**Marie Åsberg**

**Samuelsson M, Wiklander M, Asberg M, Saveman BI: Psychiatric care as seen by the attempted suicide patient.** *J Adv Nurs* 2000, **32**:635–43.

**Agneta Öjehagen**

**Cedereke M, Öjehagen a.: Formal and Informal Help During the Year After a Suicide Attempt: a One-Year Follow-Up.** *Int J Soc Psychiatry* 2007, **53**:419–429.

**Bo Runeson**

**The development of the Suicidal Patient Observation Chart (SPOC): Delphi study.** *J Psychiatr Ment Health Nurs* 2011, **18**:558–561.

**Runeson B, Scocco P, De Leo D, Mengehel G, Wasserman D. Management of suicide attempts in Italy and Sweden.** *General Hospital Psychiatry*, 2000;22:432-436.

**Danuta Wasserman**

**Wolk-Wasserman D. The intensive care unit and the suicide attempt patient.** *Acta Psychiatrica Scandinavica* 1985; **71**:581-595

**Immigration and recommended care after a suicide attempt in Europe: equity or bias?** *Eur J Public Health* 2014, **24**:63–5.

**Runeson B, Wasserman D: Management of suicide attempters: what are the routines and the costs?** *Acta Psychiatr Scand* 1994, **90**:222–8.

**Ramberg I-L, Wasserman D: The roles of knowledge and supervision in work with suicidal patients.** *Nord J Psychiatry* 2003, **57**:365–71.

**Runeson B, Wasserman D, Träskman-Bendz L, Ågren H, Åsberg M. Management of suicide attempters in psychiatric care in Sweden - questionnaire to psychiatric care providers.** *Nordic Journal of Psychiatry* 1994; **48**:117-120.

**Hultén A, Wasserman D. Lack of continuity - a problem in the care of young suicides.** *Acta Psychiatrica Scandinavica* 1998; **97**(5):326-333.

**Hultén A, Wasserman D, Hawton K, Jiang G-X, Salander-Renberg E, Schmidtke A, Bille-Brahe U, Bjerke T, Kerkhof A, Michel K, Querejeta I. Recommended care for young people (15-19 years) after suicide attempts in certain European countries.** *European Child & Adolescent Psychiatry* 2000; **9**:100-108.

Michel K, Runeson B, Valach L, Wasserman D. **Contacts of suicide attempters with GPs prior to the event: a comparison between Stockholm and Bern.** *Acta Psychiatrica Scandinavica* 1997; 95:94-99.

Wasserman D. **Carefully prepared follow-up of psychiatric patients after discharge is necessary to prevent suicide.** *Lakartidningen*. 2001 Aug 8;98(32-33):3434.

### **Lars Jacobsson**

Talseth a G, Jacobsson L, Norberg a: **The meaning of suicidal psychiatric inpatients' experiences of being treated by physicians.** *J Adv Nurs* 2001, **34**:96–106.

Talseth A-G, Lindseth A, Jacobsson L, Norberg A: **The meaning of suicidal psychiatric in-patients' experiences of being cared for by mental health nurses.** *J Adv Nurs* 1999, **29**:1034–1041.

Jacobsson, L & Renberg, E. [**Psychiatric care in Västerbotten County 1961-1983. Decreased suicide rate within inpatient psychiatric care. It seems that there is no transfer to outpatient psychiatric care**]. *Lakartidningen* 1986, 83:233–6.

### **Vinnerljung**

Vinnerljung, B. (2012). **Suicide and attempted suicide are more common in children and adolescents in care, but rates of attempted suicide are higher before entry into care than after.** *Evidence-Based Mental Health*, 15(2), 38. doi:10.1136/ebmental-2011-100526

Vinnerljung, B., Hjern, A., & Lindblad, F. (2006). **Suicide attempts and severe psychiatric morbidity among former child welfare clients--a national cohort study.** *Journal of Child Psychology and Psychiatry, and Allied Disciplines*, 47(7), 723–33. doi:10.1111/j.1469-7610.2005.01530.x

## Public health/Interventions

### Awareness campaigns

#### Danuta Wasserman

Hoven CW, Wasserman D, Wasserman C, Mandell DJ: **Awareness in nine countries: a public health approach to suicide prevention.** *Leg Med (Tokyo)* 2009, **11 Suppl 1**:S13–7.

Wasserman D, Carli V, Wasserman C, Apter A, Balazs J, Bobes J, Bracale R, Brunner R, Bursztein-Lipsicas C, Corcoran P, Cosman D, Durkee T, Feldman D, Gadoros J, Guillemin F, Haring C, Kahn J-P, Kaess M, Keeley H, Marusic D, Nemes B, Postuvan V, Reiter-Theil S, Resch F, Sáiz P, Sarchiapone M, Sisask M, Varnik A, Hoven CW: **Saving and empowering young lives in Europe (SEYLE): a randomized controlled trial.** *BMC Public Health* 2010, **10**:192.

Wasserman C, Hoven CW, Wasserman D, Carli V, Sarchiapone M, Al-Halabí S, Apter A, Balazs J, Bobes J, Cosman D, Farkas L, Feldman D, Fischer G, Graber N, Haring C, Herta DC, Iosue M, Kahn J-P, Keeley H, Klug K, McCarthy J, Tubiana-Potiez A, Varnik A, Varnik P, Zibera J, Poštuvan V: **Suicide prevention for youth--a mental health awareness program: lessons learned from the Saving and Empowering Young Lives in Europe (SEYLE) intervention study.** *BMC Public Health* 2012, **12**:776.

Carli V, Wasserman C, Wasserman D, Sarchiapone M, Apter A, Balazs J, Bobes J, Brunner R, Corcoran P, Cosman D, Guillemin F, Haring C, Kaess M, Kahn JP, Keeley H, Keresztény A, Iosue M, Mars U, Musa G, Nemes B, Postuvan V, Reiter-Theil S, Saiz P, Varnik P, Varnik A, Hoven CW: **The saving and empowering young lives in Europe (SEYLE) randomized controlled trial (RCT): methodological issues and participant characteristics.** *BMC Public Health* 2013, **13**:479.

Westerlund M, Wasserman D. **Suicide prevention in Schools in Sweden – how does it look today?** *Social Medicine Journal* 2003; 5:462-473.

A newly identified group of adolescents at "invisible" risk for psychopathology and suicidal behavior: findings from the SEYLE study. Carli V, Hoven CW, Wasserman C, Chiesa F, Guffanti G, Sarchiapone M, Apter A, Balazs J, Brunner R, Corcoran P, Cosman D, Haring C, Iosue M, Kaess M, Kahn JP, Keeley H, Postuvan V, Saiz P, Varnik A, Wasserman D. *World Psychiatry*. 2014 Feb;13(1):78-86. doi: 10.1002/wps.20088.

Hours of sleep in adolescents and its association with anxiety, emotional concerns, and suicidal ideation. Sarchiapone M, Mandelli L, Carli V, Iosue M, Wasserman C, Hadlaczky G, Hoven CW, Apter A, Balazs J, Bobes J, Brunner R, Corcoran P, Cosman D, Haring C, Kaess M, Keeley H, Keresztény A, Kahn JP, Postuvan V, Mars U, Saiz PA, Varnik P, Sisask M, Wasserman D. *Sleep Med*. 2014 Feb;15(2):248-54. doi: 10.1016/j.sleep.2013.11.780. Epub 2013 Dec 18.

Risk-behaviour screening for identifying adolescents with mental health problems in Europe. Kaess M, Brunner R, Parzer P, Carli V, Apter A, Balazs JA, Bobes J, Coman HG, Cosman D, Cotter P, Durkee T, Farkas L, Feldman D, Haring C, Iosue M, Kahn JP, Keeley H, Podlogar T, Postuvan V, Resch F, Sáiz PA, Sisask M, Tubiana A, Värnik P, Sarchiapone M, Hoven CW, Wasserman D. *Eur Child Adolesc Psychiatry*. 2013 Nov 19.

Life-time prevalence and psychosocial correlates of adolescent direct self-injurious behavior: a comparative study of findings in 11 European countries. Brunner R, Kaess M, Parzer P, Fischer G, Carli V, Hoven CW, Wasserman C, Sarchiapone M, Resch F, Apter A, Balazs J, Barzilay S, Bobes J, Corcoran P, Cosman D, Haring C, Iosuec M, Kahn JP, Keeley H, Meszaros G, Nemes B, Podlogar T, Postuvan V, Saiz PA, Sisask M, Tubiana A, Varnik A, Wasserman D. *J Child Psychol Psychiatry*. 2014 Apr;55(4):337-48. doi: 10.1111/jcpp.12166. Epub 2013 Nov 12.

The saving and empowering young lives in Europe (SEYLE) randomized controlled trial (RCT): methodological issues and participant characteristics. Carli V, Wasserman C, Wasserman D, Sarchiapone M, Apter A, Balazs J, Bobes J, Brunner R, Corcoran P, Cosman D, Guillemin F, Haring C, Kaess M, Kahn JP, Keeley H, Keresztény A, Iosue M, Mars U, Musa G, Nemes B, Postuvan V, Reiter-Theil S, Saiz P, Varnik P, Varnik A, Hoven CW. *BMC Public Health*. 2013 May 16;13:479. doi: 10.1186/1471-2458-13-479.

Adolescent subthreshold-depression and anxiety: psychopathology, functional impairment and increased suicide risk. Balázs J, Miklósi M, Keresztény A, Hoven CW, Carli V, Wasserman C, Apter A, Bobes J, Brunner R, Cosman D, Cotter P, Haring C, Iosue M, Kaess M, Kahn JP, Keeley H, Marusic D, Postuvan V, Resch F, Saiz PA, Sisask M, Snir A, Tubiana A, Varnik A, Sarchiapone M, Wasserman D. *J Child Psychol Psychiatry*. 2013 Jun;54(6):670-7. doi: 10.1111/jcpp.12016. Epub 2013 Jan 18.

Suicide prevention for youth--a mental health awareness program: lessons learned from the Saving and Empowering Young Lives in Europe (SEYLE) intervention study. Wasserman C, Hoven CW, Wasserman D, Carli V, Sarchiapone M, Al-Halabí S, Apter A, Balazs J, Bobes J, Cosman D, Farkas L, Feldman D, Fischer G, Graber N, Haring C, Herta DC, Iosue M, Kahn JP, Keeley H, Klug K, McCarthy J, Tubiana-Potiez A, Varnik A, Varnik P, Ziberna J, Poštuvan V. *BMC Public Health*. 2012 Sep 12;12:776. doi: 10.1186/1471-2458-12-776.

### **Training of health workers**

#### **Danuta Wasserman**

Ramberg I-L, Wasserman D: **Suicide-preventive activities in psychiatric care: evaluation of an educational programme in suicide prevention.** *Nord J Psychiatry* 2004, **58**:389–94.

Ramberg I-L, Wasserman D: **Benefits of implementing an academic training of trainers program to promote knowledge and clarity in work with psychiatric suicidal patients.** *Arch Suicide Res* 2004, **8**:331–43.

Wasserman D, Berglund M, Beskow J, Cullberg J, Jacobsson L, Olsson M, Träskman-Bendz L, Åsberg M. **Suicide Prevention in Psychiatric Care.** *Nordic Journal of Psychiatry*.1991; 45:81-91.

#### **Marie Åsberg**

**Training program in suicide prevention for psychiatric nursing personnel enhance attitudes to attempted suicide patients.** *Int J Nurs Stud* 2002, **39**:115–21.

#### **Wolfgang Rutz**

**Preventing suicide and premature death by education and treatment.** *J Affect Disord* 2001, **62**:123–9.

Rutz W, von Knorring L, Wålinder J: **Frequency of suicide on Gotland after systematic postgraduate education of general practitioners.** *Acta Psychiatr Scand* 1989, **80**:151–4.

Rutz W, Knorring L Von, Pihlgren H, Rihmer Z, Wålinder J: **Prevention of male suicides: lessons from Gotland study.** *Lancet* 1995, **345**:524.

Rihmer Z, Rutz W, Pihlgren H: **Depression and suicide on Gotland: An intensive study of all suicides before and after a depression-training programme for general practitioners.** *J Affect Disord* 1995, **35**:147–152.

### Attitudes toward suicide

#### Danuta Wasserman

Aish A-M, Ramberg I-L, Wasserman D. **Measuring attitudes of mental health care staff towards suicidal patients.** *Archives of Suicide Research* 2002; 6:309-323.

#### Bo Runeson

Wallin U, Runeson B: **Attitudes towards suicide and suicidal patients among medical students.** *Eur Psychiatry* 2003, **18**:329–333.

#### Elinor Salander Renberg

**County Council Politicians' Attitudes Toward Suicide and Suicide Prevention.** *Cris J Cris Interv Suicide Prev* 2008, **29**:123–130.

Renberg ES, Hjelmeland H, Kuposov R: **Building models for the relationship between attitudes toward suicide and suicidal behavior: based on data from general population surveys in Sweden, Norway, and Russia.** *Suicide Life Threat Behav* 2008, **38**:661–75.

#### Lars Jacobsson

Renberg ES, Jacobsson L: **Development of a questionnaire on attitudes towards suicide (ATTS) and its application in a Swedish population.** *Suicide Life Threat Behav* 2003, **33**:52–64.

#### M Åsberg

Samuelsson M, Asberg M, Gustavsson JP: **Attitudes of psychiatric nursing personnel towards patients who have attempted suicide.** *Acta Psychiatr Scand* 1997, **95**:222–30.

Samuelsson M, Sunbring Y, Winell I, Asberg M: **Nurses' attitudes to attempted suicide patients.** *Scand J Caring Sci* 1997, **11**:232–7.

### Reduction of harmful use of alcohol

#### Danuta Wasserman

Värnik A, Kølves K, Väli M, Tooding L-M, Wasserman D: **Do alcohol restrictions reduce suicide mortality?** *Addiction* 2007, **102**:251–6.

Wasserman D, Vamik, A, Kolves, k, Tooding, LM. **Diminishing alcohol consumption is the most effective suicide preventive program in modern history for males.** *European Psychiatry.* 2007; 22, 36-36.

Wasserman D, Värnik A. **Suicide-preventive effects of perestroika in the former USSR: the role of alcohol restriction.** *Acta Psychiatrica Scandinavica* 1998; 98 (Suppl. 394):1-44.

### Means restriction: railroads

**Jan Beskow**

**National suicide prevention programme and railway suicide.** *Soc Sci Med* 1994, **38**:447–451.

Thorson J, Beskow J: [**The number of railway suicides can and should be reduced. The involved drivers receive crisis help**]. *Lakartidningen* 1991, 88:2448.”

Beskow J, Andersson A-L, Lindberg E, Svensson K, Tingvall C: [**The Swedish Transport Administration, first authority with suicide prevention program**]. *Lakartidningen* , **110**:890.

### Telephone intervention

**Agneta Öjehagen**

**Telephone contact with patients in the year after a suicide attempt: does it affect treatment attendance and outcome? A randomised controlled study.** *Eur Psychiatry* 2002, **17**:82–91.

### Review/discussion

**Danuta Wasserman**

Mann JJ, Apter A, Bertolote J, Beautrais A, Currier D, Haas A, Hegerl U, Lonnqvist J, Malone K, Marusic A, Mehlum L, Patton G, Phillips M, Rutz W, Rihmer Z, Schmidtke A, Shaffer D, Silverman M, Takahashi Y, Varnik A, Wasserman D, Yip P, Hendin H: **Suicide Prevention Strategies: A systematic Review.** *JAMA* 2005, **16**:2064–2074.

Wasserman D, Rihmer Z, Rujescu D, Sarchiapone M, Sokolowski M, Titelman D, Zalsman G, Zemishlany Z, Carli V. **The European Psychiatric Association (EPA) guidance on suicide treatment and prevention; European Psychiatric Association.** *European Psychiatry.* 2012 Feb;27(2):129-41. doi: 10.1016/j.eurpsy.2011.06.003.

Wasserman D, Mittendorfer E. **Suicide Prevention in Europe. The WHO European Monitoring Survey on national suicide prevention programmes and strategies.** WHO 2002.

Wasserman D, Mittendorfer-Rutz E. **The WHO European monitoring surveys on national suicide preventive programmes and strategies.** *Suicidologi*, 2004; 9(1) 23-25.

Wasserman D. **Evaluating suicide prevention: various approaches needed.** *World Psychiatry.* 2004 Oct;3(3):153-4.



## *The bereaved and Euthanasia*

### **The bereaved**

#### **Agneta Öjehagen**

Magne-Ingvar U, Öjehagen A: **Significant others of suicide attempters: their views at the time of the acute psychiatric consultation.** *Soc Psychiatry Psychiatr Epidemiol* 1999, **34**:73–79.

#### **Ullakarin Nyberg**

**The ethics of doing nothing. Suicide-bereavement and research: ethical and methodological considerations.** *Psychol Med* 2013:1–12.

Omerov P, Steineck G, Nyberg T, Runeson B, Nyberg U: **Psychological morbidity among suicide-bereaved and non-bereaved parents: a nationwide population survey.** *BMJ Open* 2013, **3**:e003108.

#### **Jan Beskow**

Runeson B, Beskow J: **Reactions of survivors of suicide victims to interviews.** *Acta Psychiatr Scand* 1991, **83**:169–73.

#### **Margda Waern**

Waern M: **Suicides among family members of elderly suicide victims: an exploratory study.** *Suicide Life Threat Behav* 2005, **35**:356–64.

#### **Danuta Wasserman**

Bille-Brahe U, Ebebo H, Crepet, P, De Leo D, Hjelmeland H, Kerhof A, Lönnqvist J, Michel K, Salander Renberg E, Schmidtke A, Wasserman D. **Social Support among European suicide attempters.** *Archives of Suicide Research.* 1999; 5(3):215-232.

BMC Public Health. 2012 Sep 12;12:776. doi: 10.1186/1471-2458-12-776.

Suicide prevention for youth--a mental health awareness program: lessons learned from the Saving and Empowering Young Lives in Europe (SEYLE) intervention study.

Wasserman C1, Hoven CW, Wasserman D, Carli V, Sarchiapone M, Al-Halabí S, Apter A, Balazs J, Bobes J, Cosman D, Farkas L, Feldman D, Fischer G, Graber N, Haring C, Herta DC, Iosue M, Kahn JP, Keeley H, Klug K, McCarthy J, Tubiana-Potiez A, Varnik A, Varnik P, Zibera J, Poštuvan V.

### **Euthanasia**

#### **Danuta Wasserman**

Wasserman D. **Passive euthanasia in response to attempted suicide: one form of aggressiveness by relatives.** *Acta Psychiatrica Scandinavica* 1989; 79:460-467.

Wasserman D. **Building humanistic care at the end of life – No to euthanasia and doctor assisted suicide!** *Swedish Medical Journal*, 1996; 93 (50): 4604-4606.

Wasserman D. **A reply on euthanasia: a cultural view of the dying person can change everything.** *Swedish Medical Journal*, 1997; 94 (11): 926-932.

Ringskog S, Wasserman D. **Too simplified view on euthanasia. A comment to a book review.** *Lakartidningen.* 2000 Jan 19;97(3):188-9.

Written by NASP, June 2014

**Ottosson**

Ottosson JO: [**No to euthanasia--yes to palliative care! Physician-assisted suicide is unethical, too**].  
*Lakartidningen* 1996, **93**:1309–10.

## LAMIC research

### Prevalence

#### Wasserman

**Suicide attempts, plans, and ideation in culturally diverse sites: the WHO SUPRE-MISS community survey.** *Psychol Med* 2005, **35**:1457–65.

Thanh HTT, Jiang G-X, Van TN, Minh DPT, Rosling H, Wasserman D: **Attempted suicide in Hanoi, Vietnam.** *Soc Psychiatry Psychiatr Epidemiol* 2005, **40**:64–71.

Tran Thi Thanh H, Tran TN, Jiang G-X, Leenaars A, Wasserman D: **Life time suicidal thoughts in an urban community in Hanoi, Vietnam.** *BMC Public Health* 2006, **6**:76.

Ovuga E, Boardman J, Wassermann D: **Prevalence of suicide ideation in two districts of Uganda.** *Arch Suicide Res* 2005, **9**:321–32.

Thomyangkoon, P, Leenaars A, Wasserman D. **Suicide in Thailand, 1977 to 2002.** *Archives of Suicide Research*, 2005; 9:361-368.

Undergraduate student mental health at Makerere University, Uganda. Ovuga E, Boardman J, Wasserman D. *World Psychiatry*. 2006 Feb;5(1):51-2.

#### Ahmadi

Demographic risk factors of self-immolation: a case-control study.

Ahmadi A, Mohammadi R, Schwebel DC, Khazaie H, Yeganeh N, Almasi A. *Burns*. 2009 Jun;35(4):580-6. doi: 10.1016/j.burns.2008.06.012.

Self-immolation in Iran.

Ahmadi A, Mohammadi R, Stavrinou D, Almasi A, Schwebel DC. *J Burn Care Res*. 2008 May-Jun;29(3):451-60. doi: 10.1097/BCR.0b013e31817112f1.

Ahmadi A. **Suicide** by self-immolation: comprehensive overview, experiences and suggestions. *J Burn Care Res*. 2007 Jan-Feb;28(1):30-41.

#### Jacobsson

Prevalence of mental disorders in adults in Subtiava, León, Nicaragua.

Penayo U, Caldera T, Jacobsson L.

*Bol Oficina Sanit Panam*. 1992 Aug;113(2):137-49.

#### Elinor Salander Renberg

Caldera T, Herrera A, Kullgren G, Renberg ES: **Suicide intent among parasuicide patients in Nicaragua: a surveillance and follow-up study.** *Arch Suicide Res* 2007, **11**:351–60.

#### Gunnar Kullgren

Caldera T, Herrera A, Renberg ES, Kullgren G: **Parasuicide in a low-income country: results from three-year hospital surveillance in Nicaragua.** *Scand J Public Health* 2004, **32**:349–55.

Written by NASP, June 2014

Alem A, Kebede D, Jacobsson L, Kullgren G: **Suicide attempts among adults in Butajira, Ethiopia.** *Acta Psychiatr Scand Suppl* 1999, **397**:70–6.

### Lars Jacobsson

Music E, Jacobsson L, Salander Renberg E: **Suicide in Bosnia and Herzegovina and the city of Sarajevo.** *Crisis* 2014, **35**:42–50.

### Laflamme

Epidemiology of fatal burns in rural South Africa: a mortuary register-based study from Mpumalanga Province.

Blom L, van Niekerk A, Laflamme L.

Burns. 2011 Dec;37(8):1394-402. doi: 10.1016/j.burns.2011.07.014.

Burrows S, Laflamme L. **Suicide** among urban South African adolescents. *Int J Adolesc Med Health*. 2008 Oct-Dec;20(4):519-28.

Pattern analysis of suicide mortality surveillance data in urban South Africa.

Burrows S, Laflamme L.

*Suicide Life Threat Behav*. 2008 Apr;38(2):209-20. doi: 10.1521/suli.2008.38.2.209.

Assessment of accuracy of suicide mortality surveillance data in South Africa: investigation in an urban setting.

Burrows S, Laflamme L.

*Crisis*. 2007;28(2):74-81.

Determination of suicide in South Africa: medical practitioner perspectives.

Burrows S, Laflamme L.

*Arch Suicide Res*. 2007;11(3):281-90

## Risk & protective factors

### Christina Dalman

**Suicide attempts by poisoning in Hanoi, Vietnam: methods used, mental problems, and history of mental health care.** *Arch Suicide Res* 2009, **13**:368–77.

Nguyen T V, Dalman C, Le TC, Nguyen T V, Tran N V, Allebeck P: **Suicide attempt in a rural area of Vietnam: Incidence, methods used and access to mental health care.** *Int J Ment Health Syst* 2010, **4**:3.

### Gunnar Kullgren

**Pathways to suicidal behaviour among adolescent girls in Nicaragua.** *Soc Sci Med* 2006, **62**:805–14.

Jegannathan B, Kullgren G: **Gender differences in suicidal expressions and their determinants among young people in Cambodia, a post-conflict country.** *BMC Psychiatry* 2011, **11**:47.

### Lars Jacobsson

Mofidi N, Ghazinour M, Araste M, Jacobsson L, Richter J: **General mental health, quality of life and suicide-related attitudes among Kurdish people in Iran.** *Int J Soc Psychiatry* 2008, **54**:457–68.

Sundbom E, Jacobsson L, Kullgren G, Penayo U. **Personality and defenses: a cross-cultural study of psychiatric patients and healthy individuals in Nicaragua and Sweden.** *Psychol Rep.* 1998 Dec;83(3 Pt 2):1331-47.

### **Laflamme**

Sex-specific suicide mortality in the South African urban context: the role of age, race, and geographical location. Burrows S, Vaez M, Laflamme L. *Scand J Public Health.* 2007;35(2):133-9.

Suicide mortality in South Africa: a city-level comparison across socio-demographic groups. Burrows S, Laflamme L. *Soc Psychiatry Psychiatr Epidemiol.* 2006 Feb;41(2):108-14. Epub 2006 Jan 1.

Living circumstances of suicide mortality in a South African city: an ecological study of differences across race groups and sexes. Burrows S, Laflamme L. *Suicide Life Threat Behav.* 2005 Oct;35(5):592-603.

### **Danuta Wasserman**

Is religiosity a protective factor against attempted suicide: a cross-cultural case-control study. Sisask M, Varnik A, Kolves K, Bertolote JM, Bolhari J, Botega NJ, Fleischmann A, Vijayakumar L, Wasserman D.

*Arch Suicide Res.* 2010;14(1):44-55. doi: 10.1080/13811110903479052.

## **Intervention**

### **Danuta Wasserman**

**Effectiveness of brief intervention and contact for suicide attempters: a randomized controlled trial in five countries.** *Bull World Health Organ* 2008, **86**:703–709.

Bertolote JM, Fleischmann A, De Leo D, Phillips MR, Botega NJ, Vijayakumar L, De Silva D, Schlebusch L, Nguyen VT, Sisask M, Bolhari J, Wasserman D: **Repetition of Suicide Attempts: data from emergency care settings in five culturally different low- and middle-income countries participating in the WHO SUPRE-MISS Study.** *Cris J Cris Interv Suicide Prev* 2010, **31**:194–201.

### **Ahmadi**

Ahmadi A, Ytterstad B. Prevention of self-immolation by community-based intervention. *Burns.* 2007 Dec;33(8):1032-40.

### **Jacobsson**

Is treatment in groups a useful alternative for psychiatry in low-income countries? An evaluation of a psychiatric outpatient unit in Nicaragua.

Caldera T, Kullgren G, Penayo U, Jacobsson L. *Acta Psychiatr Scand.* 1995 Nov;92(5):386-91.

## Understanding the suicidal process

### Wasserman

Wasserman D, Tran Thi Thanh, H, Pham Thi Minh, D, Goldstein, M, Nordenskiöld, A, Wasserman, C. **Suicidal process, suicidal communication and psychosocial situation of young suicide attempters in a rural Vietnamese community.** *World Psychiatry* 2008, **7**:47–53.

Fleischmann A, Bertolote JM, De Leo D, Botega N, Phillips M, Sisask M, Vijayakumar L, Malakouti K, Schlebusch L, De Silva D, Nguyen VT, Wasserman D: **Characteristics of attempted suicides seen in emergency-care settings of general hospitals in eight low- and middle-income countries.** *Psychol Med* 2005, **35**:1467–74.

### Elinor Salander Renberg

**Suicidal expressions among young people in Nicaragua: a community-based study.** *Soc Psychiatry Psychiatr Epidemiol* 2006, **41**:692–7.

### Gunnar Kullgren

Obando Medina CM, Herrera A, Kullgren G: **Suicidal Expression in Adolescents in Nicaragua in Relation to Youth Self-Report (YSR) Syndromes and Exposure to Suicide.** *Clin Pract Epidemiol Ment Health* 2011, **7**:89–96.

Medina CO, Jegannathan B, Dahlblom K, Kullgren G: **Suicidal expressions among young people in Nicaragua and Cambodia: a cross-cultural study.** *BMC Psychiatry* 2012, **12**:28.

## Attitudes

Mofidi N, Ghazinour M, Salander-Renberg E, Richter J: **Attitudes towards suicide among Kurdish people in Iran.** *Soc Psychiatry Psychiatr Epidemiol* 2008, **43**:291–8.

### Lars Jacobsson

**Awareness and attitudes of a rural Ethiopian community toward suicidal behaviour.** *Acta Psychiatr Scand* 1999, **100**:65–69.

Penayo U, Jacobsson L, Caldera T, Bermann G. Community attitudes and awareness of mental disorders. A key informant study in two Nicaraguan towns. *Acta Psychiatr Scand.* 1988 Nov;78(5):561-6.

## *The suicidal experience and process*

### **The suicidal experience/understanding suicide**

**Agneta Öjehagen**

**Being in want of control: Experiences of being on the road to, and making, a suicide attempt.** *Int J Qual Stud Health Well-being* 2012, **7**:1–11.

**Danuta Wasserman**

Hjelmeland H, Hawton K, Nordvik H, Bille-Brahe U, De Leo D, Fekete S, Grad O, Haring C, Kerkhof JFM, Lönnqvist J, Michel K, Renberg ES, Schmidtke A, Van Heeringen K, Wasserman D: **Why people engage in parasuicide: a cross-cultural study of intentions.** *Suicide Life Threat Behav* 2002, **32**:380–93.

Wolk-Wasserman D: **Suicidal communication of persons attempting suicide and responses of significant others.** *Acta Psychiatr Scand* 1986, **73**:481–99.

Wasserman D. **Suicide research: perspectives and models. The suicidal individual's struggle, defeat and rejection - the role of the family.** *Journal of Social Medicine* 1990; **8**:410-414.

McAuliffe C, Corcoran P, Keeley HS, Arensman E, Bille-Brahe U, De Leo D, Fekete S, Hawton K, Hjelmeland H, Kelleher M, Kerkhof AJFM, Lönnqvist J, Michel K, Salander-Renberg E, Schmidtke A, Van Heeringen K, Wasserman D: **Problem-solving ability and repetition of deliberate self-harm: a multicentre study.** *Psychol Med* 2006, **36**:45–55.

McAuliffe, C, Corcoran, P, Keeley, HS, Arensman, E, Bille-Brahe, U, De Leo, D, Fekete, S, Hawton, K, Hjelmeland, H, Kelleher, M, Kerkhof, A, Lönnqvist, J, Michel, K, Salander Renberg, E, Schmidtke, A, van Heeringen, K, Wasserman D. **Problem-Solving Ability and Repetition of Deliberate Self-Harm: A Cross-Cultural Study.** *Psychological Medicine* 2005; **35**:1-11.

**Lars Jacobsson**

Omama L, Sandlund M, Jacobsson L: **Suicidal expressions in young Swedish Sami, a cross-sectional study.** *Int J Circumpolar Health* 2013, **72**.

Rancans E, Salander Renberg E, Jacobsson L: **Major demographic, social and economic factors associated to suicide rates in Latvia 1980-98.** *Acta Psychiatr Scand* 2001, **103**:275–81.

Rancāns E, Lapiņš J, Salander Renberg E, Jacobsson L: **Self-reported suicidal and help seeking behaviours in the general population in Latvia.** *Soc Psychiatry Psychiatr Epidemiol* 2003, **38**:18–26.

**Marie Åsberg**

Wiklander M, Samuelsson M, Asberg M: **Shame reactions after suicide attempt.** *Scand J Caring Sci* 2003, **17**:293–300.

Wiklander M, Samuelsson M, Jokinen J, Nilsonne A, Wilczek A, Rylander G, Asberg M: **Shame-proneness in attempted suicide patients.** *BMC Psychiatry* 2012, **12**:50.

Written by NASP, June 2014

Samuelsson M, Gustavsson JP, Petterson IL, Arnetz B, Asberg M: **Suicidal feelings and work environment in psychiatric nursing personnel.** *Soc Psychiatry Psychiatr Epidemiol* 1997, **32**:391-7.

### **The suicidal process**

#### **Bo Runeson**

Runeson BS, Beskow J, Waern M: **The suicidal process in suicides among young people.** *Acta Psychiatr Scand* 1996, **93**:35-42.

#### **Louise Brådvik**

Brådvik L: **Last suicide attempt before completed suicide in severe depression: an extended suicidal process may be found in men rather than women.** *Arch Suicide Res* 2013, **17**:426-33.

#### **Danuta Wasserman**

Wasserman D. **Research on the suicidal process.** *Journal of Social Medicine.* 1990; 8:398-405.



## UNCATEGORISED:

### Louise Brådvik

Crona L, Mossberg A, Brådvik L: **Suicidal Career in Severe Depression among Long-Term Survivors: In a Followup after 37-53 Years Suicide Attempts Appeared to End Long before Depression.** *Depress Res Treat* 2013, **2013**:610245.

### Marie Åsberg

**Psychiatric health, ethnicity and socioeconomic factors among suicides in Stockholm.** *Psychol Rep* 1997:323-332.

Ferrada-Noli M, Asberg M, Ormstad K: **Suicidal behavior after severe trauma. Part 2: The association between methods of torture and of suicidal ideation in posttraumatic stress disorder.** *J Trauma Stress* 1998, **11**:113-24.

### Träskman-Bendz

Ojehagen A, Danielsson M, Träskman-Bendz L: **Deliberate self-poisoning: treatment follow-up of repeaters and nonrepeaters.** *Acta Psychiatr Scand* 1992, **85**:370-5.

Ojehagen A, Regnéll G, Träskman-Bendz L: **Deliberate self-poisoning: repeaters and nonrepeaters admitted to an intensive care unit.** *Acta Psychiatr Scand* 1991, **84**:266-71.

Ojehagen A, Johnsson E, Träskman-Bendz L: **The long-term stability of temperament traits measured after a suicide attempt. A 5-year follow-up of ratings of Karolinska Scales of Personality (KSP).** *Nord J Psychiatry* 2003, **57**:125-30.

### Wolfgang Rutz

**Decreasing tendency of seasonality in suicide may indicate lowering rate of depressive suicides in the population.** *Psychiatry Res* 1998, **81**:233-40.

### Agneta Öjehagen:

Cedereke, M., & Ojehagen, a. (2005). **Prediction of repeated parasuicide after 1-12 months.** *European Psychiatry: The Journal of the Association of European Psychiatrists*, 20(2), 101-9. doi:10.1016/j.eurpsy.2004.09.008

### Bo Runeson

**Parasuicides without follow-up.** *Nord J Psychiatry* 2001, **55**:319-323.

### Danuta Wasserman

Hjelmeland H, Stiles TC, Bille-Brahe U, Ostamo A, Salander-Renberg E, Wasserman D. **Parasuicide: The value of suicidal intent and various motives as predictors of future suicidal behaviour.** *Archives of Suicide Research* 1998;4:209-225.

### M Waern

Sjöström, N., Hetta, J., & Waern, M. (2012). **Sense of coherence and suicidality in suicide attempters: a prospective study.** *Journal of Psychiatric and Mental Health Nursing*, 19(1), 62-9. doi:10.1111/j.1365-2850.2011.01755.x

### **M Berglund**

Hakansson, A., Bradvik, L., Schlyter, F., & Berglund, M. (2011). **Variables associated with repeated suicide attempt in a criminal justice population.** *Suicide & Life-Threatening Behavior*, 41(5), 517–31. doi:10.1111/j.1943-278X.2011.00048.x

Brådvik L, Berglund M: **Repetition and severity of suicide attempts across the life cycle: a comparison by age group between suicide victims and controls with severe depression.** *BMC Psychiatry* 2009, 9:62.

Hakansson A, Bradvik L, Schlyter F, Berglund M: **Factors associated with the history of attempted suicide.** *Crisis* 2010, 31:12–21.

### **Mittendorfer-Rutz**

Wang, M., Alexanderson, K., Runeson, B., Head, J., Melchior, M., Perski, A., & Mittendorfer-Rutz, E. (2014). **Are all-cause and diagnosis-specific sickness absence, and sick-leave duration risk indicators for suicidal behaviour? A nationwide register-based cohort study of 4.9 million inhabitants of Sweden.** *Occupational and Environmental Medicine*, 71(1), 12–20. doi:10.1136/oemed-2013-101462

### **Peter Nordström**

Jokinen, J., Forslund, K., Nordström, A.-L., Lindqvist, P., & Nordström, P. (2009). **Suicide risk after homicide in Sweden.** *Archives of Suicide Research*, 13(3), 297–301. doi:10.1080/13811110903044609

### **Charlotte Björkenstam**

Björkenstam, C., Björkenstam, E., Ljung, R., Vinnerljung, B., & Tuvblad, C. (2013). **Suicidal behavior among delinquent former child welfare clients.** *European Child & Adolescent Psychiatry*, 22(6), 349–55. doi:10.1007/s00787-012-0372-8

Björkenstam, C., Weitoft, G. R., Hjern, A., Nordström, P., Hallqvist, J., & Ljung, R. (2011). **School grades, parental education and suicide--a national register-based cohort study.** *Journal of Epidemiology and Community Health*, 65(11), 993–8. doi:10.1136/jech.2010.117226

Björkenstam, E., Björkenstam, C., Vinnerljung, B., Hallqvist, J., & Ljung, R. (2011). **Juvenile delinquency, social background and suicide--a Swedish national cohort study of 992,881 young adults.** *International Journal of Epidemiology*, 40(6), 1585–92. doi:10.1093/ije/dyr127

Björkenstam, C., Möller, J., Ringbäck, G., Salmi, P., Hallqvist, J., & Ljung, R. (2013). **An association between initiation of selective serotonin reuptake inhibitors and suicide - a nationwide register-based case-crossover study.** *PloS One*, 8(9), e73973. doi:10.1371/journal.pone.0073973